



DT: 20 / 01 / 2024

To
The Executive Engineer
AP Pollution Control Board
Vijayawada

Bio medical waste Annual Report for the year 2023: in respect of Dr Ramesh Cardiac and Multispecialty Hospital (P) Ltd, D. No 54-16-14 Opp. Polytechnic Post Office, Near ITI College, Vijayawada, NTR District, Andhra Pradesh Pin code 520008

Sir,

With reference to the above to Dr Ramesh Cardiac and Multispecialty Hospital private limited, Vijayawada submits its Bio Medical Waste Management Annual Report for the year ending, December 2023 as per provisions of the act. Therefore, it is requested to receive the endorsed report and acknowledge the same.

Thanking you

Yours Sincerely

Cluster Chief Operating Officer

Mr. ANANDAN JAYARAMAN
CLUSTER-COO (Non-Clinical)
RAMESH HOSPITALS



Form - IV (See rule 13)

ANNUAL REPORT


(Aster Ramesh Hospitals Main Branch for the year 2023)

[To be submitted to the prescribed authority on or before 30th June every year for the period from January to December of the preceding year, by the occupier of health care facility (HCF) or common bio-medical waste treatment facility (CBWTF)]

1	Particulars of the Occupier	
(i)	Name of the authorised person (occupier or operator of facility) -	Dr Ramesh Cardiac and Multispecialty Hospital (P) Ltd.
(ii)	Name Of HCF	Dr Ramesh Cardiac and Multispecialty Hospital (P) Ltd.
(iii)	Address for Correspondence	Dr Ramesh Cardiac and Multispecialty Hospital (P) Ltd, D. No 54-16-14 Opp. Polytechnic Post Office, Near ITI College, Vijayawada, NTR District ,Andhra Pradesh pin code 520008 E Mail anandan.jayaraman@rameshhospitals.com
(iv)	Address of Facility	Ramesh Cardiac and Multispecialty Hospital (P) Ltd, D. No 54-16-14 Opp. Polytechnic Post Office, Near ITI College, Vijayawada, NTR District ,Andhra Pradesh pin code 520008
(v)	Tel. No, Fax. No	086323 77777
(vi)	E-mail ID	info@rameshhospitals.com anandan.jayaraman@rameshhospitals.com
(vii)	URL of Website	rameshhospitals.com
(viii)	GPS coordinates of HCF or CBMWTF	16.5057 N, 80.6601 E
(ix)	Ownership of HCF or CBMWTF	Private
(x)	Status of Authorisation under the Bio-Medical Waste (Management and Handling) Rules	Kr-390/APPCB/ZO-VJA/CFO/W & A/2021 Dated 15-02-2021 Valid Up to 31.01.2024
(xi)	Status of Consents under Water Act and Air Act	NA
2	Type of Health Care Facility	Multi-speciality Hospital
(i)	Bedded Hospital	160


Mr. ANANDAN JAYARAMAN
CLUSTER-COO (Non-Clinical)
RAMESH HOSPITALS

	Autoclaves Microwave Hydroclave Shredder Needle tip cutter or Destroyer Sharps encapsulation or Concrete pit Deep burial pits: Chemical disinfection: Any other treatment equipment			
(iii)	Quantity of recyclable wastes sold to authorized recyclers after treatment in kg per annum	Red Category (like plastic, glass ,etc)		
(iv)	No of vehicles used for collection and transportation of biomedical waste Red Category (like plastic, glass etc.)			
(v)	Details of incineration ash and ETP sludge generated and disposed during the treatment of wastes in Kg per annum	Incineration Ash ETP Sludge	Quantity generated	Where disposed
(vi)	Name of the Common Bio-Medical Waste Treatment Facility Operator through which wastes are disposed of			
(vii)	List of members HCF not handed over bio-medical waste.			
6	Do you have bio-medical waste management committee? If yes, attach minutes of the meetings held during the reporting period	We have Hospital Infection Control Committee. In that committee meeting we discuss compliance of segregation and proper disposal of infectious waste		
7	Details trainings conducted on BMW			
(i)	Number of trainings conducted on BMW Management	Every employee trained during joining as Induction Training		
(ii)	Number of personnel trained	All		
(iii)	Number of personnel trained at the time of induction	All		
(iv)	Number of personnel not undergone any training so far	Nil		
(v)	Whether standard manual for	Yes		



Mr. ANANDAN JAYARAMAN
CLUSTER-COO (Non-Clinical)
RAMESH HOSPITALS

(ii)	Non-bedded hospital (Clinic or Blood Bank or Clinical Laboratory or Research Institute or Veterinary Hospital or any other)	NA		
(iii)	License number and its date of expiry			
3	Details of CBMWTF			
(i)	Number healthcare facilities covered by CBMWTF	NA		
(ii)	No of beds covered by CBMWTF	NA		
(iii)	Installed treatment and disposal capacity of CBMWTF	NIL		
(iv)	Quantity of biomedical waste treated or disposed by CBMWTF	NA		
4	Quantity of waste generated or disposed in Kg per: annum (on monthly average basis)			
(i)	(State Government or Private or Semi Govt. or any other) Authorisation No	Kr-390/APPCB/ZO-VJA/CFO/W & A/2021 Dated 15-02-2021 Valid Up to 31.01.2024		
(ii)	No. of Beds	160		
(iii)	Valid up to	31.01.2024		
		Kg per Month (on monthly average basis)		
(iv)	Yellow Category	570.1692		
(v)	Red Category	806.6658		
(vi)	White	81.1875		
(vii)	Blue Category	105.5508		
(viii)	General Solid waste			
5	Details of the Storage, treatment, transportation, processing and Disposal Facility			
(i)	Details of the on-site storage	Facility Size	Nil	
		Capacity	Nil	
		Provision of on-site storage : (cold storage or any other provision)	Nil	
	Disposal facilities	NIL		
(ii)	Type of treatment equipment	No of unit	Capacity Kg/ day	Quantity treated or disposed in Kg per annum
		Incinerators Plasma Pyrolysis	NA NA	NA NA


Mr. ANANDAN JAYARAMAN
 CLUSTER-COO (Non-Clinical)
 RAMESH HOSPITALS

	training is available?		
(vi)	any other information)	Nil	
8	Details of the accident occurred during the year		
(i)	Number of Accidents occurred	Nil	
(ii)	Number of the persons affected	NA	
(iii)	Remedial Action taken (Please attach details if any)	Nil	
(iv)	Any Fatality occurred, details.	Nil	
9	Are you meeting the standards of air Pollution from the incinerator? How many times in last year could not met the standards?	Yes Nil	
(i)	Details of Continuous online emission monitoring systems installed	Connected to CPCB	
10	Liquid waste generated and treatment methods in place. How many times you have not met the standards in a year?	Sewage Treatment Plant Always meet the standard	
11	Is the disinfection method or sterilization meeting the log 4 standards? How many times you have not met the standards in a year?	Yes Always meet the standard	
12	Any other relevant information:	(Air Pollution Control Devices attached with the Incinerator)	

Certified that the above report is for the period from Jan 2023 to Dec 2023

Name and Signature of the Head of the Institution

Date: 20 Jan 24

Place Vijayawada.



Mr. ANANDAN JAYARAMAN
CLUSTER-COO (Non-Clinical)
RAMESH HOSPITALS