Half Yearly Compliance Report for the period (March-2024 to Aug-2024)

of Environment Clearance accorded by MoEF & CC vide no. SIA/KA/INFRA2/412250/2022

for M/s Aster Hospital A Unit of Aster DM Healthcare limited.

Plot No 3 & 4 comprised in Sy.No.76, Sadaramangala Industrial Area, Sadaramangala Village, KR Puram Hobli, Bengaluru south Taluk, Bengaluru urban.560066

Aster WHITEFIELD HOSPITAL



We'll Treat You Well

To,

Deputy Director General of Forests (C),

Ministry of Environment, Forest and Climate Change,

Integrated Regional Office Kendriya Sadan, 4th Floor,

E&F Wings, 17th Main Road, Koramangala II Block,

Bangalore - 560034

Email: rosz.bng-mefcc@gov.in

Date: 05.09.2024

Ref: Environmental clearance letter no. (EC23B038KA188490) dated (12.04.2023)

Sub: Online submission of Half yearly compliance report for the period of (March-2024 to Aug-2024) in M/s Aster Hospital A Unit of Aster DM Healthcare limited. Plot No 3&4 comprised in Sy.No.76, Sadaramangala Industrial Area, Sadaramangala Village KR Puram Hobli, Bangalore south taluk, Bangalore urban.

Dear sir,

Environmental clearance was accorded to M/s Aster Hospital A Unit of Aster DM Healthcare limited. Plot No 3&4 comprised in Sy.No.76, Sadaramangala Industrial Area, Sadaramangala Village KR Puram Hobli, Bangalore south taluk, Bangalore urban vide letter no (SIA/KA/INFRA2/412250/2022) dated: (12.04.2023). We are herewith submitting the half yearly EC compliance report for the period from (March-2024 to Aug-2024) as per EIA Notification, 2006 on Parivesh portal and through soft copy for your ready reference.

We trust that the measures taken towards environmental safeguards comply with the stipulated environmental conditions. We look forward to your further guidance which shall certainly help us in our endeavour for further improve upon our environmental management practices.

HOS

Thanking you,

Yours faithfully,

T:+90-080 - 4510 8888

GALUE customercare.whitefield@asterhospital.com

Bengaluru, Karnataka - 560066

Aster Hospital, Plot No. 2, 3 & 4, Sadaramangala

Industrial area, Off ITPL Main Road, Whitefield,

	Aster Whitefield Hospital			
ENVIRONMENTAL COMPLIANCE REPORT OF STIPULATED CONDITIONS OF ENVIRONMENTAL CLEARANCE				
Sr. No.	EC Conditions	Compliance Status		
	StatutoryCompliance.			
1	The project proponent shall obtain all necessary clearance/permission from all relevant agencies including town planning authority before commencement of work. All the construction shall be done in accordance with the local building by laws.			
2	The approval of the Competent Authority shall be obtained for structural safety of the constructions due to earthquakes, adequacy of firefighting equipment etc as per National Building Code including protection measures from lightening etc.			
3	The project proponent shall obtain forest clearance under the provisions of Forest (Conservation) Act, 1980, in case of diversion of forest land for non forest purpose involved in the project.			
4	The proponent shall obtain clearance from the National Board for Wildlife, if applicable.	Not applicable		
5	The project proponent shall obtain Consent to Establish and Operate under the provisions of Air (Prevention & Control of Pollution) Act, 1981 and the Water (Prevention & Control of Pollution) Act, 1974 from the concerned State Pollution Control Board/ Committee.	CFF obtained CFO applied		
6	The project proponent shall obtain the necessary permission for drawl of ground water / surface water required for the project from the competent authority.			
7	A certificate of adequacy of available power from the agency supplying power to the project along with the load allowed for the project should be obtained.	Electrical Inspectorate approval obtained		
8	All other statutory clearances such as the approvals for storage of diesel from Chief Controller of Explosives, Fire Department, Civil Aviation Department shall be obtained, as applicable, by project proponents from the respective competent authorities.	Fire and Chief controller of		
9	The provisions of the Solid Waste Management Rules, 2016, e-Waste (Management) Rules, 2016, and the Plastics Waste Management Rules, 2016 shall be followed.	Will be followed		
10	The project proponent shall follow the ECBC/ECBC-R prescribed by Bureau of Energy Efficiency, Ministry of Power strictly.	Noted and Agreed		
Air quality monitoring and preservation				
11	Notification GSR 94(E) dated 25.01.2018 of MoEF&CC regarding Mandatory Implementation of Dust Mitigation Measures for Construction and Demolition Activities for projects requiring Environmental Clearance shall be complied with.	Barricade installed and Water sprinkled on regular intervals		
12	A management plan shall be drawn up and implemented to contain the current exceedance if any in ambient air quality at the site.	Noted and Agreed		
13	The project proponent shall install system to carryout Ambient Air Quality monitoring for common/criterion parameters relevant to the main pollutants released (e.g. PM ₁₀ and PM _{2.5}) covering upwind and downwind directions during the construction period.	Air quality monitoring		

14	Diesel power generating sets proposed as source of backup power should be of enclosed type and conform to rules made under the Environment (Protection) Act, 1986. The height of stack of DG sets should be equal to the height needed for the combined capacity of all proposed DG sets. Use of low sulphur diesel. The location of the DG sets may be decided with in consultation with State Pollution Control Board.	
15	Construction site shall be adequately barricaded before the construction begins. Dust, smoke & other air pollution prevention measures shall be provided for the building as well as the site. These measures shall include screens for the building under construction, continuous dust/ wind breaking walls all around the site (at least 3 meter height). Plastic/tarpaulin sheet covers shall be provided for vehicles bringing in sand, cement, murram and other construction materials prone to causing dust pollution at the site as well as taking out debris from the site.	All the measures implemented
16	Sand, murram, loose soil, cement, stored on site shall be covered adequately so as to prevent dust pollution.	All the dust genetrating materials will be covered
17	Wet jet shall be provided for grinding and stone cutting.	Provided
18	All construction and demolition debris shall be stored at the site (and not dumped on the roads or open spaces outside) before they are properly disposed. All demolition and construction waste shall be managed as per the provisions of the Construction and Demolition Waste Rules 2016.	Has been complied as per to
19	The diesel generator sets to be used during construction phase shall be low sulphur diesel type and shall conform to standards prescribed under Environmental (Protection) Rules for air and noise emission standards.	Exisiting DG set will used
20	The gaseous emissions from DG set shall be dispersed through adequate stack height as per CPCB standards. Acoustic enclosure shall be provided to the DG sets to mitigate the noise pollution. Low sulphur diesel shall be used. The location of the DG set and exhaust pipe height shall be as per the provisions of the Central Pollution Control Board (CPCB) norms.	Stacks are available
	Water quality monitoring and preservation	
21	The natural drain system should be maintained for ensuring unrestricted flow of water. No construction shall be allowed to obstruct the natural drainage through the site, on wetland and water bodies. Check dams, bioswales, landscape, and other sustainable urban drainage systems (SUDS) are allowed for maintaining the drainage pattern and to harvest rain water	Not applicable, no natural waterbodies available on the site
22	Buildings shall be designed to follow the natural topography as much as possible. Minimum cutting and filling should be done.	Noted and Agreed
23	Total fresh water use shall not exceed the proposed requirement as provided project details.	Noted and Agreed
24	The quantity of fresh water usage, water recycling and rainwater harvesting shall be measured and recorded to monitor the water balance as projected by the project proponent. The record shall be submitted to the Regional Office, MoEF&CC along with six monthly Monitoring reports.	Monitoring in progress

A certificate shall be obtained from local body supplying water, specifying the total annual water availability with local authority, the quantity of water already committed, the quantity of water allotted to the project under consideration and the balance water available, this should be specified separately for ground water and surface water sources, ensuring that there is no impact on the other users. At least 20% of the open spaces as required by the local building bye-laws shall be pervious. Use of Grass pavers, paver blocks with at least 50%opening, landscape etc. would be considered as pervious surface. Installation of dual pipe plumbing for supplying fresh water for drinking, cooking and bathing etc and other for supply of recycled water for flushing, landscape irrigation, car washing, thermal cooling, conditioning etc. shall be done. Use of water saving devices/ fixtures (viz. low flow flushing systems; use of low flow faucets tap aerators etc) for water conservation shall be incorporated in the project area. Separation of grey and black water should be done by the use of dual plumbing system. In case of single stack system separate recirculation lines for flushing by giving dual plumbing system be done. The project proponent shall identify a suitable source of treated water for construction and submit an MOU/Agreement with such suppliers. If so the supplier identified shall be responsible for treatment of water with appropriate technology to the standards required for constriction purpose. The local bye-law provisions on rain water harvesting should be followed. If local bye-law provision is not available adequate provision for storage and recharge should be followed as per the Ministry of Urban Development Model Building Bylaws. 2016. A rainwater harvesting plan needs to be designed where the recharge bores of minimum one recharge bore per 5,000 square meters of built up area and storage capacity of minimum one day of total fresh water requirement shall Noted and Agreed				
shall be pervious. Use of Grass pavers, paver blocks with at least 50% opening, landscape etc. would be considered as pervious surface. Installation of dual pipe plumbing for supplying fresh water for drinking, cooking and bathing etc and other for supply of recycled water for flushing, landscape irrigation, car washing, thermal cooling, conditioning etc. shall be done. Use of water saving devices/ fixtures (viz. low flow flushing systems; use of low flow faucets tap aerators etc) for water conservation shall be incorporated in the project area. Separation of grey and black water should be done by the use of dual plumbing system. In case of single stack system separate recirculation lines for flushing by giving dual plumbing system be done. The project proponent shall identify a suitable source of treated water for construction and submit an MOU/Agreement with such suppliers. If so the supplier identified shall be responsible for treatment of water with appropriate technology to the standards required for constriction purpose. The local bye-law provisions on rain water harvesting should be followed. If local bye-law provision is not available adequate provision for storage and recharge should be followed as per the Ministry of Urban Development Model Building Bylaws. 2016. A rainwater harvesting plan needs to be designed where the recharge bores of minimum one recharge bore per 5,000 square meters of built up area and storage capacity of minimum one day of total fresh water requirement shall	25 the alr	the quantity of water allotted to the project under the balance water available, this should be specified dwater and surface water sources, ensuring that there is		
27 cooking and bathing etc and other for supply of recycled water for flushing, landscape irrigation, car washing, thermal cooling, conditioning etc. shall be done. 28 Use of water saving devices/ fixtures (viz. low flow flushing systems; use of low flow flaucets tap aerators etc) for water conservation shall be incorporated in the project area. 29 Separation of grey and black water should be done by the use of dual plumbing system. In case of single stack system separate recirculation lines for flushing by giving dual plumbing system be done. 20 The project proponent shall identify a suitable source of treated water for construction and submit an MOU/Agreement with such suppliers. If so the supplier identified shall be responsible for treatment of water with appropriate technology to the standards required for constriction purpose. 21 The local bye-law provisions on rain water harvesting should be followed. If local bye-law provision is not available adequate provision for storage and recharge should be followed as per the Ministry of Urban Development Model Building Bylaws. 2016. 22 A rainwater harvesting plan needs to be designed where the recharge bores of minimum one recharge bore per 5,000 square meters of built up area and storage capacity of minimum one day of total fresh water requirement shall Noted and Agreed	26 sh	shall be pervious. Use of Grass pavers, paver blocks with at least Noted and Agreed		
low flow faucets tap aerators etc) for water conservation shall be incorporated in the project area. Separation of grey and black water should be done by the use of dual plumbing system. In case of single stack system separate recirculation lines for flushing by giving dual plumbing system be done. The project proponent shall identify a suitable source of treated water for construction and submit an MOU/Agreement with such suppliers. If so the supplier identified shall be responsible for treatment of water with appropriate technology to the standards required for constriction purpose. The local bye-law provisions on rain water harvesting should be followed. If local bye-law provision is not available adequate provision for storage and recharge should be followed as per the Ministry of Urban Development Model Building Bylaws. 2016. A rainwater harvesting plan needs to be designed where the recharge bores of minimum one recharge bore per 5,000 square meters of built up area and storage capacity of minimum one day of total fresh water requirement shall	27 co	g etc and other for supply of recycled water for flushing, Installed dual plum	bing system	
plumbing system. In case of single stack system separate recirculation lines for flushing by giving dual plumbing system be done. The project proponent shall identify a suitable source of treated water for construction and submit an MOU/Agreement with such suppliers. If so the supplier identified shall be responsible for treatment of water with appropriate technology to the standards required for constriction purpose. The local bye-law provisions on rain water harvesting should be followed. If local bye-law provision is not available adequate provision for storage and recharge should be followed as per the Ministry of Urban Development Model Building Bylaws. 2016. A rainwater harvesting plan needs to be designed where the recharge bores of minimum one recharge bore per 5,000 square meters of built up area and storage capacity of minimum one day of total fresh water requirement shall	28 lo	tap aerators etc) for water conservation shall be Water saving device	es installed	
construction and submit an MOU/Agreement with such suppliers. If so the supplier identified shall be responsible for treatment of water with appropriate technology to the standards required for constriction purpose. The local bye-law provisions on rain water harvesting should be followed. If local bye-law provision is not available adequate provision for storage and recharge should be followed as per the Ministry of Urban Development Model Building Bylaws. 2016. A rainwater harvesting plan needs to be designed where the recharge bores of minimum one recharge bore per 5,000 square meters of built up area and storage capacity of minimum one day of total fresh water requirement shall	29 plu	n case of single stack system separate recirculation lines Noted and Agreed		
local bye-law provision is not available adequate provision for storage and recharge should be followed as per the Ministry of Urban Development Model Building Bylaws. 2016. A rainwater harvesting plan needs to be designed where the recharge bores of minimum one recharge bore per 5,000 square meters of built up area and storage capacity of minimum one day of total fresh water requirement shall	30 co	bmit an MOU/Agreement with such suppliers. If so the shall be responsible for treatment of water with Noted and Agreed		
of minimum one recharge bore per 5,000 square meters of built up area and storage capacity of minimum one day of total fresh water requirement shall	31 locared	sion is not available adequate provision for storage and followed as per the Ministry of Urban Development RHW system instal	led	
rainwater should be harvested and stored for reuse. The ground water shall not be withdrawn without approval from the Competent Authority.	32 of sto be rai	charge bore per 5,000 square meters of built up area and minimum one day of total fresh water requirement shall as where ground water recharge is not feasible, the harvested and stored for reuse. The ground water shall		
33 All recharge should be limited to shallow aquifer. Noted and Agreed	33 Al	be limited to shallow aquifer. Noted and Agreed		
34 No ground water shall be used during construction phase of the project. Agreed				
Any ground water dewatering should be properly managed and shall conform to the approvals and the guidelines of the CGWA in the matter. Formal approval shall be taken from the CGWA for any ground water abstraction or dewatering.	35 co Fo	provals and the guidelines of the CGWA in the matter. No ground water expall be taken from the CGWA for any ground water	traction	
The quantity of fresh water usage, water recycling and rainwater harvesting shall be measured and recorded to monitor the water balance. The record shall be submitted to the Regional Office, MoEF&CC along with six monthly Monitoring reports. Monitoring in progress	36 sh	and recorded to monitor the water balance. The record to the Regional Office, MoEF&CC along with six	ress	
Sewage shall be treated in the STP based on MBBR/SBR Technology with tertiary treatment i.e. Ultra Filtration. The treated effluent from STP shall be recycled./reused for flushing, landscaping and HVAC cooling. No treated water shall be discharged to municipal drain.	37 ter	e. Ultra Filtration. The treated effluent from STP shall be flushing, landscaping and HVAC cooling. No treated		
No sewage or untreated effluent water would be discharged through storm water drains. Noted and Agreed	3X I	eated effluent water would be discharged through storm Noted and Agreed		

		Г
39	The existing water body, canals and rajakaluve and other drainage and water bound structures shall be retained unaltered with due buffer zone as applicable and maintained under tree cover.	
40	On-site sewage treatment of capacity of treating 100% waste water to be installed. The installation of the Sewage Treatment Plant (STP) shall be certified by an independent expert and a report in this regard shall be submitted to the Ministry before the project is commissioned for operation. Treated waste water shall be reused_on site for landscape flushing. cooling tower, and other end-uses. Excess treated water shall be discharged as per statutory norms notified by Ministry of Environment, Forest and Climate Change Natural treatment systems shall be promoted.	
41	Periodical monitoring of water quality of treated sewage shall be conducted. Necessary measures should be made to mitigate the odour problem from STP.	Monthly monitoring is implemented
42	Sludge from the on-site sewage treatment, including septic tanks, shall be collected, conveyed and disposed as per the Ministry of Urban Development, Central Public Health and Environmental Engineering Organization (CPHEEO) Manual on Sewerage and Sewage Treatment Systems,2013.	_
43	closely monitored during construction phase. Adequate measures shall be made to reduce ambient air and noise level during construction phase, so as to conform to the stipulated standards by CPCB / SPCB. Noise level survey shall be carried as per the prescribed guidelines and report in this regard shall be submitted to Regional Officer of the Ministry as a part of sixmonthly compliance report. Acoustic enclosures for DG sets, noise barriers for ground-run bays, ear plugs for operating personnel shall be implemented as mitigation measures for noise impact due to ground sources. The project proponent shall ensure the time specification prescribed by the	
44		
45		
	Energy Conservation measures	
46	Compliance with the Energy Conservation Building Code (ECBC) of Bureau of Energy Efficiency shall be ensured. Buildings in the States which have notified their own ECBC, shall comply with the State ECBC.	Noted and Agreed
47	Outdoor and common area lighting shall be LED.	LED lights installed
48	Concept of passive solar design that minimize energy consumption in buildings by using design elements, such as buildings orientation, landscape efficient building envelope appropriate fenestration increased Design considered as ECRI	
49	Energy conversation measures like installation of LED for the lighting the area outside the building should be integral part of the project design and should be in place before project commissioning.	

50	Solar, wind or other renewable energy shall be installed to meet electricity generation equivalent to 1% of the demand load or as per the state level/local building bye-laws, requirement, whichever is higher.	Plannned to install
51	Solar power shall be used for lighting in the apartment to reduce the power load on grid. Separate electric meter shall be installed for solar power. Solar water heating shall be provided to meet 20 % of the hot water demand of the commercial and institutional building or as per the requirement of the local building bye-laws, whichever is higher. Residential buildings are also recommended to meet its hot water demand from solar water heaters, as far as possible.	Solar water installed
	Waste management	
52	A certificate from the competent authority handling municipal solid wastes, indicating the existing civic capacities of handling and their adequacy to cater to the M.S.W. generated from project shall be obtained.	Noted and Agreed
53	Disposal of muck during construction phase shall not create an adverse effect on the neighboring communities and be disposed taking the necessary precautions for general safety and health aspects of people, only in approved sites with the approval of competent authority.	Noted and Agreed
54	Separate wet and dry bins must be provided and at the ground level for facilitating segregation of waste. Solid waste shall be segregated into wet garbage and inert materials.	Available
55	Organic waste compost/ vermin culture pit/organic waste converter within the premises with a minimum capacity of 0.3kg/per/person/day must be installed.	PO released we'll install the same at the erliest.
56	All non-biodegradable waste shall be handed over to authorized recycles for which is written tie up must be done with the authorized recyclers.	MOU for disposal is available
57	pollution control board. Use of environment friendly materials in bricks, blocks and other construction materials, shall be required for a least 20% of the construction	
58		
59	Fly ash should be used as construction material as per the provision of fly ash notification of September, 1999 and amended as on 27th August, 2003 and 25th January, 2016. Ready mixed concrete must be used in construction.	Ready mix concrete used
60	Any waste from construction and demolition activities related thereto shall be managed so as to strictly conform to the construction and demolition waste management rules, 2016.	Noted and Agreed
61	Used CFLS/TFLS/LED should be properly collected and disposed of/ sent for recycling as per the prevailing guidelines/rules of the regulatory authority to avoid mercury contamination.	Noted and Agreed
62	Green cover	
63	No tree cutting/transplantation should be carried out unless exigencies demand. Where absolutely necessary, tree transplantation shall be with prior permission from the concerned regulatory authority. Old tress should be retained based on the girth and age regulation as may be prescribed by the Forest Department Plantations to be ensured species (cut) to species (planted).	No Trees were cut

64	A minimum of 1 tree for every 802 m land should be planted and maintained. The existing tress will be counted for this purpose. The landscape planning should include plantation of native species. The species with heavy foliage, broad leaves and wide canopy cover are desirable. Water intensive and/or invasive species should not be used for landscaping.	Noted and Agreed
65	Where the tress need to be cut with prior permission from the concerned local authority, compensation plantation in the ratio of 1:10 (i.e. planting of 10 trees for every tree that is cut) shall is done and maintained. Plantations to be ensured species (cut) shall be done and maintained. Plantation to be ensured species (cut) to species (planted).	Noted and Agreed
66	Topsoil should be stripped to a depth of 20 cm from the areas proposed for buildings, roads, paved areas, and external services. It should be stockpiled appropriately in designated areas and reapplied during plantation of the proposed vegetation on site.	Noted and Agreed
67	A comprehensive mobility plan, as per MoUD best practices guidelines (URDPFT), shall be prepared to include motorized, non-motorized, public, and private networks. Road should be designed with due consideration for environment, and safety of users. The road system can be designed with these basic criteria.	Noted and Agreed
68	a) Hierarchy of roads with proper segregation of vehicular and pedes traffic.	Noted and Agreed
69	b) Traffic calming measures.	Available
70	c) Proper design of entry and exit points.	Implemented
71	d) Parking norms as per local regulation.	Implemented
72	Vehicles hired for bringing construction material to the site should be in condition and should have a pollution check certificate and should conform to applicable air and noise emission standards be operated only during nonpeak hours.	Noted and Agreed
73	scenario of space and time and the traffic management plan shall be duly validated and certified by the Urban development department and the P.W.D./ competent authority for road augmentation and shall also have their consent to the implementation components of the plan which involve the participation of these departments.	Noted and Agreed
74	Provide at the main entrances bell gates, which are located at least 12' inside the boundary of the project to enable smooth flow of traffic on the main road leading to be entrance. Human health issues	Available
	riuman neatth issues	
75	All workers working at the construction site and involved in loading, unloading, carriage of construction material and construction debris or working in any area with dust pollution shall be provided with dust mask.	Provided with mask
76	All required sanitary and hygienic measures should be in place before starting construction activities and to be maintained throughout the construction phase. Sufficient number of toilets/bathrooms shall be provided with required mobile toilets, mobile STP for construction workface.	Exisitng STP is used

	T	
77	For indoor air quality the ventilation provisions as per National Building code India.	Ventelation is provided
78	Emergency preparedness plan based on the Hazard identification and risk Assessment (HIRA) and Disaster Management Plan shall be implemented.	Noted and Agreed
79	Provision shall be made for the housing of construction labour within the site all necessary infrastructure and facilities such as fuel for cooking, mobile toilets, mobile STP, safe drinking water, medical health care, crèche etc. The housing may be in the form of temporary structures to be removed after the completion of the project.	Exisitng STP is used
80	Occupational health surveillance of the workers shall be done on regular basis.	Noted and Agreed
81	A first Aid Room shall be provided in the project both during construction and operations of the project.	Noted and Agreed
	Corporate Environment Responsibility	
82	The project proponent shall comply with provision contained in OM vide F.No. 22-65/2017-IA.III dated 20th October 2020, of the Ministry of Environment, Forest and climate change as applicable, regarding Corporate Environment Responsibility and shall execute the action plan of Awareness on Cardiac Alternative treatments, Free treatment for LIG and Medical checkup camps in labor colony of Mahadevapura, as submitted vide letter dated 10.04.2023.	Noted and Agreed
83	The company shall have a well laid down environment policy duly approved by the Board of Directors. The environment policy should prescribed for standard operating procedures to have proper checks and should and balances and to bring into focus any infringements/deviation/violation of the environment / forest / wildlife norms / conditions. The company shall have defined system of reporting conditions and /or stakeholders. The copy of the board resolution in this regard shall be submitted to the MoEF&CC as a part of six-monthly report.	Noted and Agreed
84	The separate environment Cell both at the project and company head quarter level, with qualified personnel shall be set up under the control of senior Executive, who will directly to the head of the organization. The project proponent enter into an agreement with the prospective buyers/ tenants to ensure that they maintain the cell and take care of all environment concerns during the operation phase of the project. In addition, sufficient fees should be levied so as to raise a corpus fund to maintain the environment cell.	
85	Action plan for implementing EMP and environment conditions along responsibility matrix of the company shall be prepared and shall be duly approved by competent authority. The year wise funds earmarked for environmental protection measures shall be kept in separate account and not to be diverted for any other purpose. Year wise progress of implementation of action plan shall be reported to the Ministry of Environment, Forest and climate Change/regional Office along with the Six Monthly Compliance Report.	Noted and Agreed
	Miscellaneous	
86	The project proponent shall prominently advertise it at least in two newspapers of the District or State, of which one shall be in the vernacular language within seven days indicating that the project has been accorded environment clearance and the details of MoEFCC/SEIAA website where displayed.	

87	The copies of the environment clearance shall be submitted by the project proponents to the Heads of local bodies, panchayats and Municipal Bodies in addition to the relevant offices of the Government who in turn has to display the same for 30 days from the date of receipt.	Submitted to local bodies
88	The project proponent shall obtain the construction material such as stones and aggregates etc. only from the approved quarries and other construction material shall also be procured from the authorized agencies/traders.	Noted and Agreed
89	The project proponent shall not use Kharab land in any for any purpose and available to the general public duly displaying a board as public property structure of any kind be put up in the kharab land and shall be afforested maintained as green belt only.	Noted and Agreed
90	The project proponent shall build in infrastructure required for use of piped Natural Gas (PNG) such as pipelines and space for installation of PNG distribution equipment for both domestic/commercial purpose and DG se and shall ensure that PNG is supplied for both commercial and for DG set instead of the other type of fuels.	Provision available
91	The project proponent shall upload the status of compliance of the stipulated environment clearance conditions, including results of monitored data on their website and update the same on half-yearly basis.	Noted and Agreed
92	The project proponent shall submit six-monthly reports on the status of the compliance of the stipulated environment conditions on the website of the ministry of Environment, Forest and Climate Change at environment clearance portal.	Noted and Agreed
93	The half Yearly Compliance Reports (HYCRs) with its contents of a covering letter, compliance reports, and environment monitoring data has to be in PDF format merged into a single document. The email should clearly mention the name of project, EC No & date, period of submission and to be sent to the Regional Office of MOEF&CC by email only at email ID rosz.bng-mefcc@gov.in Hard copy of HYCRs shall not be acceptable.	Noted and Agreed
94	The project proponent shall submit the environment statement for each financial year in Form-V to the concerned State Pollution Control Board as prescribed under the Environment (protection) Rules, 1986, as amended subsequently and put on the website of the company.	Noted and Agreed
95	commencing the development work and start of production operation by the project. The project authorities must strictly adhere to the stipulations made by the	
96		
97	The project proponent shall abide by all the commitments and recommendations made in the EIA/EMP report and also that during their presentation to the Expert Appraisal Committee.	Noted and Agreed
98	No further expansion or modification in the plan shall be carried out without Environmental Clearance from the competent authority.	Noted and Agreed
99	Concealing factual data or submission of false/fabricated data may result in revocation of this environment clearance and attract action under the provisions of environment (protection) Act, 1986.	Noted and Agreed
L	I	l .

100	The state Level Environment Impact Assessment Authority, Karnataka may revoke or suspend the clearance, if implementation of any of the above conditions is not satisfactory.	Noted and Agreed
101	The SEIAA, Karnataka reserves the right to stipulate additional conditions if found necessary. The Company in a time bound manner shall implement conditions.	Noted and Agreed
102	The Regional Office of MoEF&CC shall monitor compliance of the stipulated conditions. The project authorities should extend full cooperation to the office(s) of the Regional Office by furnishing the requisite data / information/monitoring reports	Noted and Agreed
103	The above conditions shall be enforced, inter-alia under the provisions of the Water (prevention & Control of pollution) Act,1974,the Air (Prevention & Control of pollution) Act,1981, the Environment (Protection) Act, Hazardous and other Wastes (management and Trans boundary Movement) Rules, 2016 and the Public Liability Insurance Act,1991 along with their amendments and Rules and any others passed by the Honorable Supreme Court of India/ High Courts and any other court of Law relating to the subject matter.	Noted and Agreed
104	Any appeal against this EC shall lie with the National Green Tribunal, if preferred, within a period of 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010.	Noted and Agreed
105	In case of any material supported by documents/court orders which is contrary to the claim of the applicant and materials facts produced, the SEIAA reserves the right to withdraw the EC at any point of time.	Noted and Agreed
	Additional Condition	
106	Assured water supply, commensurate with the ultimate occupancy envisaged in the project, shall be ensured before commencement of the project.	Noted and Agreed
107	The PP shall strictly adhere to the local Planning Authority Bye-laws.	Noted and Agreed
108	The proponent shall establish a separate pre-treatment of biomedical liquid waste and the treated effluents shall be free from pathogens and disposed off as per Bio-medical Waste (Management& Handling) Rules, 1998.	Noted and Agreed









Karnataka State Pollution Control Board

Parisara Bhavana, No. 49, Church Street, Bengaluru-560001

Tele: 080-25589112/3,

Fax:080-25586321

Email id: ho@kspcb.gov.in

25581383/388

Consent For Operation(CFO-Air, Water) - (CfO-Expand)

As per the provisions of
The Water (Prevention & Control of Pollution) Act, 1974
&

The Air (Prevention & Control of Pollution) Act, 1981

To

Aster Hospital, Plot No.3 & 4, Sadaramangala Industrial area, whitefield

for the Facility located at,

Aster Hospital ,Plot No. 3 & 4 ,Plot No. 3 & 4, Sadaramangala Industrial area, whitefield

Bangalore Urban

Consent Order No	PCBID	INW ID	Industry Colour/Scale	Date of Issue
AW-339458	99322	192696	RED/LARGE	05/09/2023

This Consent is granted for the Products/ Activity/Service name indicated in the annexure along with the terms & conditions attached to this order

Validity through: <u>05/09/2023 to 30/06/2028</u>







ISO 9001:2015 & 14001:2015 Certified

Page-1 e_outwardno63729--05/09/2023 PCB ID-99322

INW ID-192696

Combined Consent Order No: AW-339458 PCB ID: 99322 GSC No: PB0XG0000182696 Date: 05/09/2023

Combined consent for discharge of effluents under the Water (Prevention and Control of Pollution) Act, 1974 and emission under the Air (Prevention and Control of Pollution) Act, 1981

Ref: 1. Application filed by the applicant/organization on 11/08/2023

2.Inspection of the on 06/08/2023

Industry/organization/by RO,

3. Proceedings of the ECM dated 31/08/2023 , held on 29/08/2023

Consent is hereby granted to the Occupier under Section 25(4) of the Water (Prevention & Control of Pollution) Act, 1974 (herein referred to as the Water Act) & Section 21 of Air (Prevention & Control of Pollution) Act, 1981, (herein referred to as the Air Act) and the Rules and Orders made there under and authorized the Occupier to operate /carryout industry/activity & to make discharge of the effluents & emissions confirming to the stipulated standards from the premises mentioned below and subject to the terms and conditions as detailed in the Schedule Annexed to this order.

Location:

Name of the Industry: Aster Hospital

Address: Plot No. 3 & 4, Plot No. 3 & 4, Sadaramangala Industrial area, whitefield

Industrial Area: Kadugodi-Sadaramangala I.A, Sadaramangala Industrial Area,

Taluk: BBMP- W- 83, District: Bangalore Urban

CONDITIONS:

a) Discharge of effluents under the Water Act:

Sr	Water Code	WC(KLD)	WWG(KLD)	Remark
1	Domestic Purpose	91.250	88.500	(Expansion) Sewage shall be treated in proposed STP of capacity 175 KLD (165 KLD STP + 10 KLD Liquid biomedical waste treatment tank) & treated sewage shall be used for secondary purposes for toilet flushing, landscaping & HVAC purpose.
2	Domestic Purpose	63.750	51.000	(Existing) Sewage shall be treated in proposed STP of capacity 175 KLD (165 KLD STP + 10 KLD Liquid biomedical waste treatment tank) & treated sewage shall be used for secondary purposes for toilet flushing, landscaping & HVAC purpose.
3	Others	5.000	4.500	(Expansion) Lab washing effluents shall be fine screened & shall be disinfection process with sodium hypochlorite and then shall be taken to STP for further treatment.
4	Others	5.000	4.500	(Existing) Lab washing effluents shall be fine screened & shall be disinfection process with sodium hypochlorite and then shall be taken to STP for further treatment.

Page-2

b) Discharge of Air emissions under the Air Act from the following stacks etc.

SI. No.	Description of chimney/outlet	Limits specified refer schedule
31. 140.	Description of chilling youther	Lilling specifica refer selfcadie

The details of Sources, control equipments and its specification, type of fuel, constituents to be controlled in emissions etc. are detailed in Annexure-II.

The consent for operation is granted considering the following activities/Products;

Sr	Product Name	Applied Qty	Unit
1	hospital with 148 beds	148.0000	Number
2	hospital with 294 beds (additional 146 beds)	294.0000	Number of Beds

Validity through: 05/09/202 to 30/06/2028

3

To.

Aster Hospital

Plot No.2, Sadaramangala Industrial area, off Whitefield Main road, opp. ITPL, W

COPY TO:

The Environmental Officer, KSPCB, Regional Office Bengaluru Mahadevapura for information and necessary action.

- 2. Master Register.
- 3. Case file.

Consent Fee paid

: Rs. 474000

SCHEDULE

TERMS AND CONDITIONS

A. TREATMENT AND DISPOSAL OF EFFLUENTS UNDER THE WATER ACT.

- 1. The discharge from the premises of the occupier shall pass through the terminal manhole/manholes where from the Board shall be free to collect samples in accordance with the provisions of the Act/Rules made there under.
- 2(a). The sewage/domestic effluent shall be treated in septic tank and with soak pit. No overflow from the soak pit is allowed. The septic tank and soak pit shall be as per IS 2470 Part-I & Part-II.
- 2(b). The treated sewage effluent discharged shall conform to the standards specified in Annexure-I.
- 3(a). The trade effluent generated in the industry shall be treated in the ETP and treated effluent shall confirm to the standards stipulated by the Board in Annexure-I
- 3(b). The trade effluent shall be handed over to CETP and maintain logbook of effluent generated & sent every day.

- 4. The applicant shall install flow measuring/recording devices to record the discharge quantity and maintain the record.
- 5. The applicant shall not change or alter either the quality or the quantity or the place of discharge or temperature or the point of discharge without the previous consent/ permission of the Board.
- 6. The applicant shall not allow the discharge from the other premises to mix with the discharge from his premises. Storm water shall not be allowed to mix with the effluents on the upstream of the terminal manhole where the flow measuring devices are installed.
- 7. The daily quantity of domestic effluent and trade effluent from the industry shall not exceed the limits as indicated in this consent order:
- 8. The applicant shall discharge the effluents only to the place mentioned in the Consent order and discharge of treated/untreated outside the premises is not permitted.

B. EMISSIONS:

- 1. The discharge of emissions from the premises of the applicant shall pass through the air pollution control equipment and discharged through stacks/chimneys mentioned in **Annexure-II** where from the Board shall be free to collect the samples at any time in accordance with the provisions of the Act and Rules made there under. The tolerance limits of the constituents forming the emissions in each of the stacks shall not exceed the limits laid down in Annexure-II.
- 2. The applicant shall provide port holes for sampling of emission, access platforms for carrying out stack sampling, electrical points and all other necessary arrangements including ladder as indicated in Annexure-II.
- 3. The applicant shall upgrade/modify/replace the control equipment with prior permission of the Board.

C.MONITORING & REPORTING:

- 1. The applicant shall get the samples of effluents & emissions collected and get them analyzed once a month/either by in house monitoring laboratory or through EP approved laboratories for the parameters as Indicated in Annexure I & II.
- 2. The applicant shall maintain log books to reflect the working condition of pollution control systems and also self monitoring results and keep it open for inspection.

D. SOLID WASTE (OTHER THAN HAZARDOUS WASTE) DISPOSAL:

- 1. The applicant shall segregate solid waste from Hazardous Waste, Municipal Solid Waste and store it properly till treatment/disposal without causing pollution to the surrounding Environment.
- 2. The solid waste generated shall be handled & disposed by scientific method without causing eye sore to the general public and to the surrounding environment.

e_outwardno63729--05/09/2023

Page-4

E. NOISE POLLUTION CONTROL:

The applicant shall ensure that the ambient noise levels within its premises during construction and during operational period shall not exceed w.r.t Area/Zone as per Noise Pollution (Regulation and Control) Rules, 2000 as mentioned below:-

- a) In Industrial Area 75 dB(A) Leq during day time and 70 dB(A) Leq during night time.
- b) In Commercial Area 65 dB(A) Leq during day time and 55 dB(A) Leq during night time.
- c) In Residential Area 55 dB(A) Leq during day time and 45 dB(A) Leq during night time.
- d) In Silence Zone 50 dB(A) Leg during day time and 40 dB(A) Leg during night time.
- Note: * Day time shall mean 6 am to 10 pm and Night time shall mean 10 pm to 6 am.
 - * dB(A) Leq denotes the time weighted average of the level of sound in decibels on scale A which is relatable to human hearing.
 - * A "decibel" is a unit in which noise is measured.
 - * "A", in dB(A) Leq, denotes the frequency weighting in the measurement of noise and corresponds to frequency response characteristics of the human ear.
 - * Leq: It is an energy mean of the noise level over a specified period.

F. HAZARDOUS AND OTHER WASTES (MANAGEMENT & TRANSBOUDARY MOVEMENT)Rules 2016:

The applicant shall comply with the provisions of the Hazardous and other Wastes (Management & Transboundry Movement) Rules 2016.

G. GENERAL CONDITIONS:

- 1. The applicant shall obtain prior permission from the competent authority for drawing of water from Surface/Ground water source and submit a copy of the same to the Board.
- 2. The applicant shall not allow the discharge from the other premises to mix with the discharge from his premises.
- 3. The applicant shall promptly comply with all orders and instructions issued by the Board from time to time or any other officers of the Board duly authorized in this behalf.
- 4. The applicant shall set-up Environmental Cell comprising of qualified and competent personnel for complying with the conditions specified.
- 5. The Board reserves the right to review, impose additional conditions, revoke, change or alter terms and conditions of this consent.
- 6. The applicant shall forthwith keep the Board informed of any accidental discharge of emissions/effluents into the atmosphere in excess of the standards laid down by the Board. The applicant shall also take corrective steps to mitigate the impact.
- 7. The applicant shall provide alternate power supply sufficient to operate all Pollution control equipments.

Page-5 e_outwardno63729--05/09/2023

- 8. The entire premises shall always be kept clean. The effluent holding area, inspection chambers, outlets, flow points should made easily approachable.
- 9. The applicant shall display the consent granted in a prominent place for perusal of the inspecting officers of the Board.
- 10. The applicant his heirs, legal representatives or assignee shall have no claims what so ever to the continuation or renewal of this consent after expiry of the validity of consent.
- 11. The applicant shall make an application for consent for subsequent period at least 120 days before expiry of this consent.
- 12. The applicant shall develop and maintain adequate green belt all around the periphery.
- 13. The applicant shall provide rain water harvesting system and shall provide proper storm water management system.
- 14. This consent is issued without prejudice to any Court Cases pending in any Hon'ble Court
- 15. The applicant shall furnish the Environmental statement for every financial year ending with 31st March in Form-V as per Environment (Protection) Rules, 1986. The statement shall be furnished before the end of September.
- 16. The applicant shall display flow diagram of the pollution control system near the pollution contol system/s

NOTE:

The Conditions A(2(a) & 3(b)) mentioned in the schedule are not applicable.

Additional Conditions:

1) This CFO(Expansion) is issued after prior approval of Chairman & MS for the period upto 30.06.2028 with conditions, for operating the hospital with bed strength of 294. 2) Shall conduct Environmental audit and submit Environmental statement within 30th September every year. 3) Shall not mix and dispose the Bio Medical waste(BMW) with any other Waste, collect the BMW in different color coding bins and shall be handed over to CBMTF, maintain the records on daily basis 4) Shall submit the annual report in Form IV every year before 30th June. 5) Applicant shall submit quarterly monitoring report and submit half yearly consent condition compliance report. 6) Awareness campaign through digital display system at the reception areas w.r.t environment.

7) There shall not be any complaint against the unit, in such cases action will be taken to withdraw the CFO. 8) The Occupier of the hospital shall comply with all the conditions prescribed in the Annexure.

e_outwardno63729--05/09/2023

Page-6

Chi m.N o.	Chimne y attached to	KVA	Minimum chimney height to be provided above ground level (in Mts)	Constituents to be controlled in the emission	Tolerance limits mg/NM3	Fuel	Control	Date of which air pollution control equipments shall be provided to achieve the stipulated tolerance limits and chimney heights conforming to stipulated heights.
1	D.G. Sets	1010 KVA DG set	30	PM,SO2,NOx,C O, NMHC	75,0,710,150,1 00	DIE	AEC,NDR	At all times
2	D.G. Sets	1010 KVA DG set	30	PM,SO2,NOx,C O, NMHC	75,0,710,150,1 00	DIE	AEC	At all times
3	D.G. Sets	500 KVA DG Set - 4.5 M ARL	7	PM,SO2,NOx,C O, NMHC	0,0,0,0,0	DIE	AEC	At all times
4	D.G. Sets	500 KVA DG Set - 4.5 M ARL	7	PM,SO2,NOx,C O, NMHC	0,0,0,0,0	DIE	AEC	At all times

Note:

AEC,ND : Accoustic Enclosures

R

AEC : Accoustic Enclosures

Note:

- 1. The Noise levels within the premises shall not exceed 75 dB (A) leq during day time and 70 dB(A) leq during night time respectively.
- 2. The DG set shall be provided with acoustic measures as per SI.No.94 in Schedule-I of Environment (Protection)Rules.
- 3. There shall be no smell or odour nuisance from the industry.

Page-7

LOCATION OF SAMPLING PORTHOLES, PLATFORMS, ELECTRICAL OUTLET.

Location of Portholes and approach platform:

Portholes shall be provided for all chimneys, stacks and other sources of emission. These shall serve as the sampling points. The sampling point should be located at a distance equal to atleast eight times the stack or duct diameters downstream and two diameters upstream from source of low disturbance such as a Bend, Expansion, Construction Valve, Fitting or Visible Flame for rectangular stacks, the equivalent diameter can be calculated from the following equation.

2 (Length x Width) Equivalent Diameter = (Length + Width)

- 2. The diameter of the sampling port should not be less than 100 mm dia". Arrangements should be made so that the porthole is closed firmly during the non sampling period
- 3. An easily accessible platform to accommodate 3 to 4 persons to conveniently monitor the stack emission from the portholes shall be provided. Arrangements for an Electric Outlet Point of 230 V 15 A with suitable switch control and 3 Pin Point shall be provided at the Porthole location.
- 4. The ladder shall be provided with adequate safety features so as to approach the monitoring location with ease.

For and on behalf of the Karnataka State Pollution Control Board

> Signature Not Verified Digitally signed by Date: 2023.09.06 12:39:46

+05:30

e_outwardno63729--Page-8 05/09/2023



BANGALORE ELECTRICITY SUPPLY COMPANY LTD.

(Wholly owned by Governent of Karnakata undertaking)

No. EEE / AEE / MT / JEE / RMU(SN)

Office of the **Executive Engineer (Elec)**

M.T. Division, BMASZ 23, 3rd Floor Bescom Building 24th Main, 17th Cross, HSR Layout 2nd Sector, Banglore -560 102.

To. The Assistant. Executive Engineer (Elec.,)Sub-Division BESCOM, Bangallre

Sir,

Test of RMU Installed at reference to the above, I write to state the per-commission test of RMU (S) is conducted or

the above said location, the details of test results are follows.

CI		or test results are fol	llows.	
SI. No.	RMU Details	Make ABB	Hd. Mfg- 2021	
1.	OD (In comer)	Type: +CL V		Remarks
	200	1: 630A	Schof : 1 V4N 040 122	Tested Good /
2.	VII 45	V: /2KV	341-1 3072 040 1221	00/164
2.	VL (Out going)	Type:lo-	SI. No.	
	IVL	1: 630A	2	Tested Good /
3.	CT VL	V: 12kV		
		Type: Retuces	1917 D 52247	
	COTA - 200/1	Ratio: 400-1	0-10di 0 52246	
4.	Relay (FLP)	Class.	(D) 52245	
(Relay (ELR)	Make: C 55	CSDPR-V2	_
1. The	Ratio & Polarity test are con	nducted for each CT &	found to be over	

- 1. The Ratio & Polarity test are conducted for each CT & found to be OK.
- Mechanical operation for all the breaks is tested and found to be OK.
- Insulation resistance is measured with 5 KV megger & Results found to be satisfactory.
- 4. The cable termination has to be done with a single run 3 core cable for each module. The cable entries have to sealed properly & the installation has be serviced as per the corporate norms. 5. The testing fee Rs. 4080 X

Yours Faithfully,

Asst. Executive Engineer (Ele Division, BESCOM, BMASZ, Bangalore AMTS Divisitore EMASZ ngmeer (El 2. The Executive Engineer (Ele), MT Division, BESCOM, BMASZ, Bangalore RMU Sub-Dn. North

MT Division, BMAZ **BESCOM** Bangalore



BANGALORE ELECTRICITY SUPPLY COMPANY LIMITED

(Wholly Owned by Government of Karnataka Undertaking)

No.: EEE/AEE/HTR/WF	/MT/RMA7/						
	-491 PC 7			e Executive Enginee	r (Ele.),		
To, The Assistant Executive				n, BMAZ (South), Sabhangana, Bhavani	Nagar,		
E12_C, O & M Sub-Di	vision A(CI)			Basavanagudi, Beng			
BMAZ, BESCOM, Bengal		j	Γel: 080-266	605067			
Sir/Madam,			I	Date: 05-05-	2023		
	ssion Test Report of HT/EHT	Installation of O	&M Unit:	(PIP			
Sub . Tre-commi	uest letter No: ACC(e)	16121AFT	TILDI	-23/12TA	L.0405		
Ref: 1) Your requ	uest letter No.	10121ACC	-1				
	****	*					
The Pre-Commiss	ion text conducted on HT / EH	FT metering cubicle	e on	5.04.2-13 of I	TT/EHT		
installation as requested	vide above ref. and following of	letails for your fur	ther needfo	ıl.			
1. Details of HT/EH	FT Installation :		TOD: Y	Yes / No ABT: Ye	s / No		
Name and Address	MJ Naudini +	totals (19) 1	+4.				
of the	No: 345/1, 13th	Main Roal	Sadal	amangla I	A.		
Consumer	Whitefile, 13'h	e.		V			
Sanctioned Contract I	Demand in kVA	150	DOKYF)			
Tariff Sanctioned as p	per Power Sanction Letter	117	2(2				
Connected Current To	ransformer Ratio (CCTR)	7_	5/1A				
Connected Potential	Transformer Ratio (CPTR)	11	CV 1J3	11101/13			
MC (in No. & Words)	x 7 5 0 0	(Seven The	nhand	Five Hundre	l 029)		
		TI COS I PRETI	T DC A C I	A1217 &	OMIGO		
2. Supply Voltage &	Type: 220 / 66 / 11 kV & O-F	1/GUS/RMU/	LBS (Mak	.e:	Chill		
3 Meggar Values v	vith 5 kV and 500 V Meggar	r:			SNITH		
	Meggar): - 2900 -		M Ohm	g	Tay		
			W Orun	5			
b) HT to Ground (5 kV Meggar): — 2-700 — M Ohms							
c) LT to Ground (500 V Meggar): M Ohms							
4. Ratio Test Results (at field):							
Particulars	Connected Ratio	Primary Inje	ected	Secondary Mea	sured		
Currect Transformer	75/1A	50	Amps	0.667	Amps		
Potential Transformer	11KV 103/110V/V3	-241-	Volts	-2.41-	Volts		

5. Installed Equipment Details :

U. ARIOTEER	ter nderburent ne				
Postingles CURRENT POTENTIAL		POTENTIAL	METERING CUBICAL DETAILS		
Particulars	Particulars TRANSFORMER TRANSFORMER		Make Om	ega Swithgest	
Make	Paras	Podas		GA-23-03-12348	
Type	Indoor / Outdoor-	Indoor / Outdoor	TRANSFORMER DETAILS		
Class	0-2	. 0-2	Make	Classic Technologia	
Insultaion	15/38/95	15 38 95	Capacity 1×2250kvA		
Burden	2.5VA	25VA	Vector Group	Degnil	
Ratio Exist.	75/1A	11 KU13/1101/13	Voltage Ratings	11ky/1433V	
Ratio Connt.	7511A	11 KU1J3 /1100/V	Current Ratings	104.98/2666.82 A	
RØ	MICT 017732		Sl. No.:	CTPL 2000 2023 030669	
N Yø	M(T017733	MITTO15802	MO	DEM & SIM CARD DETAILS	
S		1	Madam Maka & Cl N	Va. A 100215 171 20272 02250	

7. METER DETAILS

8. SEALS DETAILS

PARTICULARS MAIN METER CHECK METER MAIN METER CHECK METER

PARTICULARS	MAIN METER	CHECK METER		MAIN N	METER	CHECK	METER
Make	Lar	\	PARTICULARS	Lead / P.C.	Plastic / Mfg.	Lead / P.C.	Plastic / Mfg.
Catetory/Type	C/B/A	C B/A	Meter Cover	BMH SA	856		
Class	0.25	0.25	Terminal Cover	BMH7D	151		
Voltage	3x63.5V	3x63\5V	MD Reset Button	BMH 70	152		
Amps	1A	1A	Test Terminal Block	13mH 70	155		
Pulse	50000	-	Meter Chamber Main Door	BMH70	156		
Dial Constant	1	1	Meter Reading Window				
Sl. No.	230034	186	CT & PT Chamber	13MH 70	153		
Year & Mfd.	2023		Cable Entery Chamber	13mH-70	154		
Wiring Type	3P4W	3P4W	Hologram	MT 1064	XX		
DLMS/TOD/ABT	DLMS/TOD/ABT	DLMS/TOD/ABT	Optical Port	\			
Com. Port Avail.	RS-232/485/OP	RS-232/485/OP	Modern SIM Card Slot				

	BILLING /MAIN METER	INITIAL READINGS	CHECK METER IN	ITIAL READINGS	
PARAMETERS	→ IMPORT/FORWARD	← EXPORT/REVERSE	→ IMPORT/FORWARD	← EXPORT/REVERSE	
ime & Date	17:37 5 05.05.23	\			
MD kVA/r Avg. PF	0.000				
otal C kWh	0.213				
kWh Zone-1	0.014 (0.0	JA) A			
kWh Zone-2	0.036	CM/			
kWh Zone-3	0.000				
kWh Zone-4	0.121				
C KVArh (Lag/Lead)	0.1210.072				
C kVAh	0-288				
C MD kVA	0.238				
Total Biling KWh	0.213				
Billing kWh Zone-1	0.054				
Billing kWh Zone-2	0.036				
Billing kWh Zone-3	0.000				
Billing kWh Zone-4	0-000				
Billing kWAh	0.288				
Billing kVA / MD	0.000				
Billing kWh Zone-1	0-000				
Billing kWh Zone-2	0.000				
Billing kWh Zone-3	0.000	·			
Billing kWh Zone-4	0.000				
Billing Avg. PF					
CH kVArh (Leg/Led)					
CL kVArh (Lag/Led)					
% THD Voltage					
% THD Current					
Anomaly/Diagnose	000				
MD Reset Count	06				
Auto/Manual Rese	t Auto				

Auto/Manual Reset Auto	
Whether display parameters of ETV n	neter are as per BESCOM requirement : YES / NO
10. Observations: 160 P.C.	tar selute found with plustile
fuits. The HIME may	Le charged afte gett I approved
from concerned and	notity by duly of Maning NORMS"
, I ftel chalging on	Office Moll Informal to for the
Needond:	
<i>U</i>	



Bangalore Electricity Supply Company Limited

(Wholly Owned by Govt. of Karnataka Under taking)

No: EE/WFD/AEE/AE(T)/23-24/276

Ph No.: 8277893919

Email: eewf.work@gmail.com

Office of the Executive Engineer (Ele), Whitefield Division BESCOM, Bangalore-560 066.

Date: - 05-05-2023

To

The Assistant Executive Engineer (Ele)

C, O & M, BESCOM.

E12 Sub Division.

Mahadevapura, Bangalore-560048.

Sir.

submission of sanctioned Estimate file for arranging power supply to an extent of 1500 KVA on HT(c) tariff for hospital purpose in favor of M/s.NANDINI HOTELS PVT LTD at No 345/1, 13th Main Road, Sadaramangala Industrial area, Whitefield, Bangalore-560066 in EPIP O & M unit of E-12 sub division .under self-execution.

Ref: 1. AEE/E12SD/AET/2023-24/119 dated 04-05-2023.

2. Work order No: E-12/F-302 / 2348530 Dated: 15-04-2023.

With reference to the above cited subject, I am here with enclosing the subject file pertaining to E12 sub division submitted for arranging power supply to an extent of 1500 KVA on HT(c) tariff for hospital purpose in favor of M/s.NANDINI HOTELS PVT LTD at No 345/1, 13th Main Road, Sadaramangala Industrial area, Whitefield, Bangalore-560066 in EPIP O & M unit of E-12 sub division nder self-execution.

You are requested to take further needful action duly observing the company formalities as per KERC regulations for arranging power supply.

Yours faithfully,

Executive Engineer (Ele) Whitefield Division

BESCOM, Bangalore-560 066.



Bangalore Electricity Supply Company Limited

(Wholly Owned by Govt. of Karnataka Under taking)

No: EE/WFD/AEE/AE(T)/23-24/ 276

Ph No.: 8277893919

Email: eewf.work@gmail.com

Office of the Executive Engineer (Ele), Whitefield Division BESCOM, Bangalore-560 066. Date:- 05-05-2023

OFFICIAL MEMORANDUM

Sub: Accounting of assets taken over by BESCOM in connection with self-execution works for arranging power supply to an extent of 1500 KVA on HT(c) tariff for hospital purpose in favor of M/s.NANDINI HOTELS PVT LTD at No 345/1, 13th Main Road, Sadaramangala Industrial area, Whitefield, Bangalore-560066- in EPIP O & M unit of E-12 sub division .under self-execution

PREAMBLE:

- 1. Power sanction to the above proposal is conveyed by vide letter No: CEE/BMAZ-N/SEE(O)/AE-2/22-23/5650-53 Dated: 23-03-2023.
- 2. Consumer has paid the following supervision charges and deposits; Supervision charges Rs 1,55,269 /- vide Rt.No.837402847052 dated 28-03-2023. E12 sub division...
- Arranging power supply to M S Building is carried out by the Class-1 LEC and the Electric fitness certificate is issued by the Electrical Inspectorate vide letter No:
 ACEI/BN//280/2023-24 Ack No: EI000110533503 dated: 29-04-2023.
- 4. The consumer has submitted an undertaking on Rs. 200/- stamp paper to stand guarantee for the line materials, equipment's, and the quality of work for one year, from the date of commissioning. The consumer should give an undertaking to the effect that he will abide by the above conditions.
- 5. Work order No: E-12/ F-302 / 2348530 Dated: 15-04-2023.
- 6. The Asst. Exe. Engineer (Ele.), E12 sub division has furnished the inventory report of the assets to be created for the above said installation, bills under taking etc., vide letter No.AEE (ELE)/E12SD/AET/2023-24/119 dated 04-05-2023.

Order

Approval is hereby accorded to take over the extended works and account the assets actually executed in the self-execution works for arranging power supply to an extent of 1500 KVA on HT(c) tariff for hospital purpose in favor of M/s.NANDINI HOTELS PVT LTD at No 345/1, 13th Main Road, Sadaramangala Industrial area, Whitefield, Bangalore-560066- in EPIP O & M unit of E-12 sub division .under self-execution

Executive Engineer (Ele)
Whitefield Division
BESCOM, Bangalore-560 066.

Copy to:

- 1. Asst. Exe. Engineer, E12 sub division, Whitefield, Bangalore.
- 2. Accounts officer, Whitefield Division, Bangalore.
- 3. MF.



Bangalore Electricity Supply Company Limited

(Wholly Owned by Govt. of Karnataka Under taking)

EEE/WF/AEE(O)/AET/23-24/ 144-45

Encl:

TO

M/s.NANDINI HOTELS PVT LTD No 345/1, 13th Main Road, Sadaramangala Industrial area, Whitefield, Bangalore-560066.

Sir,

Office of the Executive Engineer (Ele) Whitefield Division, BESCOM., Whitefield, Bangalore-66.

24 421

Sub: Arr

Arranging Power supply to an extent of 1500 KVA on HT(C) tariff for hospital purpose, at above

mentioned address.

Ref:

1. Power Sanction No: CEE/BMAZ-N/SEE(O)/AE-2/22-23/5650-53 Dated: 23-03-2023.

2. Power Sanction No: SEE/BEC/EE(O)/AEE(O)/22-23/14915-16 Dated: 20-03-2023

2. Payment Certificate No : AEE(ELE)/E12SD/AAO/SA/22-23/2163 Dated : 30-03-2023.

With reference to the above, approval is hereby accorded to execute the work of the above, subjected to the following conditions.

1. You shall carryout the work as per sanctioned estimate vide self-execution certificate no. <u>E12-F-302</u> dated. <u>15-04-2023</u> (W.O.2348530) through Licensed Electrical Contractor having class-1 License.

The materials used shall confirm to corporate specifications before execution of work.

3. You shall use all standard materials in accordance with relevant ISI/BESCOM specification.

4. The entire distribution system with the concerned equipment will be taken over by the corporation after completion of work and certified by Asst. Exe. Engineer (El), BESCOM, O&M <u>E12</u> sub division.

5. You should give an INDEMNITY BOND on Rs. 100/- STAMP PAPER to Asst. Exe. Engineer (El), BESCOM, <u>E12</u> sub division, that you will stand guarantee for a period of 12 months for the materials used by you as well as for the quality of works carried out by you, from the date of taking over of the lines and equipment's by corporation. Any failure within the guarantee period will be replaced by you "FREE OF COST"

 Proof for having purchased the materials used for execution of the work from the reputed firm will be verified wherever necessary.

7. The Materials shall be purchased from BESCOM approved vendors and have to be got inspected by the TA&QC staff whenever necessary, as per General Manager (TA&QC) letter no. BESCOM/GM(TA&QC)/ BC-35/11-12/ Cys-26 dated. 27.06.11. Inspection charges of Rs. 5000/- per inspection in case of inspection of materials at factory premises in Karnataka, Outside Karnataka, charges such as transportation, boarding and lodging charges etc. has to be borne by prospective consumers

8. For further details, you may contact the Asst. Exe. Engineer (El), BESCOM, O&M E12 sub division.

The self-execution work shall be completed within 90days of issue of this certificate and avail service, otherwise the application will be treated as cancelled.

The Applicant shall furnish the Occupancy Certificate from Competent Authority, Before Commencement of Supply
as per Clause No.9.07/4, New of C.O.S of Electricity of distribution Licenses in the state of Karnataka (Sixth
Amendment)2017.

Yours faithfully.

Executive Engineer (EI),

BESCOM, Whitefield Division, Balore.

Copy to the Asst. Exe. Engineer (El), <u>E12</u> sub division, BESCOM, and to intimate the consumer as per with regard to availing service as per "Conditions of supply of electricity of distribution licenses in the state of Karnataka" & collect inspection charges as per Cys-26/27.06.11

Copy to the Accounts Officer, Whitefield Division, BESCOM., Bangalore for needful action along with sanctioned estimate

Lr. No Date: 08/05/2023

Ack No: El000110537524

GSC No:

O/o Additional Chief Electrical Inspector, Bengalore North, No. 2/3 & 4, Aragini Building, 1st Floor,

Dr. Rajkumar Road, Rajajinagar, Bangalore10

Phone No: 080-23420022

To

MS. NANDHINI HOTELS PVT LTD

NO – 354/1, 13th MAIN ROAD, SADARAMANGALA, INDUSTRIAL AREA, SADARAMANGALA VILLAGE,
BENGALURU, BENGALURU(District), BENGALURU EAST(Taluk)

Karnataka, India-560067

Sir,

Sub: Approval of electrical installation pertaining to 2X1010KVA 415V DG sets in an existing HTMSB installation MS. NANDHINI HOTELS PVT LTD NO – 354/1,, 13th MAIN ROAD,, SADARAMANGALA, INDUSTRIAL AREA,, SADARAMANGALA VILLAGE, BANGALORE EAST(District), BANGALORE EAST(IRA)(Taluk) - 560067

Drawing Ref No: EI000110535678

Ref: 1.Existing HT MSB Approval Ack No: 2. Drg Ack No:EI000110535678

With reference to the above, approval is hereby granted for energizing the electrical installation at [MS. NANDHINI HOTELS PVT LTD with NO – 354/1,, 13th MAIN ROAD,, SADARAMANGALA, INDUSTRIAL AREA,, SADARAMANGALA VILLAGE, BANGALORE EAST, BANGALORE EAST(IRA) - 560067] under Regulation No. [32] of Central Electricity Authority (Measures relating to Safety and Electric Supply) Regulation, 2010 as per details enclosed.

This approval is strictly subject to your full compliance with the relevant provisions of the Central Electricity Authority (Measures relating to Safety and Electric Supply) Regulation, 2010 (as amended to date) in every respect.

Note:

.

Conditions:

- 1. As per Regulation No: 46(5) and 46(6) required records shall be maintained.
- 2. As per Regulation No: 46(7) the installation shall be maintained and operated in a condition free from danger.
- 3. As per Regulation No: 3 designated person(s) shall operate and carryout the work on electrical lines and apparatus.

1

Inspection fee of **Rs. 11,400/-** (IN WORDS) **Eleven Thousand Four Hundred** onlypaid vide K2 Challan Ref. No: **EL0523004300002079** dated **06/05/2023**

Ack No : EI000110537524

Details of Equipments:

CG. No: DG1:BE-6840, DG2:BE-6841

Engine: Make: Cummins India Limited, 1500RPM, 1180BHP, DG1-25481237, DG2-SI. No: 25480856, .

Alternator: Make:Stamford, 1010KVA, 1405.1A, 1500RPM, SI.No:DG1-N23A020770, DG1-SI.No:N23A010308,


CTs: Make:Kalpa, 10VA, cl:1.0, 1600/5A, DG1-SI.No:80282/22, 80281/22, 80280/22. DG2-SI.No:80263/22, 80264/22, 80265/22.

EMs: Make: Make:Elemeasure, smart-3E, 3P4W, DG1-SI.No:ECC5141294, IR:00000400.00, MF: Direct Reading. DG2-SI.No:CCC5112961, IR:00000400.00, MF: Direct Reading.

CONDITIONS:

- 1. This approval is subject to condition of compliance of Central Electricity Authority (Measures Relating to Safety Electric Supply) Regulations, 2010, framed under the Electricity Act 2003 and also The Karnataka Electricity (Taxation on consumption or sale) Act, 1959 and the Karnataka Electricity (Taxation on consumption or sale) Rules 2014.
- 2. This approval is subject to condition of clause (a) of sub-section (2) of Section 3 of the Karnataka Electricity (Taxation on consumption or Sale) Act, 1959, (Karnataka Act 14 of 1959), prescribed tax per unit shall be remitted as electricity tax on captive consumption of electricity generated by the Captive power generating plant.
- 3. Monthly tax returns shall be filed in Forms 'G' and same shall be sent to jurisdictional DEI's Office, under intimation to the undersigned.
- 4. This approval shall be displayed at the generator room or in the control room.
- 5. Log book detailing/ showing day-to-day generation of energy and fuel consumption shall be maintained.
- 6. The energy meter shall be got calibrated once in a year and CTs shall be got tested once in three years respectively and Calibration and Test Certificates shall be sent to jurisdictional DEI's Office, under intimation to the undersigned.

 Calibration & Test may done by the KPTCL or any other approved agencies.
- 7. The set shall always be kept open for inspection of Electrical Inspectorate authorities.
- 8. Any change in the generator machineries shall be intimated to this office and fresh approval shall be obtained.
- 9. Shifting of generator machineries shall be intimated and prior approval of the undersigned shall be obtained.
- 10. Necessary clearance shall be obtained from KSPCB.
- 11. It shall be the responsibility of the owner of all installations to maintain and operate the installation in a condition free from danger and as recommended by the manufacturer or by the relevant codes of practice of the Bureau of Indian Standards.



Digitally Signed by : KONAPALLI NAGARAJ

Additional Chief


Electrical Inspector Bangalore North


Signed Date :08/05/2023


Note: This is a Digitally Signed Certificate and Does not require manual signature.


Please, Verify authenticity of this certificate by visiting www.ksei.gov.in and entering certificate number in Third party verification.


Ack No : El000110537524











ಕರ್ನಾಟಕ ಸರ್ಕಾರ

(ವಿದ್ಯುತ್ ಪರಿವೀಕ್ಷಣಾಲಯ ಇಲಾಖೆ)

ಸಂಖ್ಯೆ :EI000110558744

Date of Issue:28/07/2023

ಲಿಫ್ಸ್ ಪರವಾನಗಿ ಸಂಖ್ಯೆ : LRL 14298/2022-2023

ಮುಖ್ಯ ವಿದ್ಯುತ್ ಪರಿವೀಕ್ಷಕರ ಕಛೇರಿ, ನಿರ್ಮಾಣ ಭವನ, 2ನೇ ಮಹಡಿ, ಡಾ॥ ರಾಜ್ ಕುಮಾರ್ ರಸ್ತೆ, ರಾಜಾಜಿನಗರ, ಬೆಂಗಳೂರು-560010

ಲಿಫ್ಟ್ ಚಾಲನಾ ಪರವಾನಗಿ

(ನಮೂನೆ 'ಸಿ'– ಕರ್ನಾಟಕ ಲಿಫ್ಟ್ ಗಳ ನಿಯಮ 4ರ ಉಪ ನಿಯಮ 3 ಅನ್ನು ನೋಡುವುದು)

ಮೆ: ASTER DM HEALTH CARE LIMITED,NO.3&4,SY.NO.76,SADARAMANGALA INDUSTRIAL AREA OPP ITPL,WHITEFIELD ROAD,K.R.PURAM HOBLI,BENGALURU-560048 BENGALURU EAST BENGALURU

ಇವರಿಗೆ 2 , ASTER DM HEALTH CARE LIMITED,NO.3&4,SY.NO.76,SADARAMANGALA INDUSTRIAL AREA OPP ITPL,WHITEFIELD ROAD,K.R.PURAM HOBLI,BENGALURU-560048 BANGALORE EAST(IRA) BANGALORE EAST ಇಲ್ಲಿ ಒಂದು (1) ಸಂಖ್ಯೆಯ ಲಿಫ್ಟ್ ಅನ್ನು ಚಾಲನೆ ಗೊಳಿಸಲು ಅನುಮತಿಯನ್ನು ನೀಡಲಾಗಿದ್ದು, ಅನುಮತಿಯು ಕರ್ನಾಟಕ ಲಿಫ್ಟ್ ಗಳ, ಎಸ್ಕಲೇಟರ್ ಗಳ ಮತ್ತು ಪ್ಯಾಸೆಂಜರ್ ಕನ್ನೇಯರ್ ಗಳ ನಿಯಮಗಳು 2015ರ ಪರತ್ತಿಗೊಳಪಟ್ಟಿರುತ್ತದೆ ಮತ್ತು

ಮೆ: ASTER DM HEALTH CARE LIMITED,NO.3&4,SY.NO.76,SADARAMANGALA INDUSTRIAL AREA OPP ITPL,WHITEFIELD ROAD,K.R.PURAM HOBLI,BENGALURU–560048 BENGALURU EAST BENGALURU ಇವರ ಮಾಲೀಕತ್ವದಲ್ಲಿರುತ್ತದೆ.

	ಯಂತ್ರಗಳ ವಿವರ:					
1	ಲಿಫ್ಟ್ ತಯಾರಿಕೆ ಮತ್ತು ಸಂಖ್ಯೆ	Mitsubishi Elevator India Pvt. Ltd.,, 1 No				
2	ಲಿಫ್ಟ್ ವಿಧ	PASSENGER				
3	ಸಾಮರ್ಥ್ಯ ೯	15 Passengers, 1020.00 Kg				
4	ಬಹುಮಹಡಿ ಕಟ್ಟಡದ ವಿವರ	5 BF+GF+3UF , HOSPITAL				
5	ಲಿಫ್ಟ್ ಕಾರು ಮತ್ತು ಲ್ಯಾಂಡಿಂಗ್ ಡೋರ್	Telescopic Auto DoorTelescopic Auto Door				
6	ಲಿಫ್ಟ್ ಲ್ಯಾಂಡಿಂಗ್ ಗಳ ವಿವರ	5 Landings , 5 BF+GF+3UF				
7	ಲಿಫ್ಟ್ ನಿರ್ಧರಿತ ವೇಗ	1.00 m/s				
8	ಲಿಫ್ಟ್ ಮೋಚಾರಿನ ವಿವರ	MITSUBISHI, 6.20(kW/HP), 93.00 RPM, SL No: 010912891				

ಲಿಫ್ಸ್ ಚಾಲನಾ ಪರವಾನಗಿ ನವೀಕರಣ

ಕರ್ನಾಟಕ ಲಿಫ್ಟ್ ಗಳ, ಎಸ್ಕಲೇಟರ್ ಗಳ ಮತ್ತು ಪ್ಯಾಸೆಂಜರ್ ಕನ್ವೇಯರ್ ಗಳ ನಿಯಮ 2015 ರ ನಿಯಮ 5 ರ ಉಪ ನಿಯಮ 3ನ್ನು ನೋಡುವುದು

	ಚಾಲನಾ ಪರವಾನಗಿ	ನವೀಕರಣ	ಚಾಲನಾ ಪರವಾನಗಿ ನವೀಕರಣಶುಲ್ಕದ ವಿವರ			
ಕ್ರಮ ಸಂಖ್ಯೆ	ರಿಂದ	ರವರೆಗೆ	ಶುಲ್ಕ	ಚಲನ್ / ರಸೀದಿ ಸಂಖ್ಯೆ	ದಿನಾಂಕ	
1	28/07/2023	27/07/2028	2500/-	EL07230043000034 80 (out of Rs.5025)	07/07/2023	

Remarks:

NIL. NIL



Digitally Signed by: THEETHIRA NANJAPPA

APPACHU

Chief Electrical Inspector to Government

Bangalore

Signed Date : 28/07/2023

<u>ಇವರಿಗೆ:</u> NO.3&4,SY.NO.76,SADARAMANGALA INDUSTRIAL AREA OPP ITPL,WHITEFIELD ROAD,K.R.PURAM HOBLI,BENGALURU-560048 BENGALURU EAST BENGALURU,NO.3&4,SY.NO.76,SADARAMANGALA INDUSTRIAL AREA OPP ITPL,WHITEFIELD ROAD,K.R.PURAM HOBLI,BENGALURU-560048 BENGALURU EAST BENGALURU

ಪ್ರತಿಯನ್ನು

- 1. ಅಪರ ಮುಖ್ಯ ವಿದ್ಯುತ್ ಪರಿವೀಕ್ಷಕರು, ಬೆಂ.ಉ, ಬೆಂ.ದ, ಮೈಸೂರು, ಮಂಗಳೂರು, ಧಾರವಾಡ, ಕಲಬುರಗಿ
- 2.Periodic Inspection Details, DCEI Bangalore East Office, DCEI-Bangalore East
- 3. ಮೆ: Mitsubishi Elevator India Pvt. Ltd.,

ಸೂಚನೆ :

- ಅ) ಈ ಲಿಫ್ಪ್ /ಎಸ್ಕಲೇಟರ್ / ಪ್ಯಾಸೆಂಜರ್ ಕನ್ವೇಯರ್ ಗಳನ್ನು ಕರ್ನಾಟಕ ಲಿಫ್ಟ್ ಗಳ,ಎಸ್ಕಲೇಟರ್ ಗಳ ಮತ್ತು ಪ್ಯಾಸೆಂಜರ್ ಕನ್ವೇಯರ್ ಗಳ ಅಧಿನಿಯಮ 2012 ಹಾಗೂ ಅದರಡಿಯಲ್ಲಿ ರಚಿಸಿರುವ ಕರ್ನಾಟಕ ಲಿಫ್ಟ್ ಗಳ,ಎಸ್ಕಲೇಟರ್ ಗಳ ಮತ್ತು ಪ್ಯಾಸೆಂಜರ್ ಕನ್ವೇಯರ್ ಗಳ ನಿಯಮಗಳು 2015 ರ ನಿಯಮಗಳ ಅನುಸಾರ ನಿರ್ವಹಿಸತಕ್ಕದ್ದು.
- ಆ) ನಿಯಮ 5ರ ಅನುಸಾರ ಈ ಲಿಫ್ಡ್ ಚಾಲನಾ ಪರವಾನಗಿಯನ್ನು ನವೀಕರಿಸಲು ಲಿಫ್ಡ್ /ಎಸ್ಕಲೇಟರ್ / ಪ್ಯಾಸೆಂಜರ್ ಕನ್ವೇಯರ್ ಮಾಲೀಕರು ಮಾನ್ಯತಾ ಅವಧಿ ಮುಗಿಯುವ 3 ತಿಂಗಳ ಮುಂಚಿತವಾಗಿ ನವೀಕರಣ ಶುಲ್ಕ ಪಾವತಿ ಮಾಡಿದ ಚಲನ್ ಸಹಿತ ಅರ್ಜಿಯನ್ನು ಸಂಬಂಧಪಟ್ಟ ಲಿಫ್ಡ್ ತಪಾಸಣಾಧಿಕಾರಿಗಳಿಗೆ ನೀಡತಕ್ಕದ್ದು.
- ಇ) ಲಿಫ್ಪ್ /ಎಸ್ಕ ಲೇಟರ್ / ಪ್ಯಾಸೆಂಜರ್ ಕನ್ವೇಯರ್ ಅಳವಡಿಸಲಾಗಿರುವ ಕಟ್ಟಡದ ಮಾಲೀಕರು ಕಟ್ಟಡದಲ್ಲಿ ವಾಸವಾಗಿಲ್ಲದಿದ್ದರೆ ಈ ಲಿಫ್ಟ್ ಚಾಲನಾ ಪರವಾನಗಿ ನೀಡಿದ ದಿನಾಂಕದ ಒಂದು ತಿಂಗಳ ಒಳಗಾಗಿ, ಕಟ್ಟಡವು ಇರುವ ಪಟ್ಟಣ ಅಥವಾ ಗ್ರಾಮದಲ್ಲಿ ವಾಸವಾಗಿರುವ ಒಬ್ಬ ಏಜೆಂಟ್ ರನ್ನು ನೇಮಕ ಮಾಡತಕ್ಕದ್ದು ಹಾಗೂ ಏಜೆಂಟ್ ರ ವಿವರಗಳನ್ನು ಪ್ರಾಧಿಕೃತ ಅಧಿಕಾರಿಗೆ ತಿಳಿಸತಕ್ಕದ್ದು. ನೇಮಕಗೊಂಡ ಏಜೆಂಟ್ ಕರ್ನಾಟಕ ಲಿಫ್ಟ್ ಗಳ, ಎಸ್ಕ ಲೇಟರ್ ಗಳ ಮತ್ತು ಪ್ಯಾಸೆಂಜರ್ ಕನ್ವೇಯರ್ ಗಳ ಆಧಿನಿಯಮ 2012 ಹಾಗೂ ಅದರಡಿಯಲ್ಲಿ ರಚಿಸಿರುವ ಕರ್ನಾಟಕ ಲಿಫ್ಟ್ ಗಳ, ಎಸ್ಕ ಲೇಟರ್ ಗಳ ಮತ್ತು ಪ್ಯಾಸೆಂಜರ್ ಕನ್ವೇಯರ್ ಗಳ ನಿಯಮಗಳು 2015 ರ ನಿಯಮಗಳನ್ನು ಪಾಲಿಸಲು ಬದ್ಧನಾಗಿರತಕ್ಕದ್ದು.
- ಈ) ಲಿಫ್ಡ್/ಎಸ್ಕ ಲೇಟರ್/ ಪ್ಯಾಸೆಂಜರ್ ಕನ್ವೇಯರ್ ಮಾಲೀಕರು, ಲಿಫ್ಡ್ ಗಳ, ಎಸ್ಕ ಲೇಟರ್ ಗಳ, ಪ್ಯಾಸೆಂಜರ್ ಕನ್ವೇಯರ್ ಗಳ ಮುಖ್ಯ ತಪಾಸಣಾಧಿಕಾರಿಗಳಿಗೆ ನೊಂದಾಯಿತವಾಗಿರುವ ಲಿಫ್ಟ್ ತಯಾರಕರು/ನಿರ್ವಾಹಕರ ಜೊತೆ ಲಿಫ್ಟ್ ನಿರ್ವಹಣೆಗೆ ಒಪ್ಪಂದ ಮಾಡಿಕೊಳ್ಳತಕ್ಕದ್ದು. ಉ) ಲಿಫ್ಟ್/ಎಸ್ಕ ಲೇಟರ್/ಪ್ಯಾಸೆಂಜರ್ ಕನ್ವೇಯರ್ ಚಾಲನೆಗೊಳಿಸಲು ನೀಡಿರುವ ಪರವಾನಗಿಯ ಪ್ರತಿಯನ್ನು ಲಿಫ್ಟ್/ಎಸ್ಕ ಲೇಟರ್ ಯಂತ್ರದ ಕೊಠಡಿಯಲ್ಲಿ ಪ್ರದರ್ಶಿಸತಕ್ಕದ್ದು.
- ಉ) ಲಿಫ್ಟ್/ಎಸ್ಕಲೇಟರ್/ ಪ್ಯಾಸೆಂಜರ್ ಕನ್ವೇಯರ್ ಕಾರ್ಯಾಚರಣೆ ವೇಳೆ ಪ್ರಾಣಾಂತಿಕ/ಪ್ರಾಣಾಂತಿಕವಲ್ಲದ ಲಿಫ್ಟ್ ಅಪಘಾತಗಳು ಸಂಭವಿಸಿದರೆ, ಕಟ್ಟಡದ ಮಾಲೀಕರು ಅಥವಾ ಅವರ ಏಜೆಂಟ್ ರವರು, ಅಪಘಾತದ ಬಗ್ಗೆ ಲಿಫ್ಟ್/ಎಸ್ಕಲೇಟರ್/ಪ್ಯಾಸೆಂಜರ್ ಕನ್ವೇಯರ್ ನ ಪ್ರಾಧಿಕೃತ ಅಧಿಕಾರಿಗೆ ಮತ್ತು ಪೋಲೀಸ್ ಆಯುಕ್ತರಿಗೆ ಹಾಗೂ ಜಿಲ್ಲಾ ದಂಡಾಧಿಕಾರಿಗಳಿಗೆ ನಿಗಧಿತ ನಮೂನೆಯಲ್ಲಿ ಪೂರ್ಣ ವಿವರಗಳ ಸಹಿತ ಮಾಹಿತಿಯನ್ನು ನೀಡತಕ್ಕದ್ದು. ಖು) ಲಿಫ್ಟ್, ಎಸ್ಕಲೇಟರ್ ಗಳ ಮತ್ತು ಪ್ಯಾಸೆಂಜರ್ ಕನ್ವೇಯರ್ ಗಳ ಮುಖ್ಯ ತಪಾಸಣಾಧಿಕಾರಿಯ ಲಿಖಿತ ಪೂರ್ವ ಅನುಮತಿಯ ಹೊರತು ಲಿಫ್ಟ್/ಎಸ್ಕಲೇಟರ್/ ಪ್ಯಾಸೆಂಜರ್ ಕನ್ವೇಯರ್ ಸ್ಥಾಪನೆಗೆ ಯಾವುದೇ ಸೇರ್ಪಡೆಗಳನ್ನು ಆಥವಾ ಬದಲಾವಣೆಗಳನ್ನು ಮಾಡತಕ್ಕದಲ್ಲ. ಎ) ಸೂಕ್ತ ತರಬೇತಿ ಹೊಂದಿದ ಲಿಫ್ಟ್ ಚಾಲಕರನ್ನು ನೇಮಿಸಿಕೊಳ್ಳತಕ್ಕದ್ದು.



Note: This is a Digitally Signed Certificate and Does not require manual signature.

Please, Verify authenticity of this certificate by visiting www.ksei.gov.in and entering certificate number in Third party verification. Digitally Signed by: THEETHIRA NANJAPPA

APPACHU

Chief Electrical Inspector to Government

Bangalore

Signed Date : 28/07/2023

ಮುಖ್ಯ ವಿದ್ಯುತ್ ಪರಿವೀಕ್ಷಕರು ಲಿಫ್ಟ್ /ಎಸ್ಕಲೇಟರ್/ಪ್ಯಾಸೆಂಜರ್ ಕನ್ವೇಯರ್ ಗಳ ಮುಖ್ಯ ತಪಾಸಣಾಧಿಕಾರಿಯವರ ಸಹಿ

ಕರ್ನಾಟಕ ಸರ್ಕಾರ

(ವಿದ್ಯುತ್ ಪರಿವೀಕ್ಷಣಾಲಯ ಇಲಾಖೆ)

ಸಂಖ್ಯೆ :EI000110558744

Date of Issue:28/07/2023

ಲಿಫ್ಸ್ ಪರವಾನಗಿ ಸಂಖ್ಯೆ : LRL 14297/2022-2023

ಮುಖ್ಯ ವಿದ್ಯುತ್ ಪರಿವೀಕ್ಷಕರ ಕಛೇರಿ, ನಿರ್ಮಾಣ ಭವನ, 2ನೇ ಮಹಡಿ, ಡಾ॥ ರಾಜ್ ಕುಮಾರ್ ರಸ್ತೆ, ರಾಜಾಜಿನಗರ, ಬೆಂಗಳೂರು-560010

ಲಿಫ್ಟ್ ಚಾಲನಾ ಪರವಾನಗಿ

(ನಮೂನೆ 'ಸಿ'- ಕರ್ನಾಟಕ ಲಿಫ್ಟ್ ಗಳ ನಿಯಮ 4ರ ಉಪ ನಿಯಮ 3 ಅನ್ನು ನೋಡುವುದು)

ಮೆ: ASTER DM HEALTH CARE LIMITED,NO.3&4,SY.NO.76,SADARAMANGALA INDUSTRIAL AREA OPP ITPL,WHITEFIELD ROAD,K.R.PURAM HOBLI,BENGALURU-560048 BENGALURU EAST BENGALURU

ಇವರಿಗೆ 1 , ASTER DM HEALTH CARE LIMITED,NO.3&4,SY.NO.76,SADARAMANGALA INDUSTRIAL AREA OPP ITPL,WHITEFIELD ROAD,K.R.PURAM HOBLI,BENGALURU-560048 BANGALORE EAST(IRA) BANGALORE EAST ಇಲ್ಲಿ ಒಂದು (1) ಸಂಖ್ಯೆಯ ಲಿಫ್ಟ್ ಅನ್ನು ಚಾಲನೆ ಗೊಳಿಸಲು ಅನುಮತಿಯನ್ನು ನೀಡಲಾಗಿದ್ದು, ಅನುಮತಿಯು ಕರ್ನಾಟಕ ಲಿಫ್ಟ್ ಗಳ, ಎಸ್ಕಲೇಟರ್ ಗಳ ಮತ್ತು ಪ್ಯಾಸೆಂಜರ್ ಕನ್ನೇಯರ್ ಗಳ ನಿಯಮಗಳು 2015ರ ಪರತ್ತಿಗೊಳಪಟ್ಟಿರುತ್ತದೆ ಮತ್ತು

ಮೆ: ASTER DM HEALTH CARE LIMITED,NO.3&4,SY.NO.76,SADARAMANGALA INDUSTRIAL AREA OPP ITPL,WHITEFIELD ROAD,K.R.PURAM HOBLI,BENGALURU–560048 BENGALURU EAST BENGALURU ಇವರ ಮಾಲೀಕತ್ವದಲ್ಲಿರುತ್ತದೆ.

	ಯಂತ್ರಗಳ ವಿವರ:					
1	ಲಿಫ್ಟ್ ತಯಾರಿಕೆ ಮತ್ತು ಸಂಖ್ಯೆ	Mitsubishi Elevator India Pvt. Ltd.,, 1 No				
2	ಲಿಫ್ಟ್ ವಿಧ	PASSENGER				
3	ಸಾಮರ್ಥ್ಯ ೯	15 Passengers, 1020.00 Kg				
4	ಬಹುಮಹಡಿ ಕಟ್ಟಡದ ವಿವರ	5 BF+GF+3UF , HOSPITAL				
5	ಲಿಫ್ಟ್ ಕಾರು ಮತ್ತು ಲ್ಯಾಂಡಿಂಗ್ ಡೋರ್	Telescopic Auto DoorTelescopic Auto Door				
6	ಲಿಫ್ಟ್ ಲ್ಯಾಂಡಿಂಗ್ ಗಳ ವಿವರ	5 Landings , 5 BF+GF+3UF				
7	ಲಿಫ್ಟ್ ನಿರ್ಧರಿತ ವೇಗ	1.00 m/s				
8	ಲಿಫ್ಟ್ ಮೋಚಾರಿನ ವಿವರ	MITSUBISHI, 6.20(kW/HP), 93.00 RPM, SL No: 80109121890				

ಲಿಫ್ಟ್ ಚಾಲನಾ ಪರವಾನಗಿ ನವೀಕರಣ

ಕರ್ನಾಟಕ ಲಿಫ್ಟ್ ಗಳ, ಎಸ್ಕಲೇಟರ್ ಗಳ ಮತ್ತು ಪ್ಯಾಸೆಂಜರ್ ಕನ್ವೇಯರ್ ಗಳ ನಿಯಮ 2015 ರ ನಿಯಮ 5 ರ ಉಪ ನಿಯಮ 3ನ್ನು ನೋಡುವುದು

	ಚಾಲನಾ ಪರವಾನಗಿ	ನವೀಕರಣ	ಚಾಲನಾ ಪರವಾನಗಿ ನವೀಕರಣಶುಲ್ಕದ ವಿವರ			
ಕ್ರಮ ಸಂಖ್ಯೆ	ರಿಂದ	ರವರೆಗೆ	ಶುಲ್ಕ	ಚಲನ್ / ರಸೀದಿ ಸಂಖ್ಯೆ	ದಿನಾಂಕ	
1	28/07/2023	27/07/2028	2500/-	EL07230043000034 80 (out of Rs.5025)	07/07/2023	

Remarks:

NIL. NIL



Digitally Signed by: THEETHIRA NANJAPPA

APPACHU

Chief Electrical Inspector to Government

Bangalore

Signed Date : 28/07/2023

<u>ಇವರಿಗೆ:</u> NO.3&4,SY.NO.76,SADARAMANGALA INDUSTRIAL AREA OPP ITPL,WHITEFIELD ROAD,K.R.PURAM HOBLI,BENGALURU-560048 BENGALURU EAST BENGALURU,NO.3&4,SY.NO.76,SADARAMANGALA INDUSTRIAL AREA OPP ITPL,WHITEFIELD ROAD,K.R.PURAM HOBLI,BENGALURU-560048 BENGALURU EAST BENGALURU

ಪ್ರತಿಯನ್ನು

- 1. ಅಪರ ಮುಖ್ಯ ವಿದ್ಯುತ್ ಪರಿವೀಕ್ಷಕರು, ಬೆಂ.ಉ, ಬೆಂ.ದ, ಮೈಸೂರು, ಮಂಗಳೂರು, ಧಾರವಾಡ, ಕಲಬುರಗಿ
- 2. Periodic Inspection Details, DCEI Bangalore East Office, DCEI-Bangalore East
- 3. ಮೆ: Mitsubishi Elevator India Pvt. Ltd.,

ಸೂಚನೆ :

- ಅ) ಈ ಲಿಫ್ಪ್ /ಎಸ್ಕಲೇಟರ್ / ಪ್ಯಾಸೆಂಜರ್ ಕನ್ವೇಯರ್ ಗಳನ್ನು ಕರ್ನಾಟಕ ಲಿಫ್ಟ್ ಗಳ,ಎಸ್ಕಲೇಟರ್ ಗಳ ಮತ್ತು ಪ್ಯಾಸೆಂಜರ್ ಕನ್ವೇಯರ್ ಗಳ ಅಧಿನಿಯಮ 2012 ಹಾಗೂ ಅದರಡಿಯಲ್ಲಿ ರಚಿಸಿರುವ ಕರ್ನಾಟಕ ಲಿಫ್ಟ್ ಗಳ,ಎಸ್ಕಲೇಟರ್ ಗಳ ಮತ್ತು ಪ್ಯಾಸೆಂಜರ್ ಕನ್ವೇಯರ್ ಗಳ ನಿಯಮಗಳು 2015 ರ ನಿಯಮಗಳ ಅನುಸಾರ ನಿರ್ವಹಿಸತಕ್ಕದ್ದು.
- ಆ) ನಿಯಮ 5ರ ಅನುಸಾರ ಈ ಲಿಫ್ಡ್ ಚಾಲನಾ ಪರವಾನಗಿಯನ್ನು ನವೀಕರಿಸಲು ಲಿಫ್ಡ್/ಎಸ್ಕಲೇಟರ್/ ಪ್ಯಾಸೆಂಜರ್ ಕನ್ವೇಯರ್ ಮಾಲೀಕರು ಮಾನ್ಯತಾ ಅವಧಿ ಮುಗಿಯುವ 3 ತಿಂಗಳ ಮುಂಚಿತವಾಗಿ ನವೀಕರಣ ಶುಲ್ಕ ಪಾವತಿ ಮಾಡಿದ ಚಲನ್ ಸಹಿತ ಅರ್ಜಿಯನ್ನು ಸಂಬಂಧಪಟ್ಟ ಲಿಫ್ಡ್ ತಪಾಸಣಾಧಿಕಾರಿಗಳಿಗೆ ನೀಡತಕ್ಕದ್ದು.
- ಇ) ಲಿಫ್ಪ್ /ಎಸ್ಕ ಲೇಟರ್ / ಪ್ಯಾಸೆಂಜರ್ ಕನ್ವೇಯರ್ ಅಳವಡಿಸಲಾಗಿರುವ ಕಟ್ಟಡದ ಮಾಲೀಕರು ಕಟ್ಟಡದಲ್ಲಿ ವಾಸವಾಗಿಲ್ಲದಿದ್ದರೆ ಈ ಲಿಫ್ಟ್ ಚಾಲನಾ ಪರವಾನಗಿ ನೀಡಿದ ದಿನಾಂಕದ ಒಂದು ತಿಂಗಳ ಒಳಗಾಗಿ, ಕಟ್ಟಡವು ಇರುವ ಪಟ್ಟಣ ಅಥವಾ ಗ್ರಾಮದಲ್ಲಿ ವಾಸವಾಗಿರುವ ಒಬ್ಬ ಏಜೆಂಟ್ ರನ್ನು ನೇಮಕ ಮಾಡತಕ್ಕದ್ದು ಹಾಗೂ ಏಜೆಂಟ್ ರ ವಿವರಗಳನ್ನು ಪ್ರಾಧಿಕೃತ ಅಧಿಕಾರಿಗೆ ತಿಳಿಸತಕ್ಕದ್ದು. ನೇಮಕಗೊಂಡ ಏಜೆಂಟ್ ಕರ್ನಾಟಕ ಲಿಫ್ಟ್ ಗಳ, ಎಸ್ಕ ಲೇಟರ್ ಗಳ ಮತ್ತು ಪ್ಯಾಸೆಂಜರ್ ಕನ್ವೇಯರ್ ಗಳ ಆಧಿನಿಯಮ 2012 ಹಾಗೂ ಅದರಡಿಯಲ್ಲಿ ರಚಿಸಿರುವ ಕರ್ನಾಟಕ ಲಿಫ್ಟ್ ಗಳ, ಎಸ್ಕ ಲೇಟರ್ ಗಳ ಮತ್ತು ಪ್ಯಾಸೆಂಜರ್ ಕನ್ವೇಯರ್ ಗಳ ನಿಯಮಗಳು 2015 ರ ನಿಯಮಗಳನ್ನು ಪಾಲಿಸಲು ಬದ್ಧನಾಗಿರತಕ್ಕದ್ದು.
- ಈ) ಲಿಫ್ಡ್/ಎಸ್ಕ ಲೇಟರ್/ ಪ್ಯಾಸೆಂಜರ್ ಕನ್ವೇಯರ್ ಮಾಲೀಕರು, ಲಿಫ್ಡ್ ಗಳ, ಎಸ್ಕ ಲೇಟರ್ ಗಳ, ಪ್ಯಾಸೆಂಜರ್ ಕನ್ವೇಯರ್ ಗಳ ಮುಖ್ಯ ತಪಾಸಣಾಧಿಕಾರಿಗಳಿಗೆ ನೊಂದಾಯಿತವಾಗಿರುವ ಲಿಫ್ಟ್ ತಯಾರಕರು/ನಿರ್ವಾಹಕರ ಜೊತೆ ಲಿಫ್ಟ್ ನಿರ್ವಹಣೆಗೆ ಒಪ್ಪಂದ ಮಾಡಿಕೊಳ್ಳತಕ್ಕದ್ದು. ಉ) ಲಿಫ್ಟ್/ಎಸ್ಕ ಲೇಟರ್/ಪ್ಯಾಸೆಂಜರ್ ಕನ್ವೇಯರ್ ಚಾಲನೆಗೊಳಿಸಲು ನೀಡಿರುವ ಪರವಾನಗಿಯ ಪ್ರತಿಯನ್ನು ಲಿಫ್ಟ್/ಎಸ್ಕ ಲೇಟರ್ ಯಂತ್ರದ ಕೊಠಡಿಯಲ್ಲಿ ಪ್ರದರ್ಶಿಸತಕ್ಕದ್ದು.
- ಉ) ಲಿಫ್ಟ್/ಎಸ್ಕಲೇಟರ್/ ಪ್ಯಾಸೆಂಜರ್ ಕನ್ವೇಯರ್ ಕಾರ್ಯಾಚರಣೆ ವೇಳೆ ಪ್ರಾಣಾಂತಿಕ/ಪ್ರಾಣಾಂತಿಕವಲ್ಲದ ಲಿಫ್ಟ್ ಅಪಘಾತಗಳು ಸಂಭವಿಸಿದರೆ, ಕಟ್ಟಡದ ಮಾಲೀಕರು ಅಥವಾ ಅವರ ಏಜೆಂಟ್ ರವರು, ಅಪಘಾತದ ಬಗ್ಗೆ ಲಿಫ್ಟ್/ಎಸ್ಕಲೇಟರ್/ಪ್ಯಾಸೆಂಜರ್ ಕನ್ವೇಯರ್ ನ ಪ್ರಾಧಿಕೃತ ಅಧಿಕಾರಿಗೆ ಮತ್ತು ಪೋಲೀಸ್ ಆಯುಕ್ತರಿಗೆ ಹಾಗೂ ಜಿಲ್ಲಾ ದಂಡಾಧಿಕಾರಿಗಳಿಗೆ ನಿಗಧಿತ ನಮೂನೆಯಲ್ಲಿ ಪೂರ್ಣ ವಿವರಗಳ ಸಹಿತ ಮಾಹಿತಿಯನ್ನು ನೀಡತಕ್ಕದ್ದು. ಖು) ಲಿಫ್ಟ್, ಎಸ್ಕಲೇಟರ್ ಗಳ ಮತ್ತು ಪ್ಯಾಸೆಂಜರ್ ಕನ್ವೇಯರ್ ಗಳ ಮುಖ್ಯ ತಪಾಸಣಾಧಿಕಾರಿಯ ಲಿಖಿತ ಪೂರ್ವ ಅನುಮತಿಯ ಹೊರತು ಲಿಫ್ಟ್/ಎಸ್ಕಲೇಟರ್/ ಪ್ಯಾಸೆಂಜರ್ ಕನ್ವೇಯರ್ ಸ್ಥಾಪನೆಗೆ ಯಾವುದೇ ಸೇರ್ಪಡೆಗಳನ್ನು ಆಥವಾ ಬದಲಾವಣೆಗಳನ್ನು ಮಾಡತಕ್ಕದಲ್ಲ. ಎ) ಸೂಕ್ತ ತರಬೇತಿ ಹೊಂದಿದ ಲಿಫ್ಟ್ ಚಾಲಕರನ್ನು ನೇಮಿಸಿಕೊಳ್ಳತಕ್ಕದ್ದು.



Note: This is a Digitally Signed Certificate and Does not require manual signature.

Please, Verify authenticity of this certificate by visiting www.ksei.gov.in and entering certificate number in Third party verification. Digitally Signed by: THEETHIRA NANJAPPA

APPACHU

Chief Electrical Inspector to Government

Bangalore

Signed Date : 28/07/2023

ಮುಖ್ಯ ವಿದ್ಯುತ್ ಪರಿವೀಕ್ಷಕರು ಲಿಫ್ಟ್ /ಎಸ್ಕಲೇಟರ್/ಪ್ಯಾಸೆಂಜರ್ ಕನ್ವೇಯರ್ ಗಳ ಮುಖ್ಯ ತಪಾಸಣಾಧಿಕಾರಿಯವರ ಸಹಿ

(ವಿದ್ಯುತ್ ಪರಿವೀಕ್ಷಣಾಲಯ ಇಲಾಖೆ)

ಸಂಖ್ಯೆ :EI000110558761

Date of Issue:28/07/2023

ಲಿಫ್ಸ್ ಪರವಾನಗಿ ಸಂಖ್ಯೆ : LRL 14301/2022-2023

ಮುಖ್ಯ ವಿದ್ಯುತ್ ಪರಿವೀಕ್ಷಕರ ಕಛೇರಿ, ನಿರ್ಮಾಣ ಭವನ, 2ನೇ ಮಹಡಿ, ಡಾ॥ ರಾಜ್ ಕುಮಾರ್ ರಸ್ತೆ, ರಾಜಾಜಿನಗರ, ಬೆಂಗಳೂರು-560010

ಲಿಫ್ಟ್ ಚಾಲನಾ ಪರವಾನಗಿ

(ನಮೂನೆ 'ಸಿ'– ಕರ್ನಾಟಕ ಲಿಫ್ಟ್ ಗಳ ನಿಯಮ 4ರ ಉಪ ನಿಯಮ 3 ಅನ್ನು ನೋಡುವುದು)

ಮೆ: ASTER DM HEALTH CARE LIMITED,NO.3&4, SY.NO.76,SADARAMANGALA INDUSTRIAL AREA,OPP ITPL,WHITEFIELD ROAD,K.R.PURAM HOBLI,BENGALURU-560048 BENGALURU EAST BENGALURU

ಇವರಿಗೆ 3, ASTER DM HEALTH CARE LIMITED,NO.3&4, SY.NO.76,SADARAMANGALA INDUSTRIAL AREA,OPP ITPL,WHITEFIELD ROAD,K.R.PURAM HOBLI,BENGALURU-560048 BANGALORE EAST(IRA) BANGALORE EAST ಇಲ್ಲಿ ಒಂದು (1) ಸಂಖ್ಯೆಯ ಲಿಫ್ಟ್ ಅನ್ನು ಚಾಲನೆ ಗೊಳಿಸಲು ಅನುಮತಿಯನ್ನು ನೀಡಲಾಗಿದ್ದು, ಅನುಮತಿಯು ಕರ್ನಾಟಕ ಲಿಫ್ಟ್ ಗಳ, ಎಸ್ಕ್ಕಲೇಟರ್ ಗಳ ಮತ್ತು ಪ್ಯಾಸೆಂಜರ್ ಕನ್ನೇಯರ್ ಗಳ ನಿಯಮಗಳು 2015ರ ಷರತ್ತಿಗೊಳಪಟ್ಟಿರುತ್ತದೆ ಮತ್ತು

ಮೆ: ASTER DM HEALTH CARE LIMITED,NO.3&4, SY.NO.76,SADARAMANGALA INDUSTRIAL AREA,OPP ITPL,WHITEFIELD ROAD,K.R.PURAM HOBLI,BENGALURU-560048 BENGALURU EAST BENGALURU ಇವರ ಮಾಲೀಕತ್ವದಲ್ಲಿರುತ್ತದೆ.

	ಯಂತ್ರಗಳ ವಿವರ:						
1	ಲಿಫ್ಟ್ ತಯಾರಿಕೆ ಮತ್ತು ಸಂಖ್ಯೆ	Schindler India Private Limited, 1 No					
2	ಲಿಫ್ಟ್ ವಿಧ	HOSPITAL LIFT					
3	ಸಾಮರ್ಥ್ಯ ೯	10 Passengers, 680.00 Kg					
4	ಬಹುಮಹಡಿ ಕಟ್ಟಡದ ವಿವರ	6 BF+GF+MF+3UF , HOSPITAL					
5	ಲಿಫ್ಟ್ ಕಾರು ಮತ್ತು ಲ್ಯಾಂಡಿಂಗ್ ಡೋರ್	Centre Opening Auto DoorCentre Opening Auto Door					
6	ಲಿಫ್ಟ್ ಲ್ಯಾಂಡಿಂಗ್ ಗಳ ವಿವರ	6 Landings , 6 BF+GF+MF+3UF					
7	ಲಿಫ್ಟ್ ನಿರ್ಧರಿತ ವೇಗ	1.00 m/s					
8	ಲಿಫ್ಟ್ ಮೋಟಾರಿನ ವಿವರ	SCHINDLER, 4.60(kW/HP), 439.00 RPM, SL No: 2011,11,22-19					

ಲಿಫ್ಟ್ ಚಾಲನಾ ಪರವಾನಗಿ ನವೀಕರಣ

ಕರ್ನಾಟಕ ಲಿಫ್ಟ್ ಗಳ, ಎಸ್ಕಲೇಟರ್ ಗಳ ಮತ್ತು ಪ್ಯಾಸೆಂಜರ್ ಕನ್ವೇಯರ್ ಗಳ ನಿಯಮ 2015 ರ ನಿಯಮ 5 ರ ಉಪ ನಿಯಮ 3ನ್ನು ನೋಡುವುದು

	ಚಾಲನಾ ಪರವಾನಗಿ	ನವೀಕರಣ	ಚಾಲನಾ ಪರವಾನಗಿ ನವೀಕರಣಶುಲ್ಕದ ವಿವರ				
ಕ್ರಮ ಸಂಖ್ಯೆ	ರಿಂದ	ರವರೆಗೆ	ಶುಲ್ಕ	ಚಲನ್ / ರಸೀದಿ ಸಂಖ್ಯೆ	ದಿನಾಂಕ		
1	28/07/2023	27/07/2028	2500/-	EL07230043000034 78 (out of Rs.7525)	07/07/2023		

Remarks:

NIL. NIL



Digitally Signed by: THEETHIRA NANJAPPA

APPACHU

Chief Electrical Inspector to Government

Bangalore

Signed Date : 28/07/2023

<u>ಇವರಿಗೆ :</u> NO.3&4, SY.NO.76,SADARAMANGALA INDUSTRIAL AREA,OPP ITPL,WHITEFIELD ROAD,K.R.PURAM HOBLI,BENGALURU-560048 BENGALURU EAST BENGALURU,NO.3&4, SY.NO.76,SADARAMANGALA INDUSTRIAL AREA,OPP ITPL,WHITEFIELD ROAD,K.R.PURAM HOBLI,BENGALURU-560048 BENGALURU EAST BENGALURU

ಪ್ರತಿಯನ್ನು

- 1. ಅಪರ ಮುಖ್ಯ ವಿದ್ಯುತ್ ಪರಿವೀಕ್ಷಕರು, ಬೆಂ.ಉ, ಬೆಂ.ದ, ಮೈಸೂರು, ಮಂಗಳೂರು, ಧಾರವಾಡ, ಕಲಬುರಗಿ
- 2. Periodic Inspection Details, DCEI Bangalore East Office, DCEI-Bangalore East

3. ಮೆ: Schindler India Private Limited

ಸೂಚನೆ :

- ಅ) ಈ ಲಿಫ್ಪ್ /ಎಸ್ಕಲೇಟರ್ / ಪ್ಯಾಸೆಂಜರ್ ಕನ್ವೇಯರ್ ಗಳನ್ನು ಕರ್ನಾಟಕ ಲಿಫ್ಟ್ ಗಳ,ಎಸ್ಕಲೇಟರ್ ಗಳ ಮತ್ತು ಪ್ಯಾಸೆಂಜರ್ ಕನ್ವೇಯರ್ ಗಳ ಅಧಿನಿಯಮ 2012 ಹಾಗೂ ಅದರಡಿಯಲ್ಲಿ ರಚಿಸಿರುವ ಕರ್ನಾಟಕ ಲಿಫ್ಟ್ ಗಳ,ಎಸ್ಕಲೇಟರ್ ಗಳ ಮತ್ತು ಪ್ಯಾಸೆಂಜರ್ ಕನ್ವೇಯರ್ ಗಳ ನಿಯಮಗಳು 2015 ರ ನಿಯಮಗಳ ಅನುಸಾರ ನಿರ್ವಹಿಸತಕ್ಕದ್ದು.
- ಆ) ನಿಯಮ 5ರ ಅನುಸಾರ ಈ ಲಿಫ್ಡ್ ಚಾಲನಾ ಪರವಾನಗಿಯನ್ನು ನವೀಕರಿಸಲು ಲಿಫ್ಡ್/ಎಸ್ಕಲೇಟರ್/ ಪ್ಯಾಸೆಂಜರ್ ಕನ್ವೇಯರ್ ಮಾಲೀಕರು ಮಾನ್ಯತಾ ಅವಧಿ ಮುಗಿಯುವ 3 ತಿಂಗಳ ಮುಂಚಿತವಾಗಿ ನವೀಕರಣ ಶುಲ್ಕ ಪಾವತಿ ಮಾಡಿದ ಚಲನ್ ಸಹಿತ ಅರ್ಜಿಯನ್ನು ಸಂಬಂಧಪಟ್ಟ ಲಿಫ್ಡ್ ತಪಾಸಣಾಧಿಕಾರಿಗಳಿಗೆ ನೀಡತಕ್ಕದ್ದು.
- ಇ) ಲಿಫ್ಟ್/ಎಸ್ಕಲೇಟರ್/ ಪ್ಯಾಸೆಂಜರ್ ಕನ್ವೇಯರ್ ಅಳವಡಿಸಲಾಗಿರುವ ಕಟ್ಟಡದ ಮಾಲೀಕರು ಕಟ್ಟಡದಲ್ಲಿ ವಾಸವಾಗಿಲ್ಲದಿದ್ದರೆ ಈ ಲಿಫ್ಟ್ ಚಾಲನಾ ಪರವಾನಗಿ ನೀಡಿದ ದಿನಾಂಕದ ಒಂದು ತಿಂಗಳ ಒಳಗಾಗಿ, ಕಟ್ಟಡವು ಇರುವ ಪಟ್ಟಣ ಅಥವಾ ಗ್ರಾಮದಲ್ಲಿ ವಾಸವಾಗಿರುವ ಒಬ್ಬ ಏಜೆಂಟ್ ರನ್ನು ನೇಮಕ ಮಾಡತಕ್ಕದ್ದು ಹಾಗೂ ಏಜೆಂಟ್ ರ ವಿವರಗಳನ್ನು ಪ್ರಾಧಿಕೃತ ಅಧಿಕಾರಿಗೆ ತಿಳಿಸತಕ್ಕದ್ದು. ನೇಮಕಗೊಂಡ ಏಜೆಂಟ್ ಕರ್ನಾಟಕ ಲಿಫ್ಟ್ ಗಳ, ಎಸ್ಕಲೇಟರ್ ಗಳ ಮತ್ತು ಪ್ಯಾಸೆಂಜರ್ ಕನ್ವೇಯರ್ ಗಳ ಆಧಿನಿಯಮ 2012 ಹಾಗೂ ಅದರಡಿಯಲ್ಲಿ ರಚಿಸಿರುವ ಕರ್ನಾಟಕ ಲಿಫ್ಟ್ ಗಳ, ಎಸ್ಕಲೇಟರ್ ಗಳ ಮತ್ತು ಪ್ಯಾಸೆಂಜರ್ ಕನ್ವೇಯರ್ ಗಳ ನಿಯಮಗಳು 2015 ರ ನಿಯಮಗಳನ್ನು ಪಾಲಿಸಲು ಬದ್ಧನಾಗಿರತಕ್ಕದ್ದು.
- ಈ) ಲಿಫ್ಡ್/ಎಸ್ಕ ಲೇಟರ್/ ಪ್ಯಾಸೆಂಜರ್ ಕನ್ವೇಯರ್ ಮಾಲೀಕರು, ಲಿಫ್ಡ್ ಗಳ, ಎಸ್ಕ ಲೇಟರ್ ಗಳ, ಪ್ಯಾಸೆಂಜರ್ ಕನ್ವೇಯರ್ ಗಳ ಮುಖ್ಯ ತಪಾಸಣಾಧಿಕಾರಿಗಳಿಗೆ ನೊಂದಾಯಿತವಾಗಿರುವ ಲಿಫ್ಟ್ ತಯಾರಕರು/ನಿರ್ವಾಹಕರ ಜೊತೆ ಲಿಫ್ಟ್ ನಿರ್ವಹಣೆಗೆ ಒಪ್ಪಂದ ಮಾಡಿಕೊಳ್ಳತಕ್ಕದ್ದು. ಉ) ಲಿಫ್ಟ್/ಎಸ್ಕ ಲೇಟರ್/ಪ್ಯಾಸೆಂಜರ್ ಕನ್ವೇಯರ್ ಚಾಲನೆಗೊಳಿಸಲು ನೀಡಿರುವ ಪರವಾನಗಿಯ ಪ್ರತಿಯನ್ನು ಲಿಫ್ಟ್/ಎಸ್ಕ ಲೇಟರ್ ಯಂತ್ರದ ಕೊಠಡಿಯಲ್ಲಿ ಪ್ರದರ್ಶಿಸತಕ್ಕದ್ದು.
- ಉ) ಲಿಫ್ಟ್/ಎಸ್ಕಲೇಟರ್/ ಪ್ಯಾಸೆಂಜರ್ ಕನ್ವೇಯರ್ ಕಾರ್ಯಾಚರಣೆ ವೇಳೆ ಪ್ರಾಣಾಂತಿಕ/ಪ್ರಾಣಾಂತಿಕವಲ್ಲದ ಲಿಫ್ಟ್ ಅಪಘಾತಗಳು ಸಂಭವಿಸಿದರೆ, ಕಟ್ಟಡದ ಮಾಲೀಕರು ಅಥವಾ ಅವರ ಏಜೆಂಟ್ ರವರು, ಅಪಘಾತದ ಬಗ್ಗೆ ಲಿಫ್ಟ್/ಎಸ್ಕಲೇಟರ್/ಪ್ಯಾಸೆಂಜರ್ ಕನ್ವೇಯರ್ ನ ಪ್ರಾಧಿಕೃತ ಅಧಿಕಾರಿಗೆ ಮತ್ತು ಪೋಲೀಸ್ ಆಯುಕ್ತರಿಗೆ ಹಾಗೂ ಜಿಲ್ಲಾ ದಂಡಾಧಿಕಾರಿಗಳಿಗೆ ನಿಗಧಿತ ನಮೂನೆಯಲ್ಲಿ ಪೂರ್ಣ ವಿವರಗಳ ಸಹಿತ ಮಾಹಿತಿಯನ್ನು ನೀಡತಕ್ಕದ್ದು. ಖು) ಲಿಫ್ಟ್, ಎಸ್ಕಲೇಟರ್ ಗಳ ಮತ್ತು ಪ್ಯಾಸೆಂಜರ್ ಕನ್ವೇಯರ್ ಗಳ ಮುಖ್ಯ ತಪಾಸಣಾಧಿಕಾರಿಯ ಲಿಖಿತ ಪೂರ್ವ ಅನುಮತಿಯ ಹೊರತು ಲಿಫ್ಟ್/ಎಸ್ಕಲೇಟರ್/ ಪ್ಯಾಸೆಂಜರ್ ಕನ್ವೇಯರ್ ಸ್ಥಾಪನೆಗೆ ಯಾವುದೇ ಸೇರ್ಪಡೆಗಳನ್ನು ಆಥವಾ ಬದಲಾವಣೆಗಳನ್ನು ಮಾಡತಕ್ಕದಲ್ಲ. ಎ) ಸೂಕ್ತ ತರಬೇತಿ ಹೊಂದಿದ ಲಿಫ್ಟ್ ಚಾಲಕರನ್ನು ನೇಮಿಸಿಕೊಳ್ಳತಕ್ಕದ್ದು.



Note: This is a Digitally Signed Certificate and Does not require manual signature.

Please, Verify authenticity of this certificate by visiting www.ksei.gov.in and entering certificate number in Third party verification. Digitally Signed by: THEETHIRA NANJAPPA

APPACHU

Chief Electrical Inspector to Government

Bangalore

Signed Date : 28/07/2023

ಮುಖ್ಯ ವಿದ್ಯುತ್ ಪರಿವೀಕ್ಷಕರು ಲಿಫ್ಡ್ /ಎಸ್ಕಲೇಟರ್/ಪ್ಯಾಸೆಂಜರ್ ಕನ್ವೇಯರ್ ಗಳ ಮುಖ್ಯ ತಪಾಸಣಾಧಿಕಾರಿಯವರ ಸಹಿ

(ವಿದ್ಯುತ್ ಪರಿವೀಕ್ಷಣಾಲಯ ಇಲಾಖೆ)

ಸಂಖ್ಯೆ :EI000110558761

Date of Issue:28/07/2023

ಲಿಫ್ಸ್ ಪರವಾನಗಿ ಸಂಖ್ಯೆ : LRL 14300/2022-2023

ಮುಖ್ಯ ವಿದ್ಯುತ್ ಪರಿವೀಕ್ಷಕರ ಕಛೇರಿ, ನಿರ್ಮಾಣ ಭವನ, 2ನೇ ಮಹಡಿ, ಡಾ॥ ರಾಜ್ ಕುಮಾರ್ ರಸ್ತೆ, ರಾಜಾಜಿನಗರ, ಬೆಂಗಳೂರು-560010

ಲಿಫ್ಟ್ ಚಾಲನಾ ಪರವಾನಗಿ

(ನಮೂನೆ 'ಸಿ'– ಕರ್ನಾಟಕ ಲಿಫ್ಟ್ ಗಳ ನಿಯಮ 4ರ ಉಪ ನಿಯಮ 3 ಅನ್ನು ನೋಡುವುದು)

ಮೆ: ASTER DM HEALTH CARE LIMITED,NO.3&4, SY.NO.76,SADARAMANGALA INDUSTRIAL AREA,OPP ITPL,WHITEFIELD ROAD,K.R.PURAM HOBLI,BENGALURU-560048 BENGALURU EAST BENGALURU

ಇವರಿಗೆ 2 , ASTER DM HEALTH CARE LIMITED,NO.3&4, SY.NO.76,SADARAMANGALA INDUSTRIAL AREA,OPP ITPL,WHITEFIELD ROAD,K.R.PURAM HOBLI,BENGALURU-560048 BANGALORE EAST(IRA) BANGALORE EAST ಇಲ್ಲಿ ಒಂದು (1) ಸಂಖ್ಯೆಯ ಲಿಫ್ಟ್ ಅನ್ನು ಚಾಲನೆ ಗೊಳಿಸಲು ಅನುಮತಿಯನ್ನು ನೀಡಲಾಗಿದ್ದು, ಅನುಮತಿಯು ಕರ್ನಾಟಕ ಲಿಫ್ಟ್ ಗಳ, ಎಸ್ಕಲೇಟರ್ ಗಳ ಮತ್ತು ಪ್ಯಾಸೆಂಜರ್ ಕನ್ನೇಯರ್ ಗಳ ನಿಯಮಗಳು 2015ರ ಷರತ್ತಿಗೊಳಪಟ್ಟಿರುತ್ತದೆ ಮತ್ತು

ಮೆ: ASTER DM HEALTH CARE LIMITED,NO.3&4, SY.NO.76,SADARAMANGALA INDUSTRIAL AREA,OPP ITPL,WHITEFIELD ROAD,K.R.PURAM HOBLI,BENGALURU-560048 BENGALURU EAST BENGALURU ಇವರ ಮಾಲೀಕತ್ವದಲ್ಲಿರುತ್ತದೆ.

	ಯಂತ್ರಗಳ ವಿವರ:							
1	ಲಿಫ್ಟ್ ತಯಾರಿಕೆ ಮತ್ತು ಸಂಖ್ಯೆ	Schindler India Private Limited, 1 No						
2	ಲಿಫ್ಟ್ ವಿಧ	HOSPITAL LIFT						
3	ಸಾಮರ್ಥ್ಯ ೯	10 Passengers, 680.00 Kg						
4	ಬಹುಮಹಡಿ ಕಟ್ಟಡದ ವಿವರ	6 BF+GF+MF+3UF , HOSPITAL						
5	ಲಿಫ್ಟ್ ಕಾರು ಮತ್ತು ಲ್ಯಾಂಡಿಂಗ್ ಡೋರ್	Centre Opening Auto DoorCentre Opening Auto Door						
6	ಲಿಫ್ಟ್ ಲ್ಯಾಂಡಿಂಗ್ ಗಳ ವಿವರ	6 Landings , 6 BF+GF+MF+3UF						
7	ಲಿಫ್ಟ್ ನಿರ್ಧರಿತ ವೇಗ	1.00 m/s						
8	ಲಿಫ್ಟ್ ಮೋಚಾರಿನ ವಿವರ	SCHINDLER, 4.60(kW/HP), 439.00 RPM, SL No: 2011,12,22,14						

ಲಿಫ್ಟ್ ಚಾಲನಾ ಪರವಾನಗಿ ನವೀಕರಣ

ಕರ್ನಾಟಕ ಲಿಫ್ಟ್ ಗಳ, ಎಸ್ಕಲೇಟರ್ ಗಳ ಮತ್ತು ಪ್ಯಾಸೆಂಜರ್ ಕನ್ವೇಯರ್ ಗಳ ನಿಯಮ 2015 ರ ನಿಯಮ 5 ರ ಉಪ ನಿಯಮ 3ನ್ನು ನೋಡುವುದು

	ಚಾಲನಾ ಪರವಾನಗಿ	ನವೀಕರಣ	ಚಾಲನಾ ಪರವಾನಗಿ ನವೀಕರಣಶುಲ್ಕದ ವಿವರ				
ಕ್ರಮ ಸಂಖ್ಯೆ	ರಿಂದ	ರವರೆಗೆ	ಶುಲ್ಕ	ಚಲನ್ / ರಸೀದಿ ಸಂಖ್ಯೆ	ದಿನಾಂಕ		
1	28/07/2023	27/07/2028	2500/-	EL07230043000034 78 (out of Rs.7525)	07/07/2023		

Remarks:

NIL. NIL



Digitally Signed by: THEETHIRA NANJAPPA

APPACHU

Chief Electrical Inspector to Government

Bangalore

Signed Date : 28/07/2023

<u>ಇವರಿಗೆ :</u> NO.3&4, SY.NO.76,SADARAMANGALA INDUSTRIAL AREA,OPP ITPL,WHITEFIELD ROAD,K.R.PURAM HOBLI,BENGALURU-560048 BENGALURU EAST BENGALURU,NO.3&4, SY.NO.76,SADARAMANGALA INDUSTRIAL AREA,OPP ITPL,WHITEFIELD ROAD,K.R.PURAM HOBLI,BENGALURU-560048 BENGALURU EAST BENGALURU

ಪ್ರತಿಯನ್ನು

- 1. ಅಪರ ಮುಖ್ಯ ವಿದ್ಯುತ್ ಪರಿವೀಕ್ಷಕರು, ಬೆಂ.ಉ, ಬೆಂ.ದ, ಮೈಸೂರು, ಮಂಗಳೂರು, ಧಾರವಾಡ, ಕಲಬುರಗಿ
- 2. Periodic Inspection Details, DCEI Bangalore East Office, DCEI-Bangalore East

3. ಮೆ: Schindler India Private Limited

ಸೂಚನೆ :

- ಅ) ಈ ಲಿಫ್ಪ್ /ಎಸ್ಕಲೇಟರ್ / ಪ್ಯಾಸೆಂಜರ್ ಕನ್ವೇಯರ್ ಗಳನ್ನು ಕರ್ನಾಟಕ ಲಿಫ್ಟ್ ಗಳ,ಎಸ್ಕಲೇಟರ್ ಗಳ ಮತ್ತು ಪ್ಯಾಸೆಂಜರ್ ಕನ್ವೇಯರ್ ಗಳ ಅಧಿನಿಯಮ 2012 ಹಾಗೂ ಅದರಡಿಯಲ್ಲಿ ರಚಿಸಿರುವ ಕರ್ನಾಟಕ ಲಿಫ್ಟ್ ಗಳ,ಎಸ್ಕಲೇಟರ್ ಗಳ ಮತ್ತು ಪ್ಯಾಸೆಂಜರ್ ಕನ್ವೇಯರ್ ಗಳ ನಿಯಮಗಳು 2015 ರ ನಿಯಮಗಳ ಅನುಸಾರ ನಿರ್ವಹಿಸತಕ್ಕದ್ದು.
- ಆ) ನಿಯಮ 5ರ ಅನುಸಾರ ಈ ಲಿಫ್ಡ್ ಚಾಲನಾ ಪರವಾನಗಿಯನ್ನು ನವೀಕರಿಸಲು ಲಿಫ್ಡ್/ಎಸ್ಕಲೇಟರ್/ ಪ್ಯಾಸೆಂಜರ್ ಕನ್ವೇಯರ್ ಮಾಲೀಕರು ಮಾನ್ಯತಾ ಅವಧಿ ಮುಗಿಯುವ 3 ತಿಂಗಳ ಮುಂಚಿತವಾಗಿ ನವೀಕರಣ ಶುಲ್ಕ ಪಾವತಿ ಮಾಡಿದ ಚಲನ್ ಸಹಿತ ಅರ್ಜಿಯನ್ನು ಸಂಬಂಧಪಟ್ಟ ಲಿಫ್ಡ್ ತಪಾಸಣಾಧಿಕಾರಿಗಳಿಗೆ ನೀಡತಕ್ಕದ್ದು.
- ಇ) ಲಿಫ್ಟ್/ಎಸ್ಕಲೇಟರ್/ ಪ್ಯಾಸೆಂಜರ್ ಕನ್ವೇಯರ್ ಅಳವಡಿಸಲಾಗಿರುವ ಕಟ್ಟಡದ ಮಾಲೀಕರು ಕಟ್ಟಡದಲ್ಲಿ ವಾಸವಾಗಿಲ್ಲದಿದ್ದರೆ ಈ ಲಿಫ್ಟ್ ಚಾಲನಾ ಪರವಾನಗಿ ನೀಡಿದ ದಿನಾಂಕದ ಒಂದು ತಿಂಗಳ ಒಳಗಾಗಿ, ಕಟ್ಟಡವು ಇರುವ ಪಟ್ಟಣ ಅಥವಾ ಗ್ರಾಮದಲ್ಲಿ ವಾಸವಾಗಿರುವ ಒಬ್ಬ ಏಜೆಂಟ್ ರನ್ನು ನೇಮಕ ಮಾಡತಕ್ಕದ್ದು ಹಾಗೂ ಏಜೆಂಟ್ ರ ವಿವರಗಳನ್ನು ಪ್ರಾಧಿಕೃತ ಅಧಿಕಾರಿಗೆ ತಿಳಿಸತಕ್ಕದ್ದು. ನೇಮಕಗೊಂಡ ಏಜೆಂಟ್ ಕರ್ನಾಟಕ ಲಿಫ್ಟ್ ಗಳ, ಎಸ್ಕಲೇಟರ್ ಗಳ ಮತ್ತು ಪ್ಯಾಸೆಂಜರ್ ಕನ್ವೇಯರ್ ಗಳ ಆಧಿನಿಯಮ 2012 ಹಾಗೂ ಅದರಡಿಯಲ್ಲಿ ರಚಿಸಿರುವ ಕರ್ನಾಟಕ ಲಿಫ್ಟ್ ಗಳ, ಎಸ್ಕಲೇಟರ್ ಗಳ ಮತ್ತು ಪ್ಯಾಸೆಂಜರ್ ಕನ್ವೇಯರ್ ಗಳ ನಿಯಮಗಳು 2015 ರ ನಿಯಮಗಳನ್ನು ಪಾಲಿಸಲು ಬದ್ಧನಾಗಿರತಕ್ಕದ್ದು.
- ಈ) ಲಿಫ್ಡ್/ಎಸ್ಕ ಲೇಟರ್/ ಪ್ಯಾಸೆಂಜರ್ ಕನ್ವೇಯರ್ ಮಾಲೀಕರು, ಲಿಫ್ಡ್ ಗಳ, ಎಸ್ಕ ಲೇಟರ್ ಗಳ, ಪ್ಯಾಸೆಂಜರ್ ಕನ್ವೇಯರ್ ಗಳ ಮುಖ್ಯ ತಪಾಸಣಾಧಿಕಾರಿಗಳಿಗೆ ನೊಂದಾಯಿತವಾಗಿರುವ ಲಿಫ್ಟ್ ತಯಾರಕರು/ನಿರ್ವಾಹಕರ ಜೊತೆ ಲಿಫ್ಟ್ ನಿರ್ವಹಣೆಗೆ ಒಪ್ಪಂದ ಮಾಡಿಕೊಳ್ಳತಕ್ಕದ್ದು. ಉ) ಲಿಫ್ಟ್/ಎಸ್ಕ ಲೇಟರ್/ಪ್ಯಾಸೆಂಜರ್ ಕನ್ವೇಯರ್ ಚಾಲನೆಗೊಳಿಸಲು ನೀಡಿರುವ ಪರವಾನಗಿಯ ಪ್ರತಿಯನ್ನು ಲಿಫ್ಟ್/ಎಸ್ಕ ಲೇಟರ್ ಯಂತ್ರದ ಕೊಠಡಿಯಲ್ಲಿ ಪ್ರದರ್ಶಿಸತಕ್ಕದ್ದು.
- ಉ) ಲಿಫ್ಟ್/ಎಸ್ಕಲೇಟರ್/ ಪ್ಯಾಸೆಂಜರ್ ಕನ್ವೇಯರ್ ಕಾರ್ಯಾಚರಣೆ ವೇಳೆ ಪ್ರಾಣಾಂತಿಕ/ಪ್ರಾಣಾಂತಿಕವಲ್ಲದ ಲಿಫ್ಟ್ ಅಪಘಾತಗಳು ಸಂಭವಿಸಿದರೆ, ಕಟ್ಟಡದ ಮಾಲೀಕರು ಅಥವಾ ಅವರ ಏಜೆಂಟ್ ರವರು, ಅಪಘಾತದ ಬಗ್ಗೆ ಲಿಫ್ಟ್/ಎಸ್ಕಲೇಟರ್/ಪ್ಯಾಸೆಂಜರ್ ಕನ್ವೇಯರ್ ನ ಪ್ರಾಧಿಕೃತ ಅಧಿಕಾರಿಗೆ ಮತ್ತು ಪೋಲೀಸ್ ಆಯುಕ್ತರಿಗೆ ಹಾಗೂ ಜಿಲ್ಲಾ ದಂಡಾಧಿಕಾರಿಗಳಿಗೆ ನಿಗಧಿತ ನಮೂನೆಯಲ್ಲಿ ಪೂರ್ಣ ವಿವರಗಳ ಸಹಿತ ಮಾಹಿತಿಯನ್ನು ನೀಡತಕ್ಕದ್ದು. ಖು) ಲಿಫ್ಟ್, ಎಸ್ಕಲೇಟರ್ ಗಳ ಮತ್ತು ಪ್ಯಾಸೆಂಜರ್ ಕನ್ವೇಯರ್ ಗಳ ಮುಖ್ಯ ತಪಾಸಣಾಧಿಕಾರಿಯ ಲಿಖಿತ ಪೂರ್ವ ಅನುಮತಿಯ ಹೊರತು ಲಿಫ್ಟ್/ಎಸ್ಕಲೇಟರ್/ ಪ್ಯಾಸೆಂಜರ್ ಕನ್ವೇಯರ್ ಸ್ಥಾಪನೆಗೆ ಯಾವುದೇ ಸೇರ್ಪಡೆಗಳನ್ನು ಆಥವಾ ಬದಲಾವಣೆಗಳನ್ನು ಮಾಡತಕ್ಕದಲ್ಲ. ಎ) ಸೂಕ್ತ ತರಬೇತಿ ಹೊಂದಿದ ಲಿಫ್ಟ್ ಚಾಲಕರನ್ನು ನೇಮಿಸಿಕೊಳ್ಳತಕ್ಕದ್ದು.



Note: This is a Digitally Signed Certificate and Does not require manual signature.

Please, Verify authenticity of this certificate by visiting www.ksei.gov.in and entering certificate number in Third party verification. Digitally Signed by: THEETHIRA NANJAPPA

APPACHU

Chief Electrical Inspector to Government

Bangalore

Signed Date : 28/07/2023

ಮುಖ್ಯ ವಿದ್ಯುತ್ ಪರಿವೀಕ್ಷಕರು ಲಿಫ್ಡ್ /ಎಸ್ಕಲೇಟರ್/ಪ್ಯಾಸೆಂಜರ್ ಕನ್ವೇಯರ್ ಗಳ ಮುಖ್ಯ ತಪಾಸಣಾಧಿಕಾರಿಯವರ ಸಹಿ

(ವಿದ್ಯುತ್ ಪರಿವೀಕ್ಷಣಾಲಯ ಇಲಾಖೆ)

ಸಂಖ್ಯೆ :EI000110558761

Date of Issue:28/07/2023

ಲಿಫ್ಸ್ ಪರವಾನಗಿ ಸಂಖ್ಯೆ : LRL 14299/2022-2023

ಮುಖ್ಯ ವಿದ್ಯುತ್ ಪರಿವೀಕ್ಷಕರ ಕಛೇರಿ, ನಿರ್ಮಾಣ ಭವನ, 2ನೇ ಮಹಡಿ, ಡಾ॥ ರಾಜ್ ಕುಮಾರ್ ರಸ್ತೆ, ರಾಜಾಜಿನಗರ, ಬೆಂಗಳೂರು-560010

ಲಿಫ್ಟ್ ಚಾಲನಾ ಪರವಾನಗಿ

(ನಮೂನೆ 'ಸಿ'– ಕರ್ನಾಟಕ ಲಿಫ್ಟ್ ಗಳ ನಿಯಮ 4ರ ಉಪ ನಿಯಮ 3 ಅನ್ನು ನೋಡುವುದು)

ಮೆ: ASTER DM HEALTH CARE LIMITED,NO.3&4, SY.NO.76,SADARAMANGALA INDUSTRIAL AREA,OPP ITPL,WHITEFIELD ROAD,K.R.PURAM HOBLI,BENGALURU-560048 BENGALURU EAST BENGALURU

ಇವರಿಗೆ 1, ASTER DM HEALTH CARE LIMITED,NO.3&4, SY.NO.76,SADARAMANGALA INDUSTRIAL AREA,OPP ITPL,WHITEFIELD ROAD,K.R.PURAM HOBLI,BENGALURU-560048 BANGALORE EAST(IRA) BANGALORE EAST ಇಲ್ಲಿ ಒಂದು (1) ಸಂಖ್ಯೆಯ ಲಿಫ್ಟ್ ಅನ್ನು ಚಾಲನೆ ಗೊಳಿಸಲು ಅನುಮತಿಯನ್ನು ನೀಡಲಾಗಿದ್ದು, ಅನುಮತಿಯು ಕರ್ನಾಟಕ ಲಿಫ್ಟ್ ಗಳ, ಎಸ್ಕಲೇಟರ್ ಗಳ ಮತ್ತು ಪ್ಯಾಸೆಂಜರ್ ಕನ್ನೇಯರ್ ಗಳ ನಿಯಮಗಳು 2015ರ ಪರತ್ತಿಗೊಳಪಟ್ಟಿರುತ್ತದೆ ಮತ್ತು

ಮೆ: ASTER DM HEALTH CARE LIMITED,NO.3&4, SY.NO.76,SADARAMANGALA INDUSTRIAL AREA,OPP ITPL,WHITEFIELD ROAD,K.R.PURAM HOBLI,BENGALURU-560048 BENGALURU EAST BENGALURU ಇವರ ಮಾಲೀಕತ್ವದಲ್ಲಿರುತ್ತದೆ.

	ಯಂತ್ರಗಳ ವಿವರ:						
1	ಲಿಫ್ಟ್ ತಯಾರಿಕೆ ಮತ್ತು ಸಂಖ್ಯೆ	Schindler India Private Limited, 1 No					
2	ಲಿಫ್ಟ್ ವಿಧ	HOSPITAL LIFT					
3	ಸಾಮರ್ಥ್ಯ ೯	10 Passengers, 680.00 Kg					
4	ಬಹುಮಹಡಿ ಕಟ್ಟಡದ ವಿವರ	6 BF+GF+MF+3UF , HOSPITAL					
5	ಲಿಫ್ಟ್ ಕಾರು ಮತ್ತು ಲ್ಯಾಂಡಿಂಗ್ ಡೋರ್	Centre Opening Auto DoorCentre Opening Auto Door					
6	ಲಿಫ್ಟ್ ಲ್ಯಾಂಡಿಂಗ್ ಗಳ ವಿವರ	6 Landings , 6 BF+GF+MF+3UF					
7	ಲಿಫ್ಟ್ ನಿರ್ಧರಿತ ವೇಗ	1.00 m/s					
8	ಲಿಫ್ಟ್ ಮೋಚಾರಿನ ವಿವರ	SCHINDLER, 4.60(KW/HP), 439.00 RPM, SL No: 2012-02-19-06					

ಲಿಫ್ಟ್ ಚಾಲನಾ ಪರವಾನಗಿ ನವೀಕರಣ

ಕರ್ನಾಟಕ ಲಿಫ್ಟ್ ಗಳ, ಎಸ್ಕಲೇಟರ್ ಗಳ ಮತ್ತು ಪ್ಯಾಸೆಂಜರ್ ಕನ್ವೇಯರ್ ಗಳ ನಿಯಮ 2015 ರ ನಿಯಮ 5 ರ ಉಪ ನಿಯಮ 3ನ್ನು ನೋಡುವುದು

	ಚಾಲನಾ ಪರವಾನಗಿ	ನವೀಕರಣ	ಚಾಲನಾ ಪರವಾನಗಿ ನವೀಕರಣಶುಲ್ಕದ ವಿವರ				
ಕ್ರಮ ಸಂಖ್ಯೆ	ರಿಂದ	ರವರೆಗೆ	ಶುಲ್ಕ	ಚಲನ್ / ರಸೀದಿ ಸಂಖ್ಯೆ	ದಿನಾಂಕ		
1	28/07/2023	27/07/2028	2500/-	EL07230043000034 78 (out of Rs.7525)	07/07/2023		

Remarks:

NIL. NIL



Digitally Signed by: THEETHIRA NANJAPPA

APPACHU

Chief Electrical Inspector to Government

Bangalore

Signed Date : 28/07/2023

<u>ಇವರಿಗೆ :</u> NO.3&4, SY.NO.76,SADARAMANGALA INDUSTRIAL AREA,OPP ITPL,WHITEFIELD ROAD,K.R.PURAM HOBLI,BENGALURU-560048 BENGALURU EAST BENGALURU,NO.3&4, SY.NO.76,SADARAMANGALA INDUSTRIAL AREA,OPP ITPL,WHITEFIELD ROAD,K.R.PURAM HOBLI,BENGALURU-560048 BENGALURU EAST BENGALURU

ಪ್ರತಿಯನ್ನು

- 1. ಅಪರ ಮುಖ್ಯ ವಿದ್ಯುತ್ ಪರಿವೀಕ್ಷಕರು, ಬೆಂ.ಉ, ಬೆಂ.ದ, ಮೈಸೂರು, ಮಂಗಳೂರು, ಧಾರವಾಡ, ಕಲಬುರಗಿ
- 2. Periodic Inspection Details, DCEI Bangalore East Office, DCEI-Bangalore East

3. ಮೆ: Schindler India Private Limited

ಸೂಚನೆ :

- ಅ) ಈ ಲಿಫ್ಪ್ /ಎಸ್ಕಲೇಟರ್ / ಪ್ಯಾಸೆಂಜರ್ ಕನ್ವೇಯರ್ ಗಳನ್ನು ಕರ್ನಾಟಕ ಲಿಫ್ಟ್ ಗಳ,ಎಸ್ಕಲೇಟರ್ ಗಳ ಮತ್ತು ಪ್ಯಾಸೆಂಜರ್ ಕನ್ವೇಯರ್ ಗಳ ಅಧಿನಿಯಮ 2012 ಹಾಗೂ ಅದರಡಿಯಲ್ಲಿ ರಚಿಸಿರುವ ಕರ್ನಾಟಕ ಲಿಫ್ಟ್ ಗಳ,ಎಸ್ಕಲೇಟರ್ ಗಳ ಮತ್ತು ಪ್ಯಾಸೆಂಜರ್ ಕನ್ವೇಯರ್ ಗಳ ನಿಯಮಗಳು 2015 ರ ನಿಯಮಗಳ ಅನುಸಾರ ನಿರ್ವಹಿಸತಕ್ಕದ್ದು.
- ಆ) ನಿಯಮ 5ರ ಅನುಸಾರ ಈ ಲಿಫ್ಡ್ ಚಾಲನಾ ಪರವಾನಗಿಯನ್ನು ನವೀಕರಿಸಲು ಲಿಫ್ಡ್/ಎಸ್ಕಲೇಟರ್/ ಪ್ಯಾಸೆಂಜರ್ ಕನ್ವೇಯರ್ ಮಾಲೀಕರು ಮಾನ್ಯತಾ ಅವಧಿ ಮುಗಿಯುವ 3 ತಿಂಗಳ ಮುಂಚಿತವಾಗಿ ನವೀಕರಣ ಶುಲ್ಕ ಪಾವತಿ ಮಾಡಿದ ಚಲನ್ ಸಹಿತ ಅರ್ಜಿಯನ್ನು ಸಂಬಂಧಪಟ್ಟ ಲಿಫ್ಡ್ ತಪಾಸಣಾಧಿಕಾರಿಗಳಿಗೆ ನೀಡತಕ್ಕದ್ದು.
- ಇ) ಲಿಫ್ಟ್/ಎಸ್ಕಲೇಟರ್/ ಪ್ಯಾಸೆಂಜರ್ ಕನ್ವೇಯರ್ ಅಳವಡಿಸಲಾಗಿರುವ ಕಟ್ಟಡದ ಮಾಲೀಕರು ಕಟ್ಟಡದಲ್ಲಿ ವಾಸವಾಗಿಲ್ಲದಿದ್ದರೆ ಈ ಲಿಫ್ಟ್ ಚಾಲನಾ ಪರವಾನಗಿ ನೀಡಿದ ದಿನಾಂಕದ ಒಂದು ತಿಂಗಳ ಒಳಗಾಗಿ, ಕಟ್ಟಡವು ಇರುವ ಪಟ್ಟಣ ಅಥವಾ ಗ್ರಾಮದಲ್ಲಿ ವಾಸವಾಗಿರುವ ಒಬ್ಬ ಏಜೆಂಟ್ ರನ್ನು ನೇಮಕ ಮಾಡತಕ್ಕದ್ದು ಹಾಗೂ ಏಜೆಂಟ್ ರ ವಿವರಗಳನ್ನು ಪ್ರಾಧಿಕೃತ ಅಧಿಕಾರಿಗೆ ತಿಳಿಸತಕ್ಕದ್ದು. ನೇಮಕಗೊಂಡ ಏಜೆಂಟ್ ಕರ್ನಾಟಕ ಲಿಫ್ಟ್ ಗಳ, ಎಸ್ಕಲೇಟರ್ ಗಳ ಮತ್ತು ಪ್ಯಾಸೆಂಜರ್ ಕನ್ವೇಯರ್ ಗಳ ಆಧಿನಿಯಮ 2012 ಹಾಗೂ ಅದರಡಿಯಲ್ಲಿ ರಚಿಸಿರುವ ಕರ್ನಾಟಕ ಲಿಫ್ಟ್ ಗಳ, ಎಸ್ಕಲೇಟರ್ ಗಳ ಮತ್ತು ಪ್ಯಾಸೆಂಜರ್ ಕನ್ವೇಯರ್ ಗಳ ನಿಯಮಗಳು 2015 ರ ನಿಯಮಗಳನ್ನು ಪಾಲಿಸಲು ಬದ್ಧನಾಗಿರತಕ್ಕದ್ದು.
- ಈ) ಲಿಫ್ಡ್/ಎಸ್ಕ ಲೇಟರ್/ ಪ್ಯಾಸೆಂಜರ್ ಕನ್ವೇಯರ್ ಮಾಲೀಕರು, ಲಿಫ್ಡ್ ಗಳ, ಎಸ್ಕ ಲೇಟರ್ ಗಳ, ಪ್ಯಾಸೆಂಜರ್ ಕನ್ವೇಯರ್ ಗಳ ಮುಖ್ಯ ತಪಾಸಣಾಧಿಕಾರಿಗಳಿಗೆ ನೊಂದಾಯಿತವಾಗಿರುವ ಲಿಫ್ಟ್ ತಯಾರಕರು/ನಿರ್ವಾಹಕರ ಜೊತೆ ಲಿಫ್ಟ್ ನಿರ್ವಹಣೆಗೆ ಒಪ್ಪಂದ ಮಾಡಿಕೊಳ್ಳತಕ್ಕದ್ದು. ಉ) ಲಿಫ್ಟ್/ಎಸ್ಕ ಲೇಟರ್/ಪ್ಯಾಸೆಂಜರ್ ಕನ್ವೇಯರ್ ಚಾಲನೆಗೊಳಿಸಲು ನೀಡಿರುವ ಪರವಾನಗಿಯ ಪ್ರತಿಯನ್ನು ಲಿಫ್ಟ್/ಎಸ್ಕ ಲೇಟರ್ ಯಂತ್ರದ ಕೊಠಡಿಯಲ್ಲಿ ಪ್ರದರ್ಶಿಸತಕ್ಕದ್ದು.
- ಉ) ಲಿಫ್ಟ್/ಎಸ್ಕಲೇಟರ್/ ಪ್ಯಾಸೆಂಜರ್ ಕನ್ವೇಯರ್ ಕಾರ್ಯಾಚರಣೆ ವೇಳೆ ಪ್ರಾಣಾಂತಿಕ/ಪ್ರಾಣಾಂತಿಕವಲ್ಲದ ಲಿಫ್ಟ್ ಅಪಘಾತಗಳು ಸಂಭವಿಸಿದರೆ, ಕಟ್ಟಡದ ಮಾಲೀಕರು ಅಥವಾ ಅವರ ಏಜೆಂಟ್ ರವರು, ಅಪಘಾತದ ಬಗ್ಗೆ ಲಿಫ್ಟ್/ಎಸ್ಕಲೇಟರ್/ಪ್ಯಾಸೆಂಜರ್ ಕನ್ವೇಯರ್ ನ ಪ್ರಾಧಿಕೃತ ಅಧಿಕಾರಿಗೆ ಮತ್ತು ಪೋಲೀಸ್ ಆಯುಕ್ತರಿಗೆ ಹಾಗೂ ಜಿಲ್ಲಾ ದಂಡಾಧಿಕಾರಿಗಳಿಗೆ ನಿಗಧಿತ ನಮೂನೆಯಲ್ಲಿ ಪೂರ್ಣ ವಿವರಗಳ ಸಹಿತ ಮಾಹಿತಿಯನ್ನು ನೀಡತಕ್ಕದ್ದು. ಖು) ಲಿಫ್ಟ್, ಎಸ್ಕಲೇಟರ್ ಗಳ ಮತ್ತು ಪ್ಯಾಸೆಂಜರ್ ಕನ್ವೇಯರ್ ಗಳ ಮುಖ್ಯ ತಪಾಸಣಾಧಿಕಾರಿಯ ಲಿಖಿತ ಪೂರ್ವ ಅನುಮತಿಯ ಹೊರತು ಲಿಫ್ಟ್/ಎಸ್ಕಲೇಟರ್/ ಪ್ಯಾಸೆಂಜರ್ ಕನ್ವೇಯರ್ ಸ್ಥಾಪನೆಗೆ ಯಾವುದೇ ಸೇರ್ಪಡೆಗಳನ್ನು ಆಥವಾ ಬದಲಾವಣೆಗಳನ್ನು ಮಾಡತಕ್ಕದಲ್ಲ. ಎ) ಸೂಕ್ತ ತರಬೇತಿ ಹೊಂದಿದ ಲಿಫ್ಟ್ ಚಾಲಕರನ್ನು ನೇಮಿಸಿಕೊಳ್ಳತಕ್ಕದ್ದು.



Note: This is a Digitally Signed Certificate and Does not require manual signature.

Please, Verify authenticity of this certificate by visiting www.ksei.gov.in and entering certificate number in Third party verification. Digitally Signed by: THEETHIRA NANJAPPA

APPACHU

Chief Electrical Inspector to Government

Bangalore

Signed Date : 28/07/2023

ಮುಖ್ಯ ವಿದ್ಯುತ್ ಪರಿವೀಕ್ಷಕರು ಲಿಫ್ಡ್ /ಎಸ್ಕಲೇಟರ್/ಪ್ಯಾಸೆಂಜರ್ ಕನ್ವೇಯರ್ ಗಳ ಮುಖ್ಯ ತಪಾಸಣಾಧಿಕಾರಿಯವರ ಸಹಿ

(ವಿದ್ಯುತ್ ಪರಿವೀಕ್ಷಣಾಲಯ)

GSC ಸಂಖ್ಯೆ : EN0010000237946

NO010000237946

ಉಲ್ಲೇಖ : El000110547903

Date of Issue:20/06/2023

LRL 13504 /2022-2023

ಲಿಫ್ಸ್ ಚಾಲನ ಪರವಾನಗಿ

(ನಮೂನೆ 'ಬಿ5'– ಕರ್ನಾಟಕ ಲಿಫ್ಡ್ ಗಳ,ಎಸ್ಕಲೇಟರ್ ಗಳ ಮತ್ತು ಪ್ಯಾಸೆಂಜರ್ ಕನ್ವೇಯರ್ ಗಳ ನಿಯಮ 2015ರ ನಿಯಮ 4ರ ಉಪನಿಯಮ 4ನ್ನು ನೋಡುವುದು)

NANDINI HOTELS PVT LTD, No 345/1, 13th Main Road, Sadaramangala Industrial Area, Sadaramangala Village,Bangalore BENGALURU EAST BENGALURU

ಇವರಿಗೆ Lift-3, , No 3451 13th Main Road Sadaramangala Industrial Area Sadaramangala Village Bangalore BANGALORE EAST (IRA) BANGALORE EAST ಇಲ್ಲಿ ಒಂದು (1) ಸಂಖ್ಯೆಯ ಲಿಫ್ಟ್ ಗಳನ್ನು ಚಾಲನೆ ಗೊಳಿಸಲು ಅನುಮತಿಯನ್ನು ನೀಡಲಾಗಿದ್ದು, ಅನುಮತಿಯು ಕರ್ನಾಟಕ ಲಿಫ್ಟ್ ಗಳ, ಎಸ್ಕಲೇಟರ್ ಗಳ ಮತ್ತು ಪ್ಯಾಸೆಂಜರ್ ಕನ್ವೇಯರ್ ಗಳ ನಿಯಮಗಳು 2015ರ ಷರತ್ತಿಗೊಳಪಟ್ಟಿರುತ್ತದೆ ಮತ್ತು

NANDINI HOTELS PVT LTD , No 345/1, 13th Main Road, Sadaramangala Industrial Area, Sadaramangala Village,Bangalore BENGALURU EAST BENGALURU ಇವರ ಮಾಲೀಕತ್ತದಲ್ಲಿರುತ್ತದೆ.

ಈ ಲಿಫ್ಟ್ ಚಾಲನಾ ಪರವಾನಗಿಯು , ಪರವಾನಗಿ ನೀಡಿದ ದಿನಾಂಕದಿಂದ ಹತ್ತು (10) ವರ್ಷಗಳ ಅವಧಿಗೆ ಮಾನ್ಯವಾಗಿರುತ್ತದೆ ಹಾಗೂ ಕರ್ನಾಟಕ ಲಿಫ್ಟ್ ಗಳ, ಎಸ್ಕ ಲೇಟರ್ ಗಳ ಮತ್ತು ಪ್ಯಾಸೆಂಜರ್ ಕನ್ವೇಯರ್ ಗಳ ನಿಯಮ 2015ರ ನಿಬಂಧನೆಗಳಿಗೆ ಒಳಪಟ್ಟಿರುತ್ತದೆ.

ಲಿಫ್ಟ್ ಪರಿವೀಕ್ಷಣಾ ಶುಲ್ಕ <u>2500.00/–</u> ರೂ.ಗಳನ್ನು ಖಜಾನೆ–2, ಬೆಂಗಳೂರುಇಲ್ಲಿ ದಿನಾಂಕ: 07/06/2023 ರಂದು ಚಲನ್ ಸಂಖ್ಯೆ: EL0623004300003217 <u>(Out of 7</u>525<u>Rs. /–)</u> ರಲ್ಲಿ ಸಂದಾಯವಾಗಿದೆ.

ಯಂತ್ರಗಳ ವಿವರ

1. ಲಿಫ್ಟ್ ತಯಾರಿಕೆ ಮತ್ತು ಸಂಖ್ಯೆ : OTIS Elevator Company India Limited

2. ಲಿಫ್ಟ್ ವಿಧ : PASSENGER
3. ಸಾಮರ್ಥ್ಯ : 24 passengers,

1632 ಕೆ . ಜೆ.

4. ಬಹುಮಹಡಿ ಕಟ್ಟಡದ ವಿವರ : BF+GF+4UF , COMMERCIAL

5. ಲಿಫ್ಟ್ ಕಾರು ಮತ್ತು ಲ್ಯಾಂಡಿಂಗ್ ಡೋರ್ : S.S. Automatic Telescopic Opening DoorS.S. Automatic Telescopic Opening Door

6. ಲಿಫ್ಸ್ ಲ್ಯಾಂಡಿಂಗ್ ಗಳ ವಿವರ : 6

Landings (BF+GF+4UF)

7. ಲಿಫ್ಸ್ ನಿರ್ಧರಿತ ವೇಗ : 1.75 m/s

8. ಲಿಫ್ಸ್ ಮೋಟಾರಿನ ವಿವರ : OTIS, 17.80(kW/HP), 566.00 RPM, SL No: MH062794



Digitally Signed by : THEETHIRA NANJAPPA

APPACHU

Chief Electrical Inspector to Government

[INCHARGE]
Bangalore

Signed Date : 20/06/2023

ಸರ್ಕಾರದ ಮುಖ್ಯ ವಿದ್ಯುತ್ ಪರಿವೀಕ್ಷಕರು

ಹಾಗೂ ಲಿಫ್ಟ್ ಗಳ ,ಎಸ್ಕ ಲೇಟರ್ ಗಳ ಮತ್ತು ಪ್ಯಾಸೆಂಜರ್ ಕನ್ವೇಯರ್ ಗಳ

ಮುಖ್ಯ ತಪಾಸಣಾಧಿಕಾರಿ ,ಕರ್ನಾಟಕ ಸರ್ಕಾರ

ಲಿಫ್ಸ್ ಚಾಲನ ಪರವಾನಗಿ ನವೀಕರಣ

(ನಿಯಮ 5ರ ಉಪನಿಯಮ 3ನ್ನು ನೋಡುವುದು)

	ಚಾಲನಾ ಪರವಾನಗಿ ನವೀಕರಣ		ಚಾಲನಾ ಪರವಾನಗಿ ನವೀಕರಣ ಶುಲ್ಕದ ವಿವರ			ಮುಖ್ಯ ವಿದ್ಯುತ್ ಪರಿವೀಕ್ಷಕರ ಹಾಗೂ ಲಿಫ್ಟ್ ಗಳ,
ಕ್ರ.ಸಂ	ರಿಂದ	ರವರೆಗೆ	ಶುಲ್ಕ	ಚಲನ್ /ರಶೀದಿ ಸಂಖ್ಯೆ	ದಿನಾಂಕ	ಎಸ್ಕಲೇಟರ್ ಗಳ ಮತ್ತು ಪ್ಯಾಸೆಂಜರ್ ಕನ್ವೇಯರ್ ಗಳ ಮುಖ್ಯ ತಪಸಣಾಧಿಕಾರಿ ರವರ ಸಹಿ

ಇವರಿಗೆ NANDINI HOTELS PVT LTD No 345/1, 13th Main Road, Sadaramangala Industrial Area, Sadaramangala Village,Bangalore BENGALURU EAST BENGALURU

ಪ್ರತಿಯನ್ನು

1.ಅಪರ ಮುಖ್ಯ ವಿದ್ಯುತ್ ಪರಿವೀಕ್ಷಕರು, ಬೆಂ.ಉ, ಬೆಂ.ದ, ಮಂಗಳೂರು, ಮುೆಹೂರು, ಧಾರವಾಡ, ಕಲಬುರಗೆ

2.OTIS Elevator Company India Limited ಕಂಪನಿಗೆ

ಸೂಚನೆ

ಅ)ಈ ಲಿಫ್ಟ್ ಗಳನ್ನು ಕರ್ನಾಟಕ ಲಿಫ್ಟ್ ಗಳ,ಎಸ್ಕಲೇಟರ್ ಗಳ ಮತ್ತು ಪ್ಯಾಸೆಂಜರ್ ಕನ್ವೇಯರ್ ಗಳ ಅಧಿನಿಯಮ 2012 ಹಾಗೂ ಅದರಡಿಯಲ್ಲಿ ರಚಿಸಿರುವ ಕರ್ನಾಟಕ ಲಿಫ್ಟ್ ಗಳ,ಎಸ್ಕಲೇಟರ್ ಗಳ ಮತ್ತು ಪ್ಯಾಸೆಂಜರ್ ಕನ್ವೇಯರ್ ಗಳ ನಿಯಮಗಳು 2015 ರ ನಿಯಮಗಳ ಅನುಸಾರ ನಿರ್ವಹಿಸತಕ್ಕದ್ದು.

ಆ)ನಿಯಮ 5ರ ಅನುಸಾರ ಈ ಲಿಫ್ಟ್ ಚಾಲನಾ ಪರವಾನಗಿಯನ್ನು ನವೀಕರಿಸಲು ಲಿಫ್ಟ್ ಮಾಲೀಕರು ಮಾನ್ಯತಾ ಅವಧಿ ಮುಗಿಯುವ 3 ತಿಂಗಳ ಮುಂಚಿತವಾಗಿ ನವೀಕರಣ ಶುಲ್ಕ ಪಾವತಿ ಮಾಡಿದ ಚಲನ್ ಸಹಿತ ಅರ್ಜಿಯನ್ನು ಸಂಬಂಧಪಟ್ಟ ಲಿಫ್ಟ್ ತಪಾಸಣಾಧಿಕಾರಿಗಳಿಗೆ ನೀಡತಕ್ಕದ್ದು. ಇ)ಲಿಫ್ಟ್ ಅಳವಡಿಸಲಾಗಿರುವ ಕಟ್ಟಡದ ಮಾಲೀಕರು ಕಟ್ಟಡದಲ್ಲಿ ವಾಸವಾಗಿಲ್ಲದಿದ್ದರೆ ಈ ಲಿಫ್ಟ್ ಚಾಲನಾ ಪರವಾನಗಿ ನೀಡಿದ ದಿನಾಂಕದ ಒಂದು ತಿಂಗಳ ಒಳಗಾಗಿ, ಕಟ್ಟಡವು ಇರುವ ಪಟ್ಟಣ ಅಥವಾ ಗ್ರಾಮದಲ್ಲಿ ವಾಸವಾಗಿರುವ ಒಬ್ಬ ಏಜೆಂಟ್ ರನ್ನು ನೇಮಕ ಮಾಡತಕ್ಕದ್ದು ಹಾಗೂ ಏಜೆಂಟ್ ನ ವಿವರಗಳನ್ನು ಪ್ರಾಧಿಕೃತ ಅಧಿಕಾರಿಗೆ ತಿಳಿಸತಕ್ಕದ್ದು. ನೇಮಕಗೊಂಡ ಏಜೆಂಟ್ ಕರ್ನಾಟಕ ಲಿಫ್ಟ್ ಗಳ, ಎಸ್ಕಲೇಟರ್ ಗಳ ಮತ್ತು ಪ್ಯಾಸೆಂಜರ್ ಕನ್ವೇಯರ್ ಗಳ ಅಧಿನಿಯಮ 2012 ಹಾಗೂ ಅದರಡಿಯಲ್ಲಿ ರಚಿಸಿರುವ ಕರ್ನಾಟಕ ಲಿಫ್ಟ್ ಗಳ, ಎಸ್ಕಲೇಟರ್ ಗಳ ಮತ್ತು ಪ್ಯಾಸೆಂಜರ್ ಕನ್ವೇಯರ್ ಗಳ ನಿಯಮಗಳು 2015 ರ ನಿಯಮಗಳನ್ನು ಪಾಲಿಸಲು ಬದ್ಧನಾಗಿರತಕ್ಕದ್ದು.

ಈ)ಲಿಫ್ಟ್ ಮಾಲೀಕರು, ಲಿಫ್ಟ್ ಗಳ, ಎಸ್ಕಲೇಟರ್ ಗಳ, ಪ್ಯಾಸೆಂಜರ್ ಕನ್ವೇಯರ್ ಗಳ ಮುಖ್ಯ ತಪಾಸಣಾಧಿಕಾರಿಗಳಿಗೆ ನೊಂದಾಯಿತವಾಗಿರುವ ಲಿಫ್ಟ್ ತಯಾರಕರು/ನಿರ್ವಾಹಕರ ಜೊತೆ ಲಿಫ್ಟ್ ನಿರ್ವಹಣೆಗೆ ಒಪ್ಪಂದ ಮಾಡಿಕೊಳ್ಳತಕ್ಕದ್ದು.

ಉ)ಲಿಫ್ಟ್ ಚಾಲನೆಗೊಳಿಸಲು ನೀಡಿರುವ ಪರವಾನಗಿಯ ಪ್ರತಿಯನ್ನು ಲಿಫ್ಟ್ ಯಂತ್ರದ ಕೊಠಡಿಯಲ್ಲಿ ಪ್ರದರ್ಶಿಸತಕ್ಕ್ನದ್ದು.

ಉ)ಲಿಫ್ಟ್ ಕಾರ್ಯಚರಣೆ ವೇಳೆ ಪ್ರಾಣಾಂತಿಕ/ಪ್ರಾಣಾಂತಿಕವಲ್ಲದ ಲಿಫ್ಟ್ ಅಪಘಾತಗಳು ಸಂಭವಿಸಿದರೆ, ಕಟ್ಟಡದ ಮಾಲೀಕರು ಅಥವಾ ಆವರ ಏಜೆಂಟ್ ರವರು, ಅಪಘಾತದ ಬಗ್ಗೆ ಲಿಫ್ಟ್/ಎಸ್ಕಲೇಟರ್/ಪ್ಯಾಸೆಂಜರ್ ಕನ್ವೇಯರ್ ನ ಪ್ರಾಧಿಕೃತ ಅಧಿಕಾರಿಗೆ ಮತ್ತು ಪೋಲೀಸ್ ಆಯುಕ್ತರಿಗೆ ಹಾಗೂ ಜಿಲ್ಲಾ ದಂಡಾಧಿಕಾರಿಗಳಿಗೆ ನಿಗಧಿತ ನಮೂನೆಯಲ್ಲಿ ಪೂರ್ಣ ವಿವರಗಳ ಸಹಿತ ಮಾಹಿತಿಯನ್ನು ನೀಡತಕ್ಕದ್ದು.

ಖು)ಲಿಫ್ಟ್, ಎಸ್ಕಲೇಟರ್ ಗಳ ಮತ್ತು ಪ್ಯಾಸೆಂಜರ್ ಕನ್ವೇಯರ್ ಗಳ ಮುಖ್ಯ ತಪಾಸಣಾಧಿಕಾರಿಯ ಲಿಖಿತ ಪೂರ್ವ ಅನುಮತಿಯ ಹೊರತು ಲಿಫ್ಟ್ ಸ್ಥಾಪನೆಗೆ ಯಾವುದೇ ಸೇರ್ಪಡೆಗಳನ್ನು ಆಥವಾ ಬದಲಾವಣೆಗಳನ್ನು ಮಾಡತಕ್ಕದಲ್ಲ.

ಎ)ಸೂಕ್ತ ತರಬೇತಿ ಹೊಂದಿದ ಲಿಫ್ಟ್ ಚಾಲಕರನ್ನು ನೇಮಿಸಿಕೊಳ್ಳತಕ್ಕದ್ದು.

Note: This is a Digitally Signed Certificate and Does not require manual signature.

Please, Verify authenticity of this certificate by visiting www.ksei.gov.in and entering certificate number in Third party verification.

Digitally Signed by : THEETHIRA NANJAPPA APPACHU

Chief Electrical Inspector to Government

[INCHARGE] Bangalore

Signed Date : 20/06/2023

(ವಿದ್ಯುತ್ ಪರಿವೀಕ್ಷಣಾಲಯ)

GSC ಸಂಖ್ಯೆ : EN0010000237946

ಸಂಖ್ಯ

LRL 13505 /2022-2023

ಉಲ್ಲೇಖ : El000110547903

Date of Issue:20/06/2023

ಲಿಫ್ಸ್ ಚಾಲನ ಪರವಾನಗಿ

(ನಮೂನೆ 'ಬಿ5'– ಕರ್ನಾಟಕ ಲಿಫ್ಟ್ ಗಳ,ಎಸ್ಕಲೇಟರ್ ಗಳ ಮತ್ತು ಪ್ಯಾಸೆಂಜರ್ ಕನ್ವೇಯರ್ ಗಳ ನಿಯಮ 2015ರ ನಿಯಮ 4ರ ಉಪನಿಯಮ 4ನ್ನು ನೋಡುವುದು)

NANDINI HOTELS PVT LTD , No 345/1, 13th Main Road, Sadaramangala Industrial Area, Sadaramangala Village, Bangalore BENGALURU EAST BENGALURU

ಇವರಿಗೆ Lift-2, , No 3451 13th Main Road Sadaramangala Industrial Area Sadaramangala Village Bangalore BANGALORE EAST (IRA) BANGALORE EAST ಇಲ್ಲಿ ಒಂದು (1) ಸಂಖ್ಯೆಯ ಲಿಫ್ಟ್ ಗಳನ್ನು ಚಾಲನೆ ಗೊಳಿಸಲು ಅನುಮತಿಯನ್ನು ನೀಡಲಾಗಿದ್ದು, ಅನುಮತಿಯು ಕರ್ನಾಟಕ ಲಿಫ್ಟ್ ಗಳ, ಎಸ್ಕಲೇಟರ್ ಗಳ ಮತ್ತು ಪ್ಯಾಸೆಂಜರ್ ಕನ್ವೇಯರ್ ಗಳ ನಿಯಮಗಳು 2015ರ ಷರತ್ತಿಗೊಳಪಟ್ಟಿರುತ್ತದೆ ಮತ್ತು

NANDINI HOTELS PVT LTD , No 345/1, 13th Main Road, Sadaramangala Industrial Area, Sadaramangala Village,Bangalore BENGALURU EAST BENGALURU ಇವರ ಮಾಲೀಕತ್ತದಲ್ಲಿರುತ್ತದೆ.

ಈ ಲಿಫ್ಟ್ ಚಾಲನಾ ಪರವಾನಗಿಯು , ಪರವಾನಗಿ ನೀಡಿದ ದಿನಾಂಕದಿಂದ ಹತ್ತು (10) ವರ್ಷಗಳ ಅವಧಿಗೆ ಮಾನ್ಯವಾಗಿರುತ್ತದೆ ಹಾಗೂ ಕರ್ನಾಟಕ ಲಿಫ್ಟ್ ಗಳ, ಎಸ್ಕ ಲೇಟರ್ ಗಳ ಮತ್ತು ಪ್ಯಾಸೆಂಜರ್ ಕನ್ವೇಯರ್ ಗಳ ನಿಯಮ 2015ರ ನಿಬಂಧನೆಗಳಿಗೆ ಒಳಪಟ್ಟಿರುತ್ತದೆ.

ಲಿಫ್ಟ್ ಪರಿವೀಕ್ಷಣಾ ಶುಲ್ಕ <u>2500.00/–</u> ರೂ.ಗಳನ್ನು ಖಜಾನೆ–2, ಬೆಂಗಳೂರುಇಲ್ಲಿ ದಿನಾಂಕ: 07/06/2023 ರಂದು ಚಲನ್ ಸಂಖ್ಯೆ: EL0623004300003217 <u>(Out of 7</u>525<u>Rs. /–)</u> ರಲ್ಲಿ ಸಂದಾಯವಾಗಿದೆ.

ಯಂತ್ರಗಳ ವಿವರ

1. ಲಿಫ್ಟ್ ತಯಾರಿಕೆ ಮತ್ತು ಸಂಖ್ಯೆ : OTIS Elevator Company India Limited

2. ಲಿಫ್ಟ್ ವಿಧ : PASSENGER : 24 passengers, 1632 ಕೆ . ಜಿ.

4. ಬಹುಮಹಡಿ ಕಟ್ಟಡದ ವಿವರ : BF+GF+5UF, COMMERCIAL

5. ಲಿಫ್ಟ್ ಕಾರು ಮತ್ತು ಲ್ಯಾಂಡಿಂಗ್ ಡೋರ್ : S.S Automatic centre opening doorS.S Automatic centre opening door

6. ಲಿಫ್ಟ್ ಲ್ಯಾಂಡಿಂಗ್ ಗಳ ವಿವರ : 7

Landings (BF+GF+5UF)

7. ಲಿಫ್ಸ್ ನಿರ್ಧರಿತ ವೇಗ : 1.75 m/s

8. ಲಿಫ್ಸ್ ಮೋಟಾರಿನ ವಿವರ : OTIS, 17.80(kW/HP), 566.00 RPM, SL No: MH068923



Digitally Signed by : THEETHIRA NANJAPPA

APPACHU

Chief Electrical Inspector to Government

[INCHARGE]
Bangalore

Signed Date : 20/06/2023

ಸರ್ಕಾರದ ಮುಖ್ಯ ವಿದ್ಯುತ್ ಪರಿವೀಕ್ಷಕರು

ಹಾಗೂ ಲಿಫ್ಟ್ ಗಳ ,ಎಸ್ಕ ಲೇಟರ್ ಗಳ ಮತ್ತು ಪ್ಯಾಸೆಂಜರ್ ಕನ್ವೇಯರ್ ಗಳ

ಮುಖ್ಯ ತಪಾಸಣಾಧಿಕಾರಿ ,ಕರ್ನಾಟಕ ಸರ್ಕಾರ

ಲಿಫ್ಸ್ ಚಾಲನ ಪರವಾನಗಿ ನವೀಕರಣ

(ನಿಯಮ 5ರ ಉಪನಿಯಮ 3ನ್ನು ನೋಡುವುದು)

	ಚಾಲನಾ ಪರವಾನಗಿ ನವೀಕರಣ		ಚಾಲನಾ ಪರವಾನಗಿ ನವೀಕರಣ ಶುಲ್ಕದ ವಿವರ			ಮುಖ್ಯ ವಿದ್ಯುತ್ ಪರಿವೀಕ್ಷಕರ ಹಾಗೂ ಲಿಫ್ಟ್ ಗಳ,	
ಕ್ರ.ಸಂ	ರಿಂದ	ರವರೆಗೆ	ಶುಲ್ಕ	ಚಲನ್ /ರಶೀದಿ ಸಂಖ್ಯೆ	ದಿನಾಂಕ	ಎಸ್ಕಲೇಟರ್ ಗಳ ಮತ್ತು ಪ್ಯಾಸೆಂಜರ್ ಕನ್ವೇಯರ್ ಗಳ ಮುಖ್ಯ ತಪಸಣಾಧಿಕಾರಿ ರವರ ಸಹಿ	

ซฮอิที NANDINI HOTELS PVT LTD No 345/1, 13th Main Road, Sadaramangala Industrial Area, Sadaramangala Village,Bangalore BENGALURU EAST BENGALURU

ಪ್ರತಿಯನ್ನು

1.ಅಪರ ಮುಖ್ಯ ವಿದ್ಯುತ್ ಪರಿವೀಕ್ಷಕರು, ಬಿಂ.ಉ, ಬಿಂ.ದ, ಮಂಗಳೂರು, ಮಸ್ಥಿಕಾರು, ಧಾರವಾಡ, ಕಲಬುರಗೆ

2.OTIS Elevator Company India Limited ಕಂಪನಿಗೆ

ಸೂಚನೆ

ಅ)ಈ ಲಿಫ್ಟ್ ಗಳನ್ನು ಕರ್ನಾಟಕ ಲಿಫ್ಟ್ ಗಳ,ಎಸ್ಕಲೇಟರ್ ಗಳ ಮತ್ತು ಪ್ಯಾಸೆಂಜರ್ ಕನ್ವೇಯರ್ ಗಳ ಅಧಿನಿಯಮ 2012 ಹಾಗೂ ಅದರಡಿಯಲ್ಲಿ ರಚಿಸಿರುವ ಕರ್ನಾಟಕ ಲಿಫ್ಟ್ ಗಳ,ಎಸ್ಕಲೇಟರ್ ಗಳ ಮತ್ತು ಪ್ಯಾಸೆಂಜರ್ ಕನ್ವೇಯರ್ ಗಳ ನಿಯಮಗಳು 2015 ರ ನಿಯಮಗಳ ಅನುಸಾರ ನಿರ್ವಹಿಸತಕ್ಕ್ಕದ್ದು.

ಅ)ನಿಯಮ 5ರ ಅನುಸಾರ ಈ ಲಿಫ್ಟ್ ಚಾಲನಾ ಪರವಾನಗಿಯನ್ನು ನವೀಕರಿಸಲು ಲಿಫ್ಟ್ ಮಾಲೀಕರು ಮಾನ್ಯತಾ ಅವಧಿ ಮುಗಿಯುವ 3 ತಿಂಗಳ ಮುಂಚಿತವಾಗಿ ನವೀಕರಣ ಶುಲ್ಕ ಪಾವತಿ ಮಾಡಿದ ಚಲನ್ ಸಹಿತ ಅರ್ಜಿಯನ್ನು ಸಂಬಂಧಪಟ್ಟ ಲಿಫ್ಟ್ ತಪಾಸಣಾಧಿಕಾರಿಗಳಿಗೆ ನೀಡತಕ್ಕದ್ದು.
ಇ)ಲಿಫ್ಟ್ ಅಳವಡಿಸಲಾಗಿರುವ ಕಟ್ಟಡದ ಮಾಲೀಕರು ಕಟ್ಟಡದಲ್ಲಿ ವಾಸವಾಗಿಲ್ಲದಿದ್ದರೆ ಈ ಲಿಫ್ಟ್ ಚಾಲನಾ ಪರವಾನಗಿ ನೀಡಿದ ದಿನಾಂಕದ ಒಂದು ತಿಂಗಳ ಒಳಗಾಗಿ, ಕಟ್ಟಡವು ಇರುವ ಪಟ್ಟಣ ಅಥವಾ ಗ್ರಾಮದಲ್ಲಿ ವಾಸವಾಗಿರುವ ಒಬ್ಬ ಏಜೆಂಟ್ ರನ್ನು ನೇಮಕ ಮಾಡತಕ್ಕದ್ದು ಹಾಗೂ ಏಜೆಂಟ್ ನ ವಿವರಗಳನ್ನು ಪ್ರಾಧಿಕೃತ ಅಧಿಕಾರಿಗೆ ತಿಳಿಸತಕ್ಕದ್ದು. ನೇಮಕಗೊಂಡ ಏಜೆಂಟ್ ಕರ್ನಾಟಕ ಲಿಫ್ಟ್ ಗಳ, ಎಸ್ಕಲೇಟರ್ ಗಳ ಮತ್ತು ಪ್ಯಾಸೆಂಜರ್ ಕನ್ವೇಯರ್ ಗಳ ಅಧಿನಿಯಮ 2012 ಹಾಗೂ ಅದರಡಿಯಲ್ಲಿ ರಚಿಸಿರುವ ಕರ್ನಾಟಕ ಲಿಫ್ಟ್ ಗಳ, ಎಸ್ಕಲೇಟರ್ ಗಳ ಮತ್ತು ಪ್ಯಾಸೆಂಜರ್ ಕನ್ವೇಯರ್ ಗಳ ನಿಯಮಗಳನ್ನು ಪಾಲಿಸಲು ಬದ್ಧನಾಗಿರತಕ್ಕದ್ದು.

ಈ)ಲಿಫ್ಟ್ ಮಾಲೀಕರು, ಲಿಫ್ಟ್ ಗಳ, ಎಸ್ಕಲೇಟರ್ ಗಳ, ಪ್ಯಾಸೆಂಜರ್ ಕನ್ವೇಯರ್ ಗಳ ಮುಖ್ಯ ತಪಾಸಣಾಧಿಕಾರಿಗಳಿಗೆ ನೊಂದಾಯಿತವಾಗಿರುವ ಲಿಫ್ಟ್ ತಯಾರಕರು/ನಿರ್ವಾಹಕರ ಜೊತೆ ಲಿಫ್ಟ್ ನಿರ್ವಹಣೆಗೆ ಒಪ್ಪಂದ ಮಾಡಿಕೊಳ್ಳತಕ್ಕದ್ದು.

ಉ)ಲಿಫ್ಟ್ ಚಾಲನೆಗೊಳಿಸಲು ನೀಡಿರುವ ಪರವಾನಗಿಯ ಪ್ರತಿಯನ್ನು ಲಿಫ್ಟ್ ಯಂತ್ರದ ಕೊಠಡಿಯಲ್ಲಿ ಪ್ರದರ್ಶಿಸತಕ್ಕದ್ದು.

ಉ)ಲಿಫ್ಟ್ ಕಾರ್ಯಚರಣೆ ವೇಳೆ ಪ್ರಾಣಾಂತಿಕ/ಪ್ರಾಣಾಂತಿಕವಲ್ಲದ ಲಿಫ್ಟ್ ಅಪಘಾತಗಳು ಸಂಭವಿಸಿದರೆ, ಕಟ್ಟಡದ ಮಾಲೀಕರು ಅಥವಾ ಆವರ ಏಜೆಂಟ್ ರವರು, ಅಪಘಾತದ ಬಗ್ಗೆ ಲಿಫ್ಟ್/ಎಸ್ಕಲೇಟರ್/ಪ್ಯಾಸೆಂಜರ್ ಕನ್ವೇಯರ್ ನ ಪ್ರಾಧಿಕೃತ ಅಧಿಕಾರಿಗೆ ಮತ್ತು ಪೋಲೀಸ್ ಆಯುಕ್ತರಿಗೆ ಹಾಗೂ ಜಿಲ್ಲಾ ದಂಡಾಧಿಕಾರಿಗಳಿಗೆ ನಿಗಧಿತ ನಮೂನೆಯಲ್ಲಿ ಪೂರ್ಣ ವಿವರಗಳ ಸಹಿತ ಮಾಹಿತಿಯನ್ನು ನೀಡತಕ್ಕದ್ದು.

ಖು)ಲಿಫ್ಟ್, ಎಸ್ಕಲೇಟರ್ ಗಳ ಮತ್ತು ಪ್ಯಾಸೆಂಜರ್ ಕನ್ವೇಯರ್ ಗಳ ಮುಖ್ಯ ತಪಾಸಣಾಧಿಕಾರಿಯ ಲಿಖಿತ ಪೂರ್ವ ಅನುಮತಿಯ ಹೊರತು ಲಿಫ್ಟ್ ಸ್ಥಾಪನೆಗೆ ಯಾವುದೇ ಸೇರ್ಪಡೆಗಳನ್ನು ಆಥವಾ ಬದಲಾವಣೆಗಳನ್ನು ಮಾಡತಕ್ಕದಲ್ಲ.

ಎ)ಸೂಕ್ತ ತರಬೇತಿ ಹೊಂದಿದ ಲಿಫ್ಟ್ ಚಾಲಕರನ್ನು ನೇಮಿಸಿಕೊಳ್ಳತಕ್ಕದ್ದು.

Note: This is a Digitally Signed Certificate and Does not require manual signature.

Please, Verify authenticity of this certificate by visiting www.ksei.gov.in and entering certificate number in Third party verification.

Digitally Signed by : THEETHIRA NANJAPPA
APPACHU
Chief Electrical Inspector to Government
[INCHARGE]

Bangalore

Signed Date : 20/06/2023

(ವಿದ್ಯುತ್ ಪರಿವೀಕ್ಷಣಾಲಯ)

GSC ಸಂಖ್ಯೆ : EN0010000237946

ಸಂಕಿ

LRL 13506 /2022-2023

ಉಲ್ಲೇಖ : El000110547903

Date of Issue:20/06/2023

ಲಿಫ್ಸ್ ಚಾಲನ ಪರವಾನಗಿ

(ನಮೂನೆ 'ಬಿ5'– ಕರ್ನಾಟಕ ಲಿಫ್ಟ್ ಗಳ,ಎಸ್ಕಲೇಟರ್ ಗಳ ಮತ್ತು ಪ್ಯಾಸೆಂಜರ್ ಕನ್ವೇಯರ್ ಗಳ ನಿಯಮ 2015ರ ನಿಯಮ 4ರ ಉಪನಿಯಮ 4ನ್ನು ನೋಡುವುದು)

NANDINI HOTELS PVT LTD, No 345/1, 13th Main Road, Sadaramangala Industrial Area, Sadaramangala Village, Bangalore BENGALURU EAST BENGALURU

ಇವರಿಗೆ Lift-1 , No 3451 13th Main Road Sadaramangala Industrial Area Sadaramangala Village Bangalore BANGALORE EAST (IRA) BANGALORE EAST ಇಲ್ಲಿ ಒಂದು (1) ಸಂಖ್ಯೆಯ ಲಿಫ್ಟ್ ಗಳನ್ನು ಚಾಲನೆ ಗೊಳಿಸಲು ಅನುಮತಿಯನ್ನು ನೀಡಲಾಗಿದ್ದು, ಅನುಮತಿಯು ಕರ್ನಾಟಕ ಲಿಫ್ಟ್ ಗಳ, ಎಸ್ಕಲೇಟರ್ ಗಳ ಮತ್ತು ಪ್ಯಾಸೆಂಜರ್ ಕನ್ವೇಯರ್ ಗಳ ನಿಯಮಗಳು 2015ರ ಷರತ್ತಿಗೊಳಪಟ್ಟಿರುತ್ತದೆ ಮತ್ತು

NANDINI HOTELS PVT LTD , No 345/1, 13th Main Road, Sadaramangala Industrial Area, Sadaramangala Village,Bangalore BENGALURU EAST BENGALURU ಇವರ ಮಾಲೀಕತ್ತದಲ್ಲಿರುತ್ತದೆ.

ಈ ಲಿಫ್ಟ್ ಚಾಲನಾ ಪರವಾನಗಿಯು , ಪರವಾನಗಿ ನೀಡಿದ ದಿನಾಂಕದಿಂದ ಹತ್ತು (10) ವರ್ಷಗಳ ಅವಧಿಗೆ ಮಾನ್ಯವಾಗಿರುತ್ತದೆ ಹಾಗೂ ಕರ್ನಾಟಕ ಲಿಫ್ಟ್ ಗಳ, ಎಸ್ಕ ಲೇಟರ್ ಗಳ ಮತ್ತು ಪ್ಯಾಸೆಂಜರ್ ಕನ್ವೇಯರ್ ಗಳ ನಿಯಮ 2015ರ ನಿಬಂಧನೆಗಳಿಗೆ ಒಳಪಟ್ಟಿರುತ್ತದೆ.

ಲಿಫ್ಟ್ ಪರಿವೀಕ್ಷಣಾ ಶುಲ್ಕ <u>2500.00/–</u> ರೂ.ಗಳನ್ನು ಖಜಾನೆ–2, ಬೆಂಗಳೂರುಇಲ್ಲಿ ದಿನಾಂಕ: 07/06/2023 ರಂದು ಚಲನ್ ಸಂಖ್ಯೆ: EL0623004300003217 <u>(Out of 7</u>525<u>Rs. /–)</u> ರಲ್ಲಿ ಸಂದಾಯವಾಗಿದೆ.

ಯಂತ್ರಗಳ ವಿವರ

1. ಲಿಫ್ಟ್ ತಯಾರಿಕೆ ಮತ್ತು ಸಂಖ್ಯೆ : OTIS Elevator Company India Limited

2. ಲಿಫ್ಟ್ ವಿಧ : PASSENGER : 24 passengers, 1632 ಕೆ . ಜಿ.

4. ಬಹುಮಹಡಿ ಕಟ್ಟಡದ ವಿವರ : BF+GF+4UF, COMMERCIAL

5. ಲಿಫ್ಟ್ ಕಾರು ಮತ್ತು ಲ್ಯಾಂಡಿಂಗ್ ಡೋರ್ : S.S Automatic centre opening doorS.S Automatic centre opening door

6. ಲಿಫ್ಟ್ ಲ್ಯಾಂಡಿಂಗ್ ಗಳ ವಿವರ : 6

Landings (BF+GF+4UF)

7. ಲಿಫ್ಸ್ ನಿರ್ಧರಿತ ವೇಗ : 1.75 m/s

8. ಲಿಫ್ಸ್ ಮೋಟಾರಿನ ವಿವರ : OTIS, 17.80(kW/HP), 566.00 RPM, SL No: MH067638

Digitally Signed by : THEETHIRA NANJAPPA

APPACHU

Chief Electrical Inspector to Government

[INCHARGE]
Bangalore

Signed Date : 20/06/2023

ಸರ್ಕಾರದ ಮುಖ್ಯ ವಿದ್ಯುತ್ ಪರಿವೀಕ್ಷಕರು

ಹಾಗೂ ಲಿಫ್ಟ್ ಗಳ ,ಎಸ್ಕ ಲೇಟರ್ ಗಳ ಮತ್ತು ಪ್ಯಾಸೆಂಜರ್ ಕನ್ವೇಯರ್ ಗಳ

ಮುಖ್ಯ ತಪಾಸಣಾಧಿಕಾರಿ ,ಕರ್ನಾಟಕ ಸರ್ಕಾರ

ಲಿಫ್ಸ್ ಚಾಲನ ಪರವಾನಗಿ ನವೀಕರಣ

(ನಿಯಮ 5ರ ಉಪನಿಯಮ 3ನ್ನು ನೋಡುವುದು)

	ಚಾಲನಾ ಪರವಾ	ನಿಗಿ ನವೀಕರಣ	ಚಾಲನಾ	ಪರವಾನಗಿ ನವೀ ವಿವರ	ප් රಣ ಶುಲ್ಕದ	ಮುಖ್ಯ ವಿದ್ಯುತ್ ಪರಿವೀಕ್ಷಕರ ಹಾಗೂ ಲಿಫ್ಟ್ ಗಳ,
ಕ್ರ.ಸಂ	ರಿಂದ	ರವರೆಗೆ	ಶುಲ್ಕ	ಚಲನ್ /ರಶೀದಿ ಸಂಖ್ಯೆ	ದಿನಾಂಕ	ಎಸ್ಕಲೇಟರ್ ಗಳ ಮತ್ತು ಪ್ಯಾಸೆಂಜರ್ ಕನ್ವೇಯರ್ ಗಳ ಮುಖ್ಯ ತಪಸಣಾಧಿಕಾರಿ ರವರ ಸಹಿ

ಇವರಿಗೆ NANDINI HOTELS PVT LTD No 345/1, 13th Main Road, Sadaramangala Industrial Area, Sadaramangala Village,Bangalore BENGALURU EAST BENGALURU

ಪ್ರತಿಯನ್ನು

1.ಅಪರ ಮುಖ್ಯ ವಿದ್ಯುತ್ ಪರಿವೀಕ್ಷಕರು, ಬೆಂ.ಉ, ಬೆಂ.ದ, ಮಂಗಳೂರು, ಮಸ್ಟೊರು, ಧಾರವಾಡ, ಕಲಬುರಗೆ

2.OTIS Elevator Company India Limited ಕಂಪನಿಗೆ

ಸೂಚನೆ

ಅ)ಈ ಲಿಫ್ಟ್ ಗಳನ್ನು ಕರ್ನಾಟಕ ಲಿಫ್ಟ್ ಗಳ,ಎಸ್ಕಲೇಟರ್ ಗಳ ಮತ್ತು ಪ್ಯಾಸೆಂಜರ್ ಕನ್ವೇಯರ್ ಗಳ ಅಧಿನಿಯಮ 2012 ಹಾಗೂ ಅದರಡಿಯಲ್ಲಿ ರಚಿಸಿರುವ ಕರ್ನಾಟಕ ಲಿಫ್ಟ್ ಗಳ,ಎಸ್ಕಲೇಟರ್ ಗಳ ಮತ್ತು ಪ್ಯಾಸೆಂಜರ್ ಕನ್ವೇಯರ್ ಗಳ ನಿಯಮಗಳು 2015 ರ ನಿಯಮಗಳ ಅನುಸಾರ ನಿರ್ವಹಿಸತಕ್ಕದ್ದು.

ಆ)ನಿಯಮ 5ರ ಅನುಸಾರ ಈ ಲಿಫ್ಟ್ ಚಾಲನಾ ಪರವಾನಗಿಯನ್ನು ನವೀಕರಿಸಲು ಲಿಫ್ಟ್ ಮಾಲೀಕರು ಮಾನ್ಯತಾ ಅವಧಿ ಮುಗಿಯುವ 3 ತಿಂಗಳ ಮುಂಚಿತವಾಗಿ ನವೀಕರಣ ಶುಲ್ಕ ಪಾವತಿ ಮಾಡಿದ ಚಲನ್ ಸಹಿತ ಅರ್ಜಿಯನ್ನು ಸಂಬಂಧಪಟ್ಟ ಲಿಫ್ಟ್ ತಪಾಸಣಾಧಿಕಾರಿಗಳಿಗೆ ನೀಡತಕ್ಕದ್ದು. ಇ)ಲಿಫ್ಟ್ ಅಳವಡಿಸಲಾಗಿರುವ ಕಟ್ಟಡದ ಮಾಲೀಕರು ಕಟ್ಟಡದಲ್ಲಿ ವಾಸವಾಗಿಲ್ಲದಿದ್ದರೆ ಈ ಲಿಫ್ಟ್ ಚಾಲನಾ ಪರವಾನಗಿ ನೀಡಿದ ದಿನಾಂಕದ ಒಂದು ತಿಂಗಳ ಒಳಗಾಗಿ, ಕಟ್ಟಡವು ಇರುವ ಪಟ್ಟಣ ಅಥವಾ ಗ್ರಾಮದಲ್ಲಿ ವಾಸವಾಗಿರುವ ಒಬ್ಬ ಏಜೆಂಟ್ ರನ್ನು ನೇಮಕ ಮಾಡತಕ್ಕದ್ದು ಹಾಗೂ ಏಜೆಂಟ್ ನ ವಿವರಗಳನ್ನು ಪ್ರಾಧಿಕೃತ ಅಧಿಕಾರಿಗೆ ತಿಳಿಸತಕ್ಕದ್ದು. ನೇಮಕಗೊಂಡ ಏಜೆಂಟ್ ಕರ್ನಾಟಕ ಲಿಫ್ಟ್ ಗಳ, ಎಸ್ಕಲೇಟರ್ ಗಳ ಮತ್ತು ಪ್ಯಾಸೆಂಜರ್ ಕನ್ನೇಯರ್ ಗಳ ಆಧಿನಿಯಮ 2012 ಹಾಗೂ ಅದರಡಿಯಲ್ಲಿ ರಚಿಸಿರುವ ಕರ್ನಾಟಕ ಲಿಫ್ಟ್ ಗಳ, ಎಸ್ಕಲೇಟರ್ ಗಳ ಮತ್ತು ಪ್ಯಾಸೆಂಜರ್ ಕನ್ನೇಯರ್ ಗಳ ನಿಯಮಗಳು 2015 ರ ನಿಯಮಗಳನ್ನು ಪಾಲಿಸಲು ಬದ್ಧನಾಗಿರತಕ್ಕದ್ದು.

ಈ)ಲಿಫ್ಟ್ ಮಾಲೀಕರು, ಲಿಫ್ಟ್ ಗಳ, ಎಸ್ಕಲೇಟರ್ ಗಳ, ಪ್ಯಾಸೆಂಜರ್ ಕನ್ವೇಯರ್ ಗಳ ಮುಖ್ಯ ತಪಾಸಣಾಧಿಕಾರಿಗಳಿಗೆ ನೊಂದಾಯಿತವಾಗಿರುವ ಲಿಫ್ಟ್ ತಯಾರಕರು/ನಿರ್ವಾಹಕರ ಜೊತೆ ಲಿಫ್ಟ್ ನಿರ್ವಹಣೆಗೆ ಒಪ್ಪಂದ ಮಾಡಿಕೊಳ್ಳತಕ್ಕದ್ದು.

ಉ)ಲಿಫ್ಸ್ ಚಾಲನೆಗೊಳಿಸಲು ನೀಡಿರುವ ಪರವಾನಗಿಯ ಪ್ರತಿಯನ್ನು ಲಿಫ್ಸ್ ಯಂತ್ರದ ಕೊಠಡಿಯಲ್ಲಿ ಪ್ರದರ್ಶಿಸತಕ್ಕದ್ದು.

ಉ)ಲಿಫ್ಟ್ ಕಾರ್ಯಚರಣೆ ವೇಳೆ ಪ್ರಾಣಾಂತಿಕ/ಪ್ರಾಣಾಂತಿಕವಲ್ಲದ ಲಿಫ್ಟ್ ಅಪಘಾತಗಳು ಸಂಭವಿಸಿದರೆ, ಕಟ್ಟಡದ ಮಾಲೀಕರು ಅಥವಾ ಆವರ ಏಜೆಂಟ್ ರವರು, ಅಪಘಾತದ ಬಗ್ಗೆ ಲಿಫ್ಟ್/ಎಸ್ಕಲೇಟರ್/ಪ್ಯಾಸೆಂಜರ್ ಕನ್ವೇಯರ್ ನ ಪ್ರಾಧಿಕೃತ ಅಧಿಕಾರಿಗೆ ಮತ್ತು ಪೋಲೀಸ್ ಆಯುಕ್ತರಿಗೆ ಹಾಗೂ ಜಿಲ್ಲಾ ದಂಡಾಧಿಕಾರಿಗಳಿಗೆ ನಿಗಧಿತ ನಮೂನೆಯಲ್ಲಿ ಪೂರ್ಣ ವಿವರಗಳ ಸಹಿತ ಮಾಹಿತಿಯನ್ನು ನೀಡತಕ್ಕದ್ದು.

ಖು)ಲಿಫ್ಟ್, ಎಸ್ಕಲೇಟರ್ ಗಳ ಮತ್ತು ಪ್ಯಾಸೆಂಜರ್ ಕನ್ವೇಯರ್ ಗಳ ಮುಖ್ಯ ತಪಾಸಣಾಧಿಕಾರಿಯ ಲಿಖಿತ ಪೂರ್ವ ಅನುಮತಿಯ ಹೊರತು ಲಿಫ್ಟ್ ಸ್ಥಾಪನೆಗೆ ಯಾವುದೇ ಸೇರ್ಪಡೆಗಳನ್ನು ಆಥವಾ ಬದಲಾವಣೆಗಳನ್ನು ಮಾಡತಕ್ಕದಲ್ಲ.

ಎ)ಸೂಕ್ತ ತರಬೇತಿ ಹೊಂದಿದ ಲಿಫ್ಟ್ ಚಾಲಕರನ್ನು ನೇಮಿಸಿಕೊಳ್ಳತಕ್ಕದ್ದು

Note: This is a Digitally Signed Certificate and Does not require manual signature.

Please, Verify authenticity of this certificate by visiting www.ksei.gov.in and entering certificate number in Third party verification.



Digitally Signed by : THEETHIRA NANJAPPA APPACHU

Chief Electrical Inspector to Government

[INCHARGE]

Bangalore

Signed Date : 20/06/2023

(ವಿದ್ಯುತ್ ಪರಿವೀಕ್ಷಣಾಲಯ)

GSC ಸಂಖ್ಯೆ : EN0010000259693

ಸಂಖ್ಯೆ:

LRL 17337 /2023-2024

ಉಲ್ಲೇಖ : E1000110604868

Date of Issue:17/11/2023

ಲಿಫ್ಟ್ ಚಾಲನ ಪರವಾನಗಿ

(ನಮೂನೆ 'ಬಿ5'- ಕರ್ನಾಟಕ ಲಿಫ್ಟ್ ಗಳ,ಎಸ್ಕಲೇಟರ್ ಗಳ ಮತ್ತು ಪ್ಯಾಸೆಂಜರ್ ಕನ್ವೇಯರ್ ಗಳ ನಿಯಮ 2015ರ ನಿಯಮ 4ರ ಉಪನಿಯಮ 4ನ್ನು ನೋಡುವುದು)

NANDINI HOTELS PVT LTD, No 345/1, 13th Main Road, Sadaramangala Industrial Area, Sadaramangala Village, Bangalore BENGALURU EAST BENGALURU

ಇವರಿಗೆ Lift-2, , No 345/1, 13th Main Road, Sadaramangala Industrial Area, Sadaramangala Village, Bangalore BANGALORE NORTH(IRA) BANGALORE NORTH ಇಲ್ಲಿ ಒಂದು (1) ಸಂಖ್ಯೆಯ ಲಿಫ್ಟ್ ಗಳನ್ನು ಚಾಲನೆ ಗೊಳಿಸಲು ಅನುಮತಿಯನ್ನು ನೀಡಲಾಗಿದ್ದು, ಅನುಮತಿಯು ಕರ್ನಾಟಕ ಲಿಫ್ಟ್ ಗಳ, ಎಸ್ಕಲೇಟರ್ ಗಳ ಮತ್ತು ಪ್ಯಾಸೆಂಜರ್ ಕನ್ವೇಯರ್ ಗಳ ನಿಯಮಗಳು 2015ರ ಷರತ್ತಿಗೊಳಪಟ್ಟಿರುತ್ತದೆ ಮತ್ತು

NANDINI HOTELS PVT LTD , No 345/1, 13th Main Road, Sadaramangala Industrial Area, Sadaramangala Village,Bangalore BENGALURU EAST BENGALURU ಇವರ ಮಾಲೀಕತ್ವದಲ್ಲಿರುತ್ತದೆ.

ಈ ಲಿಫ್ಟ್ ಚಾಲನಾ ಪರವಾನಗಿಯು, ಪರವಾನಗಿ ನೀಡಿದ ದಿನಾಂಕದಿಂದ ಹತ್ತು (10) ವರ್ಷಗಳ ಅವಧಿಗೆ ಮಾನ್ಯವಾಗಿರುತ್ತದೆ ಹಾಗೂ ಕರ್ನಾಟಕ ಲಿಫ್ಟ್ ಗಳ, ಎಸ್ಕಲೇಟರ್ ಗಳ ಮತ್ತು ಪ್ಯಾಸೆಂಜರ್ ಕನ್ವೇಯರ್ ಗಳ ನಿಯಮ 2015ರ ನಿಬಂಧನೆಗಳಿಗೆ ಒಳಪಟ್ಟಿರುತ್ತದೆ.

ಲಿಫ್ಟ್ ಪರಿವೀಕ್ಷಣಾ ಶುಲ್ಕ <u>2500.00/-</u> ರೂ.ಗಳನ್ನು ಖಜಾನೆ-2, ಬೆಂಗಳೂರುಇಲ್ಲಿ ದಿನಾಂಕ: 09/11/2023 ರಂದು ಚಲನ್ ಸಂಖ್ಯೆ: EL1123004300004772 (Out of 5025Rs. /-) ರಲ್ಲಿ ಸಂದಾಯವಾಗಿದೆ.

ಯಂತ್ರಗಳ ವಿವರ

1. ಲಿಫ್ಸ್ ತಯಾರಿಕೆ ಮತ್ತು ಸಂಖ್ಯೆ : OTIS Elevator Company India Limited

2. ಲಿಫ್ಡ್ ವಿಧ : PASSENGER 3. ಸಾಮರ್ಥ್ಯ : 24 passengers

1632 ಕೆ . ಜೆ.

4. ಬಹುಮಹಡಿ ಕಟ್ಟಡದ ವಿವರ : BF+GF+4UF , HOSPITAL

5. ಲಿಫ್ಟ್ ಕಾರು ಮತ್ತು ಲ್ಯಾಂಡಿಂಗ್ ಡೋರ್ : S.S Automatic centre opening doorS.S Automatic centre opening door

6. ಲಿಫ್ಟ್ ಲ್ಯಾಂಡಿಂಗ್ ಗಳ ವಿವರ : 6

Landings (BF+GF+4UF)

7. ಲಿಫ್ಸ್ ನಿರ್ಧರಿತ ವೇಗ : 1.75 m/s

8. ಲಿಫ್ಸ್ ಮೋಟಾರಿನ ವಿವರ : OTIS, 17.80(kW/HP), 566.00 RPM, SL No: MH081452

Digitally Signed by : THEETHIRA NANJAPPA APPACHU

Chief Electrical Inspector to Government

Bangalore . 17/11/2023

Signed Date : 17/11/2023

ಸರ್ಕಾರದ ಮುಖ್ಯ ವಿದ್ಯುತ್ ಪರಿವೀಕ್ಷಕರು

ಹಾಗೂ ಲಿಫ್ಡ್ ಗಳ ,ಎಸ್ಕಲೇಟರ್ ಗಳ ಮತ್ತು ಪ್ಯಾಸೆಂಜರ್ ಕನ್ವೇಯರ್ ಗಳ

ಮುಖ್ಯ ತಪಾಸಣಾಧಿಕಾರಿ ,ಕರ್ನಾಟಕ ಸರ್ಕಾರ

ಲಿಫ್ಟ್ ಚಾಲನ ಪರವಾನಗಿ ನವೀಕರಣ

(ನಿಯಮ 5ರ ಉಪನಿಯಮ 3ನ್ನು ನೋಡುವುದು)

Steel I	ಚಾಲನಾ ಪರವಾನಗಿ ನವೀಕರಣ		ಚಾಲನಾ ಪರವಾನಗಿ ನವೀಕರಣ ಶುಲ್ಕದ ವಿವರ			ಮುಖ್ಯ ವಿದ್ಯುತ್ ಪರಿವೀಕ್ಷಕರ ಹಾಗೂ ಲಿಫ್ಟ್ ಗಳ,	
ಕ್ರ.ಸಂ	ರಿಂದ	ರವರೆಗೆ	ಶುಲ್ಕ	ಚಲನ್ /ರಶೀದಿ ಸಂಖ್ಯೆ	ದಿನಾಂಕ	ಎಸ್ಕಲೇಟರ್ ಗಳ ಮತ್ತು ಪ್ಯಾಸೆಂಜರ್ ಕನ್ವೇಯರ್ ಗಳ ಮುಖ್ಯ ತಪಸಣಾಧಿಕಾರಿ ರವರ ಸಹಿ	
Skill St	atate from	Cal Haspington	CHAILE	Karrinataka.	State File	ctree in the rectal to the	

ಇವರಿಗೆ NANDINI HOTELS PVT LTD No 345/1, 13th Main Road, Sadaramangala Industrial Area, Sadaramangala Village,Bangalore BENGALURU EAST BENGALURU

ಪ್ರತಿಯನ್ನು

1.ಅಪರ ಮುಖ್ಯ ವಿದ್ಯುತ್ ಪರಿವೀಕ್ಷಕರು, ಬೆಂ.ಉ, ಬೆಂ.ದ, ಮಂಗಳೂರು, ಮುಷ್ಟೊರು, ಧಾರವಾಡ, ಕಲಬುರಗಿ

2.OTIS Elevator Company India Limited ಕಂಪನಿಗೆ

ಸೂಚನೆ

ಅ)ಈ ಲಿಫ್ಟ್ ಗಳನ್ನು ಕರ್ನಾಟಕ ಲಿಫ್ಟ್ ಗಳ,ಎಸ್ಕಲೇಟರ್ ಗಳ ಮತ್ತು ಪ್ಯಾಸೆಂಜರ್ ಕನ್ವೇಯರ್ ಗಳ ಅಧಿನಿಯಮ 2012 ಹಾಗೂ ಅದರಡಿಯಲ್ಲಿ ರಚಿಸಿರುವ ಕರ್ನಾಟಕ ಲಿಫ್ಟ್ ಗಳ,ಎಸ್ಕಲೇಟರ್ ಗಳ ಮತ್ತು ಪ್ಯಾಸೆಂಜರ್ ಕನ್ವೇಯರ್ ಗಳ ನಿಯಮಗಳು 2015 ರ ನಿಯಮಗಳ ಅನುಸಾರ ನಿರ್ವಹಿಸತಕ್ಕದ್ದು.

ಆ)ನಿಯಮ 5ರ ಅನುಸಾರ ಈ ಲಿಫ್ಡ್ ಚಾಲನಾ ಪರವಾನಗಿಯನ್ನು ನವೀಕರಿಸಲು ಲಿಫ್ಡ್ ಮಾಲೀಕರು ಮಾನ್ಯತಾ ಅವಧಿ ಮುಗಿಯುವ 3 ತಿಂಗಳ ಮುಂಚಿತವಾಗಿ ನವೀಕರಣ ಶುಲ್ಕ ಪಾವತಿ ಮಾಡಿದ ಚಲನ್ ಸಹಿತ ಅರ್ಜಿಯನ್ನು ಸಂಬಂಧಪಟ್ಟ ಲಿಫ್ಡ್ ತಪಾಸಣಾಧಿಕಾರಿಗಳಿಗೆ ನೀಡತಕ್ಕದ್ದು. ಇ)ಲಿಫ್ಟ್ ಅಳವಡಿಸಲಾಗಿರುವ ಕಟ್ಟಡದ ಮಾಲೀಕರು ಕಟ್ಟಡದಲ್ಲಿ ವಾಸವಾಗಿಲ್ಲದಿದ್ದರೆ ಈ ಲಿಫ್ಟ್ ಚಾಲನಾ ಪರವಾನಗಿ ನೀಡಿದ ದಿನಾಂಕದ ಒಂದು ತಿಂಗಳ ಒಳಗಾಗಿ, ಕಟ್ಟಡವು ಇರುವ ಪಟ್ಟಣ ಅಥವಾ ಗ್ರಾಮದಲ್ಲಿ ವಾಸವಾಗಿರುವ ಒಬ್ಬ ಏಜೆಂಟ್ ರನ್ನು ನೇಮಕ ಮಾಡತಕ್ಕದ್ದು ಹಾಗೂ ಏಜೆಂಟ್ ನ ವಿವರಗಳನ್ನು ಪ್ರಾಧಿಕೃತ ಅಧಿಕಾರಿಗೆ ತಿಳಿಸತಕ್ಕದ್ದು. ನೇಮಕಗೊಂಡ ಏಜೆಂಟ್ ಕರ್ನಾಟಕ ಲಿಫ್ಡ್ ಗಳ, ಎಸ್ಕಲೇಟರ್ ಗಳ ಮತ್ತು ಪ್ಯಾಸೆಂಜರ್ ಕನ್ವೇಯರ್ ಗಳ ಆಧಿನಿಯಮ 2012 ಹಾಗೂ ಅದರಡಿಯಲ್ಲಿ ರಚಿಸಿರುವ ಕರ್ನಾಟಕ ಲಿಫ್ಡ್ ಗಳ, ಎಸ್ಕಲೇಟರ್ ಗಳ ಮತ್ತು ಪ್ಯಾಸೆಂಜರ್ ಕನ್ವೇಯರ್ ಗಳ ನಿಯಮಗಳು 2015 ರ ನಿಯಮಗಳನ್ನು ಪಾಲಿಸಲು ಬದ್ದನಾಗಿರತಕ್ಕದ್ದು.

ಈ)ಲಿಫ್ಡ್ ಮಾಲೀಕರು, ಲಿಫ್ಡ್ ಗಳ, ಎಸ್ಕಲೇಟರ್ ಗಳ, ಪ್ಯಾಸೆಂಜರ್ ಕನ್ವೇಯರ್ ಗಳ ಮುಖ್ಯ ತಪಾಸಣಾಧಿಕಾರಿಗಳಿಗೆ ನೊಂದಾಯಿತವಾಗಿರುವ ಲಿಫ್ಟ್ ತಯಾರಕರು/ನಿರ್ವಾಹಕರ ಜೊತೆ ಲಿಫ್ಟ್ ನಿರ್ವಹಣೆಗೆ ಒಪ್ಪಂದ ಮಾಡಿಕೊಳ್ಳತಕ್ಕದ್ದು.

ಉ)ಲಿಫ್ಸ್ ಚಾಲನೆಗೊಳಿಸಲು ನೀಡಿರುವ ಪರವಾನಗಿಯ ಪ್ರತಿಯನ್ನು ಲಿಫ್ಸ್ ಯಂತ್ರದ ಕೊಠಡಿಯಲ್ಲಿ ಪ್ರದರ್ಶಿಸತಕ್ಕ್ನದ್ದು

ಉ)ಲಿಫ್ಟ್ ಕಾರ್ಯಚರಣಿ ವೇಳೆ ಪ್ರಾಣಾಂತಿಕ/ಪ್ರಾಣಾಂತಿಕವಲ್ಲದ ಲಿಫ್ಟ್ ಅಪಘಾತಗಳು ಸಂಭವಿಸಿದರೆ, ಕಟ್ಟಡದ ಮಾಲೀಕರು ಅಥವಾ ಆವರ ಏಜೆಂಟ್ ರವರು, ಅಪಘಾತದ ಬಗ್ಗೆ ಲಿಫ್ಟ್/ಎಸ್ಕಲೇಟರ್/ಪ್ಯಾಸೆಂಜರ್ ಕನ್ವೇಯರ್ ನ ಪ್ರಾಧಿಕೃತ ಅಧಿಕಾರಿಗೆ ಮತ್ತು ಪೋಲೀಸ್ ಆಯುಕ್ತರಿಗೆ ಹಾಗೂ ಜಿಲ್ಲಾ ದಂಡಾಧಿಕಾರಿಗಳಿಗೆ ನಿಗಧಿತ ನಮೂನೆಯಲ್ಲಿ ಪೂರ್ಣ ವಿವರಗಳ ಸಹಿತ ಮಾಹಿತಿಯನ್ನು ನೀಡತಕ್ಕದ್ದು.

ಋ)ಲಿಫ್ಟ್, ಎಸ್ಕಲೇಟರ್ ಗಳ ಮತ್ತು ಪ್ಯಾಸೆಂಜರ್ ಕನ್ವೇಯರ್ ಗಳ ಮುಖ್ಯ ತಪಾಸಣಾಧಿಕಾರಿಯ ಲಿಖಿತ ಪೂರ್ವ ಅನುಮತಿಯ ಹೊರತು ಲಿಫ್ಟ್ ಸ್ಥಾಪನೆಗೆ ಯಾವುದೇ ಸೇರ್ಪಡೆಗಳನ್ನು ಆಥವಾ ಬದಲಾವಣೆಗಳನ್ನು ಮಾಡತಕ್ಕದಲ್ಲ.

ಎ)ಸೂಕ್ತ ತರಬೇತಿ ಹೊಂದಿದ ಲಿಫ್ಟ್ ಚಾಲಕರನ್ನು ನೇಮಿಸಿಕೊಳ್ಳತಕ್ಕದ್ದು.

Note: This is a Digitally Signed Certificate and Does not require manual signature.

Please, Verify authenticity of this certificate by visiting www.ksei.gov.in and entering certificate number in Third party verification.

Digitally Signed by

Signed Date

: THEETHIRA NANJAPPA APPACHU Chief Electrical Inspector to Government Bangalore

: 17/11/2023

(ವಿದ್ಯುತ್ ಪರಿವೀಕ್ಷಣಾಲಯ)

GSC ಸಂಖ್ಯೆ : EN0010000259693

ಸಂಖ್ಯೆ:

LRL 17336 /2023-2024

ಉಲ್ಲೇಖ : E1000110604868

Date of Issue:17/11/2023

ಲಿಫ್ಟ್ ಚಾಲನ ಪರವಾನಗಿ

(ನಮೂನೆ 'ಬಿ5'- ಕರ್ನಾಟಕ ಲಿಫ್ಟ್ ಗಳ,ಎಸ್ಕಲೇಟರ್ ಗಳ ಮತ್ತು ಪ್ಯಾಸೆಂಜರ್ ಕನ್ವೇಯರ್ ಗಳ ನಿಯಮ 2015ರ ನಿಯಮ 4ರ ಉಪನಿಯಮ 4ನ್ನು ನೋಡುವುದು)

NANDINI HOTELS PVT LTD, No 345/1, 13th Main Road, Sadaramangala Industrial Area, Sadaramangala Village, Bangalore BENGALURU EAST BENGALURU

ಇವರಿಗೆ Lift-1, , No 345/1, 13th Main Road, Sadaramangala Industrial Area, Sadaramangala Village, Bangalore BANGALORE NORTH(IRA) BANGALORE NORTH ಇಲ್ಲಿ ಒಂದು (1) ಸಂಖ್ಯೆಯ ಲಿಫ್ಟ್ ಗಳನ್ನು ಚಾಲನೆ ಗೊಳಿಸಲು ಅನುಮತಿಯನ್ನು ನೀಡಲಾಗಿದ್ದು, ಅನುಮತಿಯು ಕರ್ನಾಟಕ ಲಿಫ್ಟ್ ಗಳ, ಎಸ್ಕಲೇಟರ್ ಗಳ ಮತ್ತು ಪ್ಯಾಸೆಂಜರ್ ಕನ್ವೇಯರ್ ಗಳ ನಿಯಮಗಳು 2015ರ ಷರತ್ತಿಗೊಳಪಟ್ಟಿರುತ್ತದೆ ಮತ್ತು

NANDINI HOTELS PVT LTD , No 345/1, 13th Main Road, Sadaramangala Industrial Area, Sadaramangala Village,Bangalore BENGALURU EAST BENGALURU ಇವರ ಮಾಲೀಕತ್ವದಲ್ಲಿರುತ್ತದೆ.

ಈ ಲಿಫ್ಟ್ ಚಾಲನಾ ಪರವಾನಗಿಯು, ಪರವಾನಗಿ ನೀಡಿದ ದಿನಾಂಕದಿಂದ ಹತ್ತು (10) ವರ್ಷಗಳ ಅವಧಿಗೆ ಮಾನ್ಯವಾಗಿರುತ್ತದೆ ಹಾಗೂ ಕರ್ನಾಟಕ ಲಿಫ್ಟ್ ಗಳ, ಎಸ್ಕಲೇಟರ್ ಗಳ ಮತ್ತು ಪ್ಯಾಸೆಂಜರ್ ಕನ್ವೇಯರ್ ಗಳ ನಿಯಮ 2015ರ ನಿಬಂಧನೆಗಳಿಗೆ ಒಳಪಟ್ಟಿರುತ್ತದೆ.

ಲಿಫ್ಟ್ ಪರಿವೀಕ್ಷಣಾ ಶುಲ್ಕ <u>2500.00/-</u> ರೂ.ಗಳನ್ನು ಖಜಾನೆ-2, ಬೆಂಗಳೂರುಇಲ್ಲಿ ದಿನಾಂಕ: 09/11/2023 ರಂದು ಚಲನ್ ಸಂಖ್ಯೆ: EL1123004300004772 (Out of 5025Rs. /-) ರಲ್ಲಿ ಸಂದಾಯವಾಗಿದೆ.

ಯಂತ್ರಗಳ ವಿವರ

1. ಲಿಫ್ಸ್ ತಯಾರಿಕೆ ಮತ್ತು ಸಂಖ್ಯೆ : OTIS Elevator Company India Limited

2. ಲಿಫ್ಡ್ ವಿಧ : PASSENGER 3. ಸಾಮರ್ಥ್ಯ : 24 passengers

1632 ಕೆ . ಜೆ.

4. ಬಹುಮಹಡಿ ಕಟ್ಟಡದ ವಿವರ : BF+GF+4UF , HOSPITAL

5. ಲಿಫ್ಟ್ ಕಾರು ಮತ್ತು ಲ್ಯಾಂಡಿಂಗ್ ಡೋರ್ : S.S Automatic centre opening doorS.S Automatic centre opening door

6. ಲಿಫ್ಟ್ ಲ್ಯಾಂಡಿಂಗ್ ಗಳ ವಿವರ : 6

Landings (BF+GF+4UF)

7. ಲಿಫ್ಸ್ ನಿರ್ಧರಿತ ವೇಗ : 1.75 m/s

8. ಲಿಫ್ಸ್ ಮೋಟಾರಿನ ವಿವರ : OTIS, 17.80(kW/HP), 566.00 RPM, SL No: MH081750

Digitally Signed by : THEETHIRA NANJAPPA APPACHU

Chief Electrical Inspector to Government

Bangalore - 17/11/2023

Signed Date : 17/11/2023

ಸರ್ಕಾರದ ಮುಖ್ಯ ವಿದ್ಯುತ್ ಪರಿವೀಕ್ಷಕರು

ಹಾಗೂ ಲಿಫ್ಟ್ ಗಳ ,ಎಸ್ಕ ಲೇಟರ್ ಗಳ ಮತ್ತು ಪ್ಯಾಸೆಂಜರ್ ಕನ್ವೇಯರ್ ಗಳ

ಮುಖ್ಯ ತಪಾಸಣಾಧಿಕಾರಿ ,ಕರ್ನಾಟಕ ಸರ್ಕಾರ

ಲಿಫ್ಟ್ ಚಾಲನ ಪರವಾನಗಿ ನವೀಕರಣ

(ನಿಯಮ 5ರ ಉಪನಿಯಮ 3ನ್ನು ನೋಡುವುದು)

Citati	ಚಾಲನಾ ಪರವಾನಗಿ ನವೀಕರಣ		ಚಾಲನಾ ಪರವಾನಗಿ ನವೀಕರಣ ಶುಲ್ಕದ ವಿವರ			ಮುಖ್ಯ ವಿದ್ಯುತ್ ಪರಿವೀಕ್ಷಕರ ಹಾಗೂ ಲಿಫ್ಟ್ ಗಳ,	
ಕ್ರ.ಸಂ	ರಿಂದ	ರವರೆಗೆ	ಶುಲ್ಕ	ಚಲನ್ /ರಶೀದಿ ಸಂಖ್ಯೆ	ದಿನಾಂಕ	ಎಸ್ಕಲೇಟರ್ ಗಳ ಮತ್ತು ಪ್ಯಾಸೆಂಜರ್ ಕನ್ವೇಯರ್ ಗಳ ಮುಖ್ಯ	
Stall	C Electrical		AC TH	11 at 11 k 3 5 t 4	are elem	ತಪಸಣಾಧಿಕಾರಿ ರವರ ಸಹಿ	
State State	CE Electrical	ray kinglestora I lumber Tunk	State Kar	1111111 2 5 TH	ate Electi E Election		

ಇವರಿಗೆ NANDINI HOTELS PVT LTD No 345/1, 13th Main Road, Sadaramangala Industrial Area, Sadaramangala Village,Bangalore BENGALURU EAST BENGALURU

ಪ್ರತಿಯನ್ನು

1.ಅಪರ ಮುಖ್ಯ ವಿದ್ಯುತ್ ಪರಿವೀಕ್ಷಕರು, ಬೆಂ.ಉ, ಬೆಂ.ದ, ಮಂಗಳೂರು, ಮಸ್ಟಿಾರು, ಧಾರವಾಡ, ಕಲಬುರಗೆ

2.OTIS Elevator Company India Limited ಕಂಪನಿಗೆ

ಸೂಚನೆ

ಅ)ಈ ಲಿಫ್ಟ್ ಗಳನ್ನು ಕರ್ನಾಟಕ ಲಿಫ್ಟ್ ಗಳ,ಎಸ್ಕಲೇಟರ್ ಗಳ ಮತ್ತು ಪ್ಯಾಸೆಂಜರ್ ಕನ್ವೇಯರ್ ಗಳ ಆಧಿನಿಯಮ 2012 ಹಾಗೂ ಅದರಡಿಯಲ್ಲಿ ರಚಿಸಿರುವ ಕರ್ನಾಟಕ ಲಿಫ್ಟ್ ಗಳ,ಎಸ್ಕಲೇಟರ್ ಗಳ ಮತ್ತು ಪ್ಯಾಸೆಂಜರ್ ಕನ್ವೇಯರ್ ಗಳ ನಿಯಮಗಳು 2015 ರ ನಿಯಮಗಳ ಅನುಸಾರ ನಿರ್ವಹಿಸತಕ್ಕೆದ್ದು.

ಆ)ನಿಯಮ 5ರ ಅನುಸಾರ ಈ ಲಿಫ್ಟ್ ಚಾಲನಾ ಪರವಾನಗಿಯನ್ನು ನವೀಕರಿಸಲು ಲಿಫ್ಟ್ ಮಾಲೀಕರು ಮಾನ್ಯತಾ ಅವಧಿ ಮುಗಿಯುವ 3 ತಿಂಗಳ ಮುಂಚಿತವಾಗಿ ನವೀಕರಣ ಶುಲ್ಕ ಪಾವತಿ ಮಾಡಿದ ಚಲನ್ ಸಹಿತ ಅರ್ಜಿಯನ್ನು ಸಂಬಂಧಪಟ್ಟ ಲಿಫ್ಟ್ ತಪಾಸಣಾಧಿಕಾರಿಗಳಿಗೆ ನೀಡತಕ್ಕದ್ದು. ಇ)ಲಿಫ್ಟ್ ಅಳವಡಿಸಲಾಗಿರುವ ಕಟ್ಟಡದ ಮಾಲೀಕರು ಕಟ್ಟಡದಲ್ಲಿ ವಾಸವಾಗಿಲ್ಲದಿದ್ದರೆ ಈ ಲಿಫ್ಟ್ ಚಾಲನಾ ಪರವಾನಗಿ ನೀಡಿದ ದಿನಾಂಕದ ಒಂದು ತಿಂಗಳ ಒಳಗಾಗಿ, ಕಟ್ಟಡವು ಇರುವ ಪಟ್ಟಣ ಅಥವಾ ಗ್ರಾಮದಲ್ಲಿ ವಾಸವಾಗಿರುವ ಒಬ್ಬ ಏಜೆಂಟ್ ರನ್ನು ನೇಮಕ ಮಾಡತಕ್ಕದ್ದು ಹಾಗೂ ಏಜೆಂಟ್ ನ ವಿವರಗಳನ್ನು ಪ್ರಾಧಿಕೃತ ಅಧಿಕಾರಿಗೆ ತಿಳಿಸತಕ್ಕದ್ದು. ನೇಮಕಗೊಂಡ ಏಜೆಂಟ್ ಕರ್ನಾಟಕ ಲಿಫ್ಟ್ ಗಳ, ಎಸ್ಕಲೇಟರ್ ಗಳ ಮತ್ತು ಪ್ಯಾಸೆಂಜರ್ ಕನ್ವೇಯರ್ ಗಳ ಆಧಿನಿಯಮ 2012 ಹಾಗೂ ಅದರಡಿಯಲ್ಲಿ ರಚಿಸಿರುವ ಕರ್ನಾಟಕ ಲಿಫ್ಟ್ ಗಳ, ಎಸ್ಕಲೇಟರ್ ಗಳ ಮತ್ತು ಪ್ಯಾಸೆಂಜರ್ ಕನ್ವೇಯರ್ ಗಳ ನಿಯಮಗಳು 2015 ರ ನಿಯಮಗಳನ್ನು ಪಾಲಿಸಲು ಬದ್ದನಾಗಿರತಕ್ಕದ್ದು.

ಈ)ಲಿಫ್ಟ್ ಮಾಲೀಕರು, ಲಿಫ್ಟ್ ಗಳ, ಎಸ್ಕಲೇಟರ್ ಗಳ, ಪ್ಯಾಸೆಂಜರ್ ಕನ್ವೇಯರ್ ಗಳ ಮುಖ್ಯ ತಪಾಸಣಾಧಿಕಾರಿಗಳಿಗೆ ನೊಂದಾಯಿತವಾಗಿರುವ ಲಿಫ್ಟ್ ತಯಾರಕರು/ನಿರ್ವಾಹಕರ ಜೊತೆ ಲಿಫ್ಟ್ ನಿರ್ವಹಣೆಗೆ ಒಪ್ಪಂದ ಮಾಡಿಕೊಳ್ಳತಕ್ಕದ್ದು.

ಉ)ಲಿಫ್ಸ್ ಚಾಲನೆಗೊಳಿಸಲು ನೀಡಿರುವ ಪರವಾನಗಿಯ ಪ್ರತಿಯನ್ನು ಲಿಫ್ಸ್ ಯಂತ್ರದ ಕೊಠಡಿಯಲ್ಲಿ ಪ್ರದರ್ಶಿಸತಕ್ಕ್ನದ್ದು.

ಉ)ಲಿಫ್ಟ್ ಕಾರ್ಯಚರಣಿ ವೇಳೆ ಪ್ರಾಣಾಂತಿಕ/ಪ್ರಾಣಾಂತಿಕವಲ್ಲದ ಲಿಫ್ಟ್ ಅಪಘಾತಗಳು ಸಂಭವಿಸಿದರೆ, ಕಟ್ಟಡದ ಮಾಲೀಕರು ಅಥವಾ ಆವರ ಏಜೆಂಟ್ ರವರು, ಅಪಘಾತದ ಬಗ್ಗೆ ಲಿಫ್ಟ್/ಎಸ್ಕಲೇಟರ್/ಪ್ಯಾಸೆಂಜರ್ ಕನ್ವೇಯರ್ ನ ಪ್ರಾಧಿಕೃತ ಅಧಿಕಾರಿಗೆ ಮತ್ತು ಪೋಲೀಸ್ ಆಯುಕ್ತರಿಗೆ ಹಾಗೂ ಜಿಲ್ಲಾ ದಂಡಾಧಿಕಾರಿಗಳಿಗೆ ನಿಗಧಿತ ನಮೂನೆಯಲ್ಲಿ ಪೂರ್ಣ ವಿವರಗಳ ಸಹಿತ ಮಾಹಿತಿಯನ್ನು ನೀಡತಕ್ಕದ್ದು.

ಖು)ಲಿಫ್ಟ್, ಎಸ್ಕಲೇಟರ್ ಗಳ ಮತ್ತು ಪ್ಯಾಸೆಂಜರ್ ಕನ್ವೇಯರ್ ಗಳ ಮುಖ್ಯ ತಪಾಸಣಾಧಿಕಾರಿಯ ಲಿಖಿತ ಪೂರ್ವ ಅನುಮತಿಯ ಹೊರತು ಲಿಫ್ಟ್ ಸ್ಥಾಪನೆಗೆ ಯಾವುದೇ ಸೇರ್ಪಡೆಗಳನ್ನು ಆಥವಾ ಬದಲಾವಣೆಗಳನ್ನು ಮಾಡತಕ್ಕದಲ್ಲ.

ಎ)ಸೂಕ್ತ ತರಬೇತಿ ಹೊಂದಿದ ಲಿಫ್ಟ್ ಚಾಲಕರನ್ನು ನೇಮಿಸಿಕೊಳ್ಳತಕ್ಕದ್ದು.

Note: This is a Digitally Signed Certificate and Does not require manual signature.

Please, Verify authenticity of this certificate by visiting www.ksei.gov.in and entering certificate number in Third party verification.

Digitally Signed by

Signed Date

: THEETHIRA NANJAPPA APPACHU Chief Electrical Inspector to Government Bangalore

: 17/11/2023

Civil Engineering Consultants

24-01-2023

TO WHOMSOEVER IT MAY CONCERN

This is to certify that the structural design for the proposed hospital building at No 3 & 4 Sadramangala Industrial area Whitefield road Bangalore for M/S Nandihini hotels Pvt Ltd has been done by the under signed.

The building is designed for Basement, Basement, Ground and 4 upper floors And the Second floor Slab has been designed to take MRI loads.

The structural design for the foundation and super structure confirms to all relevant Indian Standards.

Certified that the design is done for the Dead and Live loads as well as for Wind load as per IS:875 and Seismic loads (Zone II) as per IS:1893.

GUNASHEEL KARANTH K (Structural Consultant) (BCC/BL-3-6/E/4356/18-19)









Karnataka State Pollution Control Board

Parisara Bhavana, No. 49, Church Street, Bengaluru-560001

Tele: 080-25589112/3,

Fax:080-25586321

Email id: ho@kspcb.gov.in

25581383/388

<u>Consent For Operation(CFO-Air, Water)</u> - (<u>CfO-Expand</u>)

As per the provisions of
The Water (Prevention & Control of Pollution) Act, 1974
&

The Air (Prevention & Control of Pollution) Act, 1981

To

Aster Hospital, Plot No.3 & 4, Sadaramangala Industrial area, whitefield

for the Facility located at,

Aster Hospital ,Plot No. 3 & 4 ,Plot No. 3 & 4, Sadaramangala Industrial area, whitefield

Bangalore Urban

Consent Order No	PCBID	INW ID	Industry Colour/Scale	Date of Issue
AW-339458	99322	192696	RED/LARGE	05/09/2023

This Consent is granted for the Products/ Activity/Service name indicated in the annexure along with the terms & conditions attached to this order

Validity through: <u>05/09/2023 to 30/06/2028</u>







ISO 9001:2015 & 14001:2015 Certified

Page-1 e_outwardno63729--05/09/2023 PCB ID-99322

INW ID-192696

CHIEF/SENIOR ENVIRONMENTAL OFFICER

Combined Consent Order No: AW-339458 PCB ID: 99322 GSC No: PB0XG0000182696 Date: 05/09/2023

Combined consent for discharge of effluents under the Water (Prevention and Control of Pollution) Act, 1974 and emission under the Air (Prevention and Control of Pollution) Act, 1981

Ref: 1. Application filed by the applicant/organization on 11/08/2023

2.Inspection of the on 06/08/2023

Industry/organization/by RO,

3. Proceedings of the ECM dated 31/08/2023 , held on 29/08/2023

Consent is hereby granted to the Occupier under Section 25(4) of the Water (Prevention & Control of Pollution) Act, 1974 (herein referred to as the Water Act) & Section 21 of Air (Prevention & Control of Pollution) Act, 1981, (herein referred to as the Air Act) and the Rules and Orders made there under and authorized the Occupier to operate /carryout industry/activity & to make discharge of the effluents & emissions confirming to the stipulated standards from the premises mentioned below and subject to the terms and conditions as detailed in the Schedule Annexed to this order.

Location:

Name of the Industry: Aster Hospital

Address: Plot No. 3 & 4, Plot No. 3 & 4, Sadaramangala Industrial area, whitefield

Industrial Area: Kadugodi-Sadaramangala I.A, Sadaramangala Industrial Area,

Taluk: BBMP- W- 83, District: Bangalore Urban

CONDITIONS:

a) Discharge of effluents under the Water Act:

Sr	Water Code	WC(KLD)	WWG(KLD)	Remark
1	Domestic Purpose	91.250	88.500	(Expansion) Sewage shall be treated in proposed STP of
				capacity 175 KLD (165
				KLD STP + 10 KLD Liquid
	1500			biomedical waste treatment
				tank) & treated sewage shall
				be used for secondary
				purposes for toilet flushing,
				landscaping & HVAC
2	Domestic Purpose	63.750	51.000	purpose. (Existing) Sewage shall be treated in proposed STP of capacity 175 KLD (165 KLD STP + 10 KLD Liquid
		10		biomedical waste treatment
				tank) & treated sewage shall
			1	be used for secondary purposes for toilet flushing,
			100	landscaping & HVAC
				purpose.
3	Others	5.000	4.500	(Expansion) Lab washing effluents shall be fine screened & shall be disinfection process with sodium hypochlorite and then shall be taken to STP for further treatment.
4	Others	5.000	4.500	(Existing) Lab washing effluents shall be fine screened & shall be disinfection process with sodium hypochlorite and then shall be taken to STP for further treatment.

e_outwardno63729--05/09/2023

Page-2

b) Discharge of Air emissions under the Air Act from the following stacks etc.

SI. No.	Description of chimney/outlet	Limits specified refer schedule
31. 140.	Description of chiling yourse	Ellines specifica refer seffeatie

The details of Sources, control equipments and its specification, type of fuel, constituents to be controlled in emissions etc. are detailed in Annexure-II.

The consent for operation is granted considering the following activities/Products;

Sr	Product Name	Applied Qty	Unit
1	hospital with 148 beds	148.0000	Number
2	hospital with 294 beds (additional 146 beds)	294.0000	Number of Beds

Validity through: 05/09/202 to 30/06/2028

3

To,

Aster Hospital

Plot No.2, Sadaramangala Industrial area, off Whitefield Main road, opp. ITPL, W

COPY TO:

The Environmental Officer, KSPCB, Regional Office Bengaluru Mahadevapura for information and necessary action.

- 2. Master Register.
- 3. Case file.

Consent Fee paid

: Rs. 474000

SCHEDULE

TERMS AND CONDITIONS

A. TREATMENT AND DISPOSAL OF EFFLUENTS UNDER THE WATER ACT.

- 1. The discharge from the premises of the occupier shall pass through the terminal manhole/manholes where from the Board shall be free to collect samples in accordance with the provisions of the Act/Rules made there under.
- 2(a). The sewage/domestic effluent shall be treated in septic tank and with soak pit. No overflow from the soak pit is allowed. The septic tank and soak pit shall be as per IS 2470 Part-I & Part-II.
- 2(b). The treated sewage effluent discharged shall conform to the standards specified in Annexure-I.
- 3(a). The trade effluent generated in the industry shall be treated in the ETP and treated effluent shall confirm to the standards stipulated by the Board in Annexure-I
- 3(b). The trade effluent shall be handed over to CETP and maintain logbook of effluent generated & sent every day.

- 4. The applicant shall install flow measuring/recording devices to record the discharge quantity and maintain the record.
- 5. The applicant shall not change or alter either the quality or the quantity or the place of discharge or temperature or the point of discharge without the previous consent/ permission of the Board.
- 6. The applicant shall not allow the discharge from the other premises to mix with the discharge from his premises. Storm water shall not be allowed to mix with the effluents on the upstream of the terminal manhole where the flow measuring devices are installed.
- 7. The daily quantity of domestic effluent and trade effluent from the industry shall not exceed the limits as indicated in this consent order:
- 8. The applicant shall discharge the effluents only to the place mentioned in the Consent order and discharge of treated/untreated outside the premises is not permitted.

B. EMISSIONS:

- 1. The discharge of emissions from the premises of the applicant shall pass through the air pollution control equipment and discharged through stacks/chimneys mentioned in **Annexure-II** where from the Board shall be free to collect the samples at any time in accordance with the provisions of the Act and Rules made there under. The tolerance limits of the constituents forming the emissions in each of the stacks shall not exceed the limits laid down in Annexure-II.
- 2. The applicant shall provide port holes for sampling of emission, access platforms for carrying out stack sampling, electrical points and all other necessary arrangements including ladder as indicated in Annexure-II.
- 3. The applicant shall upgrade/modify/replace the control equipment with prior permission of the Board.

C.MONITORING & REPORTING:

- 1. The applicant shall get the samples of effluents & emissions collected and get them analyzed once a month/either by in house monitoring laboratory or through EP approved laboratories for the parameters as Indicated in Annexure I & II.
- 2. The applicant shall maintain log books to reflect the working condition of pollution control systems and also self monitoring results and keep it open for inspection.

D. SOLID WASTE (OTHER THAN HAZARDOUS WASTE) DISPOSAL:

- 1. The applicant shall segregate solid waste from Hazardous Waste, Municipal Solid Waste and store it properly till treatment/disposal without causing pollution to the surrounding Environment.
- 2. The solid waste generated shall be handled & disposed by scientific method without causing eye sore to the general public and to the surrounding environment.

e_outwardno63729--05/09/2023

Page-4

E. NOISE POLLUTION CONTROL:

The applicant shall ensure that the ambient noise levels within its premises during construction and during operational period shall not exceed w.r.t Area/Zone as per Noise Pollution (Regulation and Control) Rules, 2000 as mentioned below:-

- a) In Industrial Area 75 dB(A) Leq during day time and 70 dB(A) Leq during night time.
- b) In Commercial Area 65 dB(A) Leq during day time and 55 dB(A) Leq during night time.
- c) In Residential Area 55 dB(A) Leq during day time and 45 dB(A) Leq during night time.
- d) In Silence Zone 50 dB(A) Leg during day time and 40 dB(A) Leg during night time.
- Note: * Day time shall mean 6 am to 10 pm and Night time shall mean 10 pm to 6 am.
 - * dB(A) Leq denotes the time weighted average of the level of sound in decibels on scale A which is relatable to human hearing.
 - * A "decibel" is a unit in which noise is measured.
 - * "A", in dB(A) Leq, denotes the frequency weighting in the measurement of noise and corresponds to frequency response characteristics of the human ear.
 - * Leq: It is an energy mean of the noise level over a specified period.

F. HAZARDOUS AND OTHER WASTES (MANAGEMENT & TRANSBOUDARY MOVEMENT)Rules 2016:

The applicant shall comply with the provisions of the Hazardous and other Wastes (Management & Transboundry Movement) Rules 2016.

G. GENERAL CONDITIONS:

- 1. The applicant shall obtain prior permission from the competent authority for drawing of water from Surface/Ground water source and submit a copy of the same to the Board.
- 2. The applicant shall not allow the discharge from the other premises to mix with the discharge from his premises.
- 3. The applicant shall promptly comply with all orders and instructions issued by the Board from time to time or any other officers of the Board duly authorized in this behalf.
- 4. The applicant shall set-up Environmental Cell comprising of qualified and competent personnel for complying with the conditions specified.
- 5. The Board reserves the right to review, impose additional conditions, revoke, change or alter terms and conditions of this consent.
- 6. The applicant shall forthwith keep the Board informed of any accidental discharge of emissions/effluents into the atmosphere in excess of the standards laid down by the Board. The applicant shall also take corrective steps to mitigate the impact.
- 7. The applicant shall provide alternate power supply sufficient to operate all Pollution control equipments.

Page-5 e_outwardno63729--05/09/2023

- 8. The entire premises shall always be kept clean. The effluent holding area, inspection chambers, outlets, flow points should made easily approachable.
- 9. The applicant shall display the consent granted in a prominent place for perusal of the inspecting officers of the Board.
- 10. The applicant his heirs, legal representatives or assignee shall have no claims what so ever to the continuation or renewal of this consent after expiry of the validity of consent.
- 11. The applicant shall make an application for consent for subsequent period at least 120 days before expiry of this consent.
- 12. The applicant shall develop and maintain adequate green belt all around the periphery.
- 13. The applicant shall provide rain water harvesting system and shall provide proper storm water management system.
- 14. This consent is issued without prejudice to any Court Cases pending in any Hon'ble Court
- 15. The applicant shall furnish the Environmental statement for every financial year ending with 31st March in Form-V as per Environment (Protection) Rules, 1986. The statement shall be furnished before the end of September.
- 16. The applicant shall display flow diagram of the pollution control system near the pollution contol system/s

NOTE:

The Conditions A(2(a) & 3(b)) mentioned in the schedule are not applicable.

Additional Conditions:

- 1) This CFO(Expansion) is issued after prior approval of Chairman & MS for the period upto 30.06.2028 with conditions, for operating the hospital with bed strength of 294. 2) Shall conduct Environmental audit and submit Environmental statement within 30th September every year. 3) Shall not mix and dispose the Bio Medical waste(BMW) with any other Waste, collect the BMW in different color coding bins and shall be handed over to CBMTF, maintain the records on daily basis 4) Shall submit the annual report in Form IV every year before 30th June. 5) Applicant shall submit quarterly monitoring report and submit half yearly consent condition compliance report. 6) Awareness campaign through digital display system at the reception areas w.r.t environment.
- 7) There shall not be any complaint against the unit, in such cases action will be taken to withdraw the CFO. 8) The Occupier of the hospital shall comply with all the conditions prescribed in the Annexure.

e_outwardno63729--05/09/2023

Page-6

Chi m.N o.	Chimne y attached to	KVA	Minimum chimney height to be provided above ground level (in Mts)	Constituents to be controlled in the emission	Tolerance limits mg/NM3	Fuel	Control	Date of which air pollution control equipments shall be provided to achieve the stipulated tolerance limits and chimney heights conforming to stipulated heights.
1	D.G. Sets	1010 KVA DG set	30	PM,SO2,NOx,C O, NMHC	75,0,710,150,1 00	DIE	AEC,NDR	At all times
2	D.G. Sets	1010 KVA DG set	30	PM,SO2,NOx,C O, NMHC	75,0,710,150,1 00	DIE	AEC	At all times
3	D.G. Sets	500 KVA DG Set - 4.5 M ARL	7	PM,SO2,NOx,C O, NMHC	0,0,0,0,0	DIE	AEC	At all times
4	D.G. Sets	500 KVA DG Set - 4.5 M ARL	7	PM,SO2,NOx,C O, NMHC	0,0,0,0,0	DIE	AEC	At all times

Note:

AEC,ND : Accoustic Enclosures

AEC : Accoustic Enclosures

Note:

- The Noise levels within the premises shall not exceed 75 dB (A) leq during day time and 70 dB(A) leq during night time respectively.
- 2. The DG set shall be provided with acoustic measures as per SI.No.94 in Schedule-I of Environment (Protection)Rules.
- 3. There shall be no smell or odour nuisance from the industry.

LOCATION OF SAMPLING PORTHOLES, PLATFORMS, ELECTRICAL OUTLET.

1. Location of Portholes and approach platform:

Portholes shall be provided for all chimneys, stacks and other sources of emission. These shall serve as the sampling points. The sampling point should be located at a distance equal to atleast eight times the stack or duct diameters downstream and two diameters upstream from source of low disturbance such as a Bend, Expansion, Construction Valve, Fitting or Visible Flame for rectangular stacks, the equivalent diameter can be calculated from the following equation.

2 (Length x Width)
Equivalent Diameter = -----(Length + Width)

- 2. The diameter of the sampling port should not be less than 100 mm dia". Arrangements should be made so that the porthole is closed firmly during the non sampling period
- 3. An easily accessible platform to accommodate 3 to 4 persons to conveniently monitor the stack emission from the portholes shall be provided. Arrangements for an Electric Outlet Point of 230 V 15 A with suitable switch control and 3 Pin Point shall be provided at the Porthole location.
- 4. The ladder shall be provided with adequate safety features so as to approach the monitoring location with ease.

For and on behalf of the Karnataka State Pollution Control Board

Signature Not Verified
Digitally signed by
Date: 2023.09.06 12:39:46

+05:30

Page-8 e_outwardno63729--05/09/2023 PCB ID-99322

INW ID-192696

CHIEF/SENIOR ENVIRONMENTAL OFFICER



BANGALORE ELECTRICITY SUPPLY COMPANY LTD.

(Wholly owned by Governent of Karnakata undertaking)

No. EEE / AEE / MT / JEE / RMU(SN)

Office of the **Executive Engineer (Elec)**

M.T. Division, BMASZ 23, 3rd Floor Bescom Building 24th Main, 17th Cross, HSR Layout 2nd Sector, Banglore -560 102.

To. The Assistant. Executive Engineer (Elec.,)Sub-Division BESCOM, Bangallre

Sir,

Test of RMU Installed at reference to the above, I write to state the per-commission test of RMU (S) is conducted or the above said location, the details of test results are follows.

CI	CI C						
SI. No.	RMU Details	Make ABB	Hd. Mfg- 2021				
1.	OD (In comer)	Type: +CL V		Remarks			
	200	1: 630A	SIL No.	Tested Good /			
		V: 12KV	Schof : 1 V4N 040 122	201164			
2.	VL (Out going)	Type: 00 -	SI No.	V			
	IVL	1: 630A	0_	Tested Good /			
		V: 12 kg					
3.	CT VL	Make : Vi deput	1917 D 52247				
	COTA - 20011	Type: Reluces	1 100 5247				
		Class: 5/10	0-10-1 D 5 2 2 46	-			
A. 0.	Relay (ELR)		3 52245				
CA	ro teekou)	Make: C 55	CSOPR-V2	-			
The Ratio & Polarity test are conducted for each CT & found to be OK							

- 1. The Ratio & Polarity test are conducted for each CT & found to be OK.
- Mechanical operation for all the breaks is tested and found to be OK.
- Insulation resistance is measured with 5 KV megger & Results found to be satisfactory.
- 4. The cable termination has to be done with a single run 3 core cable for each module. The cable entries have to sealed properly & the installation has be serviced as per the corporate norms. 5. The testing fee Rs. 4080 X

Yours Faithfully,

Asst. Executive Engineer (Ele

Division, BESCOM, BMASZ, Bangalore AMTS Divisitore EMASZ ngmeer (El 2. The Executive Engineer (Ele), MT Division, BESCOM, BMASZ, Bangalore RMU Sub-Dn. North

MT Division, BMAZ **BESCOM** Bangalore



BANGALORE ELECTRICITY SUPPLY COMPANY LIMITED

(Wholly Owned by Government of Karnataka Undertaking)

BESCOM						
To, The Assistant Executive C, O & M Sub-D BMAZ, BESCOM, Benga	Engineer (Ele.) A(CLD: X) ivision luru	3-74028+) 1 T	TT Division 537, VSR S Savipuram, rel : 080-266	Date: 05-05	ni Nagar, galuru - 19.	
C.I. D. C.	ssion Test Report of HT /-EHT	F Installation of Of	-MIInit	(-PJP		
Ref : 1) Your req	uest letter No.: Acc (e)	H2 AEC	T) 22	-23/12JE	t:04 05	
The Pre-Commiss	**** sion text conducted on HT / EF vide above ref. and following	** TT metering cubicle	on	5.04.2-23 of		
1. Details of HT/E	HT Installation:		TOD: Y	Yes / No ABT: Y	es / No	
Name and Address of the Consumer	Whitefile, 13'L	u.		anangla I	A	
Sanctioned Contract	Demand in kVA	150	OKYF)		
Tariff Sanctioned as	per Power Sanction Letter	H 7	2(2			
Connected Current T	ransformer Ratio (CCTR)	7.5	5/1A			
	Transformer Ratio (CPTR)	11	CV 153	11101/13		
MC (in No. & Words)	x 7 5 0 0	Seven Thor	sand	Five Hunde	el only)	
2. Supply Voltage & Type: 220 / 66 / 11 kV & O-H / GOS / RMU / LBS (Make: ABIZ SOME) A SNITH 3. Meggar Values with 5 kV and 500 V Meggar:						
a) HT to LT (5 kV	Meggar): - 2900 -		M Ohm	S		
	88/			170)		
	(5 kV Meggar): 2-700		M Ohm	s		
c) LT to Ground	(500 V Meggar): 300		M Ohm	s		
4. Ratio Test Result	s (at field):					
Particulars	Connected Ratio	Primary Inject	cted	Secondary Mea	isured	
Currect Transformer	7511A	50	Amps	0.667	Amps	
Potential Transformer	11KV 153 110V 153	-241-	Volts	-2.41-	Volts	
I Otential Hanstornici	111-103 1101 103	2-11				

5. Installed Equipment Details:

Particulars	CURRENT TRANSFORMER	POTENTIAL TRANSFORMER		TERING CUBICAL DETAILS	
Make	Poras	Podes	Sl. No. OMEGA - 23-03-12348		
Туре	Indoor / Outdoor-	Indoor / Outdoor		TRANSFORMER DETAILS	
Class	0-2	. 0-2	Make	Classic Technologia	
Insultaion	15/38/95	15 38 95	Capacity	1×2250kvA	
Burden	2.5VA	25VA	Vector Group	DynII	
Ratio Exist.	75/1A	11/4/1/3/110/13	Voltage Ratings	1KV 1433V	
Ratio Connt.	7511A	11 KU1J /1100/V	Current Ratings	104.98/2666.82 A	
RØ	MICT 017732		Sl. No.:	CTPL 2000 2023 030669	
N Y Ø		MITTO15802	МО	DEM & SIM CARD DETAILS	
		No. A locals 171 20777 0776			

7. METER DETAILS

8. SEALS DETAILS

PARTICULARS MAIN METER CHECK METER MAIN METER CHECK METER

PARTICULARS	MAIN METER	CHECK METER		MAIN METER		CHECK METER	
Make	Lar	\	PARTICULARS	Lead / P.C.	Plastic / Mfg.	Lead / P.C.	Plastic / Mfg.
Catetory/Type	C/B/A	C B/A	Meter Cover	BMH SA	856		
Class	0.25	0.25	Terminal Cover	BMH70	151		
Voltage	3x63.5V	3x63\5V	MD Reset Button	BMH 70	152		
Amps	1A	1A	Test Terminal Block	13mH 70	155		
Pulse	50000		Meter Chamber Main Door	BMHTO	156		
Dial Constant	1	1	Meter Reading Window				
SI. No.	230034	86	CT & PT Chamber	13MH 70	153		
Year & Mfd.	2023		Cable Entery Chamber	13mH - 70	154		
Wiring Type	3P4W	3P4W	Hologram	MT 1064	XX		
DLMS/TOD/AB1	DLMS/TOD/ABT	DLMS/TOD/ABT	Optical Port	\			
Com. Port Avail.	RS-232/485/OP	RS-232/485/OP	Modern SIM Card Slot				

	BILLING /MAIN METER INITIAL READINGS		CHECK METER INI	TIAL READINGS
PARAMETERS	→ IMPORT/FORWARD	← EXPORT/REVERSE	→ IMPORT/FORWARD	← EXPORT/REVERSE
ime & Date	17:37 6 05.05.2)	\		
MD kVA/r Avg. PF	0.000			
Total C kWh	0.213			
kWh Zone-1	0.014 (0.0	19) (
C kWh Zone-2	0.036	CM/		
C kWh Zone-3	0.000			
C kWh Zone-4	0.121			
C KVArh (Lag/Lead)	0.1210.072			
C kVAh	0-288			
C MD kVA	0.238			
Total Biling KWh	0.213			
Billing kWh Zone-1				
Billing kWh Zone-2				
Billing kWh Zone-3				
Billing kWh Zone-4				
Billing kWAh	0.288			
Billing kVA / MD	0.000			
Billing kWh Zone-1	0-000			
Billing kWh Zone-2				
Billing kWh Zone-3				
Billing kWh Zone-4				
Billing Avg. PF				
CH kVArh (Leg/Led)				
CL kVArh (Lag/Led				
% THD Voltage				
% THD Current				
Anomaly/Diagnos	000			
MD Reset Count	06			
Auto/Manual Rese	et Auto			

Auto/Manual Reset	
Whether display parameters of ETV	meter are as per BESCOM requirement : YES / NO
10. Observations: 160 P.C.	tal schilts found with plustille
+ wits. The HIME man	The Charges after get of approval
from concorned and	tronity by duly of Manly NORMS"
, I fel chalging on	a office that Informal to for the
Needpul.	
0	



Bangalore Electricity Supply Company Limited

(Wholly Owned by Govt. of Karnataka Under taking)

No: EE/WFD/AEE/AE(T)/23-24/276

Ph No.: 8277893919

Email: eewf.work@gmail.com

Office of the Executive Engineer (Ele), Whitefield Division BESCOM, Bangalore-560 066.

Date: - 05-05-2023

To

The Assistant Executive Engineer (Ele)

C, O & M, BESCOM.

E12 Sub Division.

Mahadevapura, Bangalore-560048.

Sir.

submission of sanctioned Estimate file for arranging power supply to an extent of 1500 KVA on HT(c) tariff for hospital purpose in favor of M/s.NANDINI HOTELS PVT LTD at No 345/1, 13th Main Road, Sadaramangala Industrial area, Whitefield, Bangalore-560066 in EPIP O & M unit of E-12 sub division .under self-execution.

Ref: 1. AEE/E12SD/AET/2023-24/119 dated 04-05-2023.

2. Work order No: E-12/F-302 / 2348530 Dated: 15-04-2023.

With reference to the above cited subject, I am here with enclosing the subject file pertaining to E12 sub division submitted for arranging power supply to an extent of 1500 KVA on HT(c) tariff for hospital purpose in favor of M/s.NANDINI HOTELS PVT LTD at No 345/1, 13th Main Road, Sadaramangala Industrial area, Whitefield, Bangalore-560066 in EPIP O & M unit of E-12 sub division nder self-execution.

You are requested to take further needful action duly observing the company formalities as per KERC regulations for arranging power supply.

Yours faithfully,

Executive Engineer (Ele) Whitefield Division

BESCOM, Bangalore-560 066.



Bangalore Electricity Supply Company Limited

(Wholly Owned by Govt. of Karnataka Under taking)

No: EE/WFD/AEE/AE(T)/23-24/ 276

Ph No.: 8277893919

Email: eewf.work@gmail.com

Office of the Executive Engineer (Ele), Whitefield Division BESCOM, Bangalore-560 066. Date:- 05-05-2023

OFFICIAL MEMORANDUM

Sub: Accounting of assets taken over by BESCOM in connection with self-execution works for arranging power supply to an extent of 1500 KVA on HT(c) tariff for hospital purpose in favor of M/s.NANDINI HOTELS PVT LTD at No 345/1, 13th Main Road, Sadaramangala Industrial area, Whitefield, Bangalore-560066- in EPIP O & M unit of E-12 sub division .under self-execution

PREAMBLE:

- Power sanction to the above proposal is conveyed by vide letter No: CEE/BMAZ-N/SEE(O)/AE-2/22-23/5650-53 Dated: 23-03-2023.
- 2. Consumer has paid the following supervision charges and deposits; Supervision charges Rs 1,55,269 /- vide Rt.No.837402847052 dated 28-03-2023. E12 sub division...
- Arranging power supply to M S Building is carried out by the Class-1 LEC and the Electric fitness certificate is issued by the Electrical Inspectorate vide letter No:
 ACEI/BN//280/2023-24 Ack No: EI000110533503 dated: 29-04-2023.
- 4. The consumer has submitted an undertaking on Rs. 200/- stamp paper to stand guarantee for the line materials, equipment's, and the quality of work for one year, from the date of commissioning. The consumer should give an undertaking to the effect that he will abide by the above conditions.
- 5. Work order No: E-12/ F-302 / 2348530 Dated: 15-04-2023.
- 6. The Asst. Exe. Engineer (Ele.), E12 sub division has furnished the inventory report of the assets to be created for the above said installation, bills under taking etc., vide letter No.AEE (ELE)/E12SD/AET/2023-24/119 dated 04-05-2023.

Order

Approval is hereby accorded to take over the extended works and account the assets actually executed in the self-execution works for arranging power supply to an extent of 1500 KVA on HT(c) tariff for hospital purpose in favor of M/s.NANDINI HOTELS PVT LTD at No 345/1, 13th Main Road, Sadaramangala Industrial area, Whitefield, Bangalore-560066- in EPIP O & M unit of E-12 sub division .under self-execution

Executive Engineer (Ele)
Whitefield Division
BESCOM, Bangalore-560 066.

Copy to:

- 1. Asst. Exe. Engineer, E12 sub division, Whitefield, Bangalore.
- 2. Accounts officer, Whitefield Division, Bangalore.
- 3. MF.



Bangalore Electricity Supply Company Limited

(Wholly Owned by Govt. of Karnataka Under taking)

EEE/WF/AEE(O)/AET/23-24/ 144-45

Encl:

TO

M/s.NANDINI HOTELS PVT LTD

No 345/1, 13th Main Road, Sadaramangala Industrial area, Whitefield, Bangalore-560066.

Sir.

Office of the Executive Engineer (Ele) Whitefield Division, BESCOM., Whitefield, Bangalore-66.

24 423

Sub: Arranging Power supply to an extent of 1500 KVA on HT(C) tariff for hospital purpose, at above mentioned address.

Ref:

1. Power Sanction No: CEE/BMAZ-N/SEE(O)/AE-2/22-23/5650-53 Dated: 23-03-2023.

2. Power Sanction No: SEE/BEC/EE(O)/AEE(O)/22-23/14915-16 Dated: 20-03-2023

2. Payment Certificate No : AEE(ELE)/E12SD/AAO/SA/22-23/2163 Dated : 30-03-2023.

With reference to the above, approval is hereby accorded to execute the work of the above, subjected to the following conditions.

1. You shall carryout the work as per sanctioned estimate vide self-execution certificate no. <u>E12-F-302</u> dated. <u>15-04-2023</u> (W.O.2348530) through Licensed Electrical Contractor having class-1 License.

The materials used shall confirm to corporate specifications before execution of work.

3. You shall use all standard materials in accordance with relevant ISI/BESCOM specification.

4. The entire distribution system with the concerned equipment will be taken over by the corporation after completion of work and certified by Asst. Exe. Engineer (El), BESCOM, O&M <u>E12</u> sub division.

5. You should give an INDEMNITY BOND on Rs. 100/- STAMP PAPER to Asst. Exe. Engineer (El), BESCOM, <u>E12</u> sub division, that you will stand guarantee for a period of 12 months for the materials used by you as well as for the quality of works carried out by you, from the date of taking over of the lines and equipment's by corporation. Any failure within the guarantee period will be replaced by you "FREE OF COST"

 Proof for having purchased the materials used for execution of the work from the reputed firm will be verified wherever necessary.

7. The Materials shall be purchased from BESCOM approved vendors and have to be got inspected by the TA&QC staff whenever necessary, as per General Manager (TA&QC) letter no. BESCOM/GM(TA&QC)/ BC-35/11-12/ Cys-26 dated. 27.06.11. Inspection charges of Rs. 5000/- per inspection in case of inspection of materials at factory premises in Karnataka, Outside Karnataka, charges such as transportation, boarding and lodging charges etc. has to be borne by prospective consumers

8. For further details, you may contact the Asst. Exe. Engineer (El), BESCOM, O&M E12 sub division.

The self-execution work shall be completed within 90days of issue of this certificate and avail service, otherwise the application will be treated as cancelled.

The Applicant shall furnish the Occupancy Certificate from Competent Authority, Before Commencement of Supply
as per Clause No.9.07/4, New of C.O.S of Electricity of distribution Licenses in the state of Karnataka (Sixth
Amendment)2017.

Yours faithfully.

Executive Engineer (EI),

BESCOM, Whitefield Division, Balore.

Copy to the Asst. Exe. Engineer (El), <u>E12</u> sub division, BESCOM, and to intimate the consumer as per with regard to availing service as per "Conditions of supply of electricity of distribution licenses in the state of Karnataka" & collect inspection charges as per Cys-26/27.06.11

Copy to the Accounts Officer, Whitefield Division, BESCOM., Bangalore for needful action along with sanctioned estimate

Lr. No Date: 08/05/2023

Ack No: EI000110537524

GSC No:

O/o Additional Chief Electrical Inspector, Bengalore North, No. 2/3 & 4, Aragini Building, 1st Floor, Dr. Rajkumar Road, Rajajinagar, Bangalore10

Phone No :080-23420022

To

MS. NANDHINI HOTELS PVT LTD

NO – 354/1, 13th MAIN ROAD, SADARAMANGALA, INDUSTRIAL AREA, SADARAMANGALA VILLAGE,
BENGALURU, BENGALURU(District), BENGALURU EAST(Taluk)

Karnataka, India-560067

Sir,

Sub: Approval of electrical installation pertaining to 2X1010KVA 415V DG sets in an existing HTMSB installation MS. NANDHINI HOTELS PVT LTD NO – 354/1,, 13th MAIN ROAD,, SADARAMANGALA, INDUSTRIAL AREA,, SADARAMANGALA VILLAGE, BANGALORE EAST(District), BANGALORE EAST(IRA)(Taluk) - 560067

Drawing Ref No: EI000110535678

Ref: 1.Existing HT MSB Approval Ack No: 2. Drg Ack No:EI000110535678

With reference to the above, approval is hereby granted for energizing the electrical installation at [MS. NANDHINI HOTELS PVT LTD with NO – 354/1,, 13th MAIN ROAD,, SADARAMANGALA, INDUSTRIAL AREA,, SADARAMANGALA VILLAGE, BANGALORE EAST, BANGALORE EAST(IRA) - 560067] under Regulation No. [32] of Central Electricity Authority (Measures relating to Safety and Electric Supply) Regulation, 2010 as per details enclosed.

This approval is strictly subject to your full compliance with the relevant provisions of the Central Electricity Authority (Measures relating to Safety and Electric Supply) Regulation, 2010 (as amended to date) in every respect.

Note:

Conditions:

- 1. As per Regulation No: 46(5) and 46(6) required records shall be maintained.
- 2. As per Regulation No: 46(7) the installation shall be maintained and operated in a condition free from danger.
- 3. As per Regulation No: 3 designated person(s) shall operate and carryout the work on electrical lines and apparatus.

1

Inspection fee of **Rs. 11,400/-** (IN WORDS) **Eleven Thousand Four Hundred** onlypaid vide K2 Challan Ref. No: **EL0523004300002079** dated **06/05/2023**

Ack No : EI000110537524

Details of Equipments:

CG. No: DG1:BE-6840, DG2:BE-6841

Engine: Make: Cummins India Limited, 1500RPM, 1180BHP, DG1-25481237, DG2-SI. No: 25480856, .

Alternator: Make:Stamford, 1010KVA, 1405.1A, 1500RPM, SI.No:DG1-N23A020770, DG1-SI.No:N23A010308,


CTs: Make:Kalpa, 10VA, cl:1.0, 1600/5A, DG1-SI.No:80282/22, 80281/22, 80280/22. DG2-SI.No:80263/22, 80264/22, 80265/22.

EMs: Make: Make:Elemeasure, smart-3E, 3P4W, DG1-SI.No:ECC5141294, IR:00000400.00, MF: Direct Reading. DG2-SI.No:CCC5112961, IR:00000400.00, MF: Direct Reading.

CONDITIONS:

- 1. This approval is subject to condition of compliance of Central Electricity Authority (Measures Relating to Safety Electric Supply) Regulations, 2010, framed under the Electricity Act 2003 and also The Karnataka Electricity (Taxation on consumption or sale) Act, 1959 and the Karnataka Electricity (Taxation on consumption or sale) Rules 2014.
- 2. This approval is subject to condition of clause (a) of sub-section (2) of Section 3 of the Karnataka Electricity (Taxation on consumption or Sale) Act, 1959, (Karnataka Act 14 of 1959), prescribed tax per unit shall be remitted as electricity tax on captive consumption of electricity generated by the Captive power generating plant.
- 3. Monthly tax returns shall be filed in Forms 'G' and same shall be sent to jurisdictional DEI's Office, under intimation to the undersigned.
- 4. This approval shall be displayed at the generator room or in the control room.
- 5. Log book detailing/ showing day-to-day generation of energy and fuel consumption shall be maintained.
- 6. The energy meter shall be got calibrated once in a year and CTs shall be got tested once in three years respectively and Calibration and Test Certificates shall be sent to jurisdictional DEI's Office, under intimation to the undersigned.

 Calibration & Test may done by the KPTCL or any other approved agencies.
- 7. The set shall always be kept open for inspection of Electrical Inspectorate authorities.
- 8. Any change in the generator machineries shall be intimated to this office and fresh approval shall be obtained.
- 9. Shifting of generator machineries shall be intimated and prior approval of the undersigned shall be obtained.
- 10. Necessary clearance shall be obtained from KSPCB.
- 11. It shall be the responsibility of the owner of all installations to maintain and operate the installation in a condition free from danger and as recommended by the manufacturer or by the relevant codes of practice of the Bureau of Indian Standards.



Digitally Signed by : KONAPALLI NAGARAJ

Additional Chief

Electrical Inspector Bangalore North

Signed Date :08/05/2023

Note: This is a Digitally Signed Certificate and Does not require manual signature.

Please, Verify authenticity of this certificate by visiting www.ksei.gov.in and entering certificate number in Third party verification.

Ack No : El000110537524



Office of the Chief Fire Officer, Bengaluru-East Zone Karnataka Fire & Emergency Services No. 04, Commissariat Road, Bengaluru-560 025.



Dated: 11-07-2023.

No. 576/CFO/Bng-East/RFSCR/2023

ANNEXURE-C

"C1 Hospitals and Sanatoria" Group C, Institutional Buildings

To, The Authorised Signatory, M/s. Nandhini Hotels Pvt. Ltd., No.114/2, Lalbugh Fort Road, Minerva Circle, Bengaluru.

Sir,

Sub: Issue of "Renewal Fire Safety Compliance report" with respect to fire prevention, firefighting and evacuation measures maintained at "M/s. Aster Hospital, Sy No.3 & 4, Sadaramangala Industrial Area, Whitefield Road, Bengaluru" - reg.

1) Head Office FSCC No: 4502/KSFES/GBC(2)/06/019-20 dt:08-03-2021. Ref:

2) Your request letter Dated: 30-06-2023.

3) Inspection report No.46/DFO/AFS/2023 Dt:07-07-2023.

With reference to the above cited subject, as per reference (1) a conditional Fire Safety Compliance Certificate was issued to the premises of "M/s. Aster Hospital, Sy No.3 & 4, Sadaramangala Industrial Area, Whitefield Road, Bengaluru" with a condition to fulfill the recommendations and compliance the same.

With reference cited (2) above, the management of "M/s. Aster Hospital" had requested for the Fire Safety compliance report from our department. In this regard the District Fire Officer, Anjanapura Fire Station, Bengaluru has re-inspected on 07-07-2023 and submitted the report to issue Renewal Fire Safety Compliance report.

Under the above circumstance the Karnataka Fire & Emergency Services Department is issuing the "Renewal Fire Safety Compliance Report" to "M/s. Aster Hospital, Sy No.3 & 4, Sadaramangala Industrial Area, Whitefield Road, Bengaluru". subject to proper maintenance of fire fighting installations in good working conditions. "This report is valid for only two years from the date of issue and is renewable without fail'.

Copy to 1) The DGP & DG, KSFES, Bengaluru for your kind information sir. 2) District Fire Officer, Anjanapura Fire Station,

Bengaluru.

Yours faithfully,

Chief Aire Officer Bengaluru East/Zone

Bengaluru

Office of the Director General of Police

Commandant General, Home Guards & Director of Civil Defence and Director General Karnataka State Fire & Emergency Services No. 1, Annaswamy Mudaliar Road Banglore - 560 042



Phone: 25570733 : 22971501 Fax: 22971512

KARNATAKA STATE FIRE & EMERGENCY SERVICES

CLEARANCE CERTIFICATE

ಹಸ್ತಜಾಲಿತ ಫೈಲ್ ಸಂಖ್ಯೆ: KSFES/GBC(1)/383 27/06/2023

ಡಾಕೆಟ್ ಸಂಖ್ಯೆ: KSFES/CC/351/2023

ಗೆ,

The Chief Executive Officer Executive Member, KIADB,
4th & 5th Floor,
Khanija Bhavan,
Race Course Road,
Bangalore - 560 001.

ಮಾನ್ಯರೆ,

ವಿಷಯ: Plot No. 2, 3 & 4, Sadaramangala Industrial Area, Off ITPL Main

Road, Whitefield, Bangalore East, BANGALORE - 560066 ರಲ್ಲಿ ನಿರ್ಮಿಸಿರುವ ಬಹುಮಹಡಿ Hospital ಕಟ್ಟಡಗಳಿಗೆ ಸ್ವಾಧೀನತೆ ಪಡೆಯಲು

ಕ್ಲಿಯರೆನ್ಸ್ ಪತ್ರ ನೀಡುವ ಬಗ್ಗೆ.

ಉಲ್ಲೇಖ: 1) ಅಗ್ನಿಶಾಮಕ ಮತ್ತು ತುರ್ತು ಸೇವಾ ಇಲಾಖೆಯ ನಿರಾಕ್ಷೇಪಣಾ ಪತ್ರಸಂ. ಡಾಕೆಟ್

ಸಂಖ್ಯೆ KSFES/GBC(1)/383 ದಿನಾಂಕ 13/03/2020.

2) M/s. ASTER DM HEALTHCARE LTD and Plot No. 2, 3 & 4, Sadaramangala Industrial Area, Off ITPL Main Road, Whitefield, Bangalore East, BANGALORE - 560066 ರವರ ಪತ್ರ ದಿನಾಂಕ

24/05/2023

.....

ಬೆಂಗಳೂರು ಪೂರ್ವ, ವೈಟ್ಫೀ2ಲ್ಡ್ ರಸ್ತೆ, ಸಾದರಮಂಗಲ ಕೈಗಾರಿಕ ಪ್ರದೇಶ, ಪ್ಲಾಟ್ ಸಂ.03 & 04 ರಲ್ಲಿ 20.95 ಮೀಟರ್ ಎತ್ತರದ ತಳಹಂತ, ನೆಲಹಂತ ಮತ್ತು 05 ಮೇಲಂತಸ್ತುಗಳನ್ನು ಹೊಂದಿರುವ ಬಹುಮಹಡಿ ಆಸ್ಪತ್ರೆ ಕಟ್ಟಡವನ್ನು ನಿರ್ಮಿಸಲು ಅಗ್ನಿಶಾಮಕ ಮತ್ತು ತುರ್ತು ಸೇವಾ ಇಲಾಖೆಯಿಂದ ದಿನಾಂಕ 12-03-2020 ರಂದು ನಿರಾಕ್ಷೇಪಣಾ ಪತ್ರ ನೀಡಲಾಗಿದೆ.

ಪ್ರಸ್ತುತ ಕಟ್ಟಡದ ನಿರ್ಮಾಪಕರಾದ M/s. ASTER DM HEALTHCARE LTD ರವರು ತಮ್ಮ ಉಲ್ಲೇಖಿತ ಪತ್ರದಲ್ಲಿ ಸದರಿ ಕಟ್ಟಡಗಳ ಪೈಕಿ ನಿರ್ಮಾಣ ಹಾಗೂ ಅಗ್ನಿಶಮನ ಉಪಕರಣಗಳ ಅಳವಡಿಕೆ ಕಾರ್ಯ ಮುಗಿದಿದ್ದು, ಅದರ ಸ್ವಾಧೀನತೆಯನ್ನು ಪಡೆಯಲು ಅಗ್ನಿಶಾಮಕ ಮತ್ತು ತುರ್ತು ಸೇವಾ ಇಲಾಖೆಯ ಕ್ಲಿಯರೆನ್ಸ್ ಪತ್ರ ನೀಡುವಂತೆ ಕೋರಿರುತ್ತಾರೆ.

ಕಟ್ಟಡ ನಿರ್ಮಾಪಕರ ಕೋರಿಕೆಯಂತೆ, ಅಗ್ನಿಶಾಮಕ ಮತ್ತು ತುರ್ತು ಸೇವೆಗಳ ಅಧಿಕಾರಿಗಳು ದಿನಾಂಕ 08-06-2023 ರಂದು ಬೆಂಗಳೂರು ಪೂರ್ವ, ವೈಟ್ಫೀರಲ್ಡ್ ರಸ್ತೆ, ಸಾದರಮಂಗಲ ಕೈಗಾರಿಕ ಪ್ರದೇಶ, ಪ್ಲಾಟ್ ಸಂ.03 & 04 ರಲ್ಲಿ ನಿರ್ಮಿಸಿರುವ ಬಹುಮಹಡಿ ಆಸ್ಪತ್ರೆ ಕಟ್ಟಡವನ್ನು ನಿರೀಕ್ಷಣೆ ಮಾಡಿ, ಕಟ್ಟಡ ನಿರ್ಮಾಪಕರು ಅಗ್ನಿಶಾಮಕ ಮತ್ತು ತುರ್ತು ಸೇವಾ ಇಲಾಖೆಯು ನೀಡಿರುವ ನಿರಾಕ್ಷೇಪಣಾ ಪತ್ರದಂತೆ, ಅಗ್ನಿರಕ್ಷಣೆ ಮತ್ತು ನಿಯಂತ್ರಣ, ಅಗ್ನಿನಂದಿಸುವ ಉಪಕರಣಗಳ ಅಳವಡಿಕೆ ಹಾಗೂ ರಕ್ಷಣಾ ಕ್ರಮಗಳನ್ನು ಬಹುಮಹಡಿ ಕಚೇರಿ ಕಟ್ಟಡದಲ್ಲಿ ಪೂರ್ಣವಾಗಿ ಅನುಷ್ಟಾನಗೊಳಿಸಿರುವುದಾಗಿ ತಿಳಿಸಿರುತ್ತಾರೆ.

ಆದ್ದರಿಂದ ಬೆಂಗಳೂರು ಪೂರ್ವ, ವೈಟ್ಫೀದಲ್ಡ್ ರಸ್ತೆ, ಸಾದರಮಂಗಲ ಕೈಗಾರಿಕ ಪ್ರದೇಶ, ಪ್ಲಾಟ್ ಸಂ.03 & 04 ರಲ್ಲಿ ನಿರ್ಮಿಸಿರುವ 20.95 ಮೀಟರ್ ಎತ್ತರದ ತಳಹಂತ, ನೆಲಹಂತ ಮತ್ತು 05 ಮೇಲಂತಸ್ತುಗಳನ್ನು ಹೊಂದಿರುವ ಬಹುಮಹಡಿ ಆಸ್ಪತ್ರೆ ಕಟ್ಟಡಕ್ಕೆ ಸ್ವಾಧೀನತೆ ಪಡೆಯಲು ಅಗ್ನಿಶಾಮಕ ಮತ್ತು ತುರ್ತು ಸೇವಾ ಇಲಾಖೆಯ ನಿರಾಕ್ಷೇಪಣಾ ಪತ್ರ ಸಂಖ್ಯೆ ಜಿಬಿಸಿ(1)383/2021 ದಿನಾಂಕ 12-03-2020 ರಲ್ಲಿ ತಿಳಿಸಿರುವಂತೆ, ಅಗ್ನಿರಕ್ಷಣೆ ಮತ್ತು ನಿಯಂತ್ರಣ ಹಾಗೂ ಅಗ್ನಿನಂದಿಸುವ ಉಪಕರಣಗಳ ಅಳವಡಿಕೆ ಹಾಗೂ ರಕ್ಷಣಾ ಕ್ರಮಗಳನ್ನು ಕಟ್ಟುನಿಟ್ಟಾಗಿ ಪಾಲಿಸಬೇಕೆಂದು, ಹಾಗೂ ಅಗ್ನಿಶಮನ ಉಪಕರಣಗಳನ್ನು ಸುಸ್ಥಿತಿಯಲ್ಲಿಡಬೇಕೆಂಬ ಷರತ್ತಿನ ಮೇಲೆ ಸ್ವಾಧೀನತಾ ಪ್ರಮಾಣ ಪತ್ರ ನೀಡಲು ಅಗ್ನಿಶಾಮಕ ಮತ್ತು ತುರ್ತು ಸೇವಾ ಇಲಾಖೆಯ ಯಾವ ಆಕ್ಷೇಪಣೆ ಇಲ್ಲವೆಂದು ತಿಳಿಸಿದೆ.

ಕಟ್ಟಡ ನಿರ್ಮಾಪಕರು ದಿನಾಂಕ 06/02/2023 ರಂದು ಒಪ್ಪಿರುವಂತೆ ಸಲ್ಲಿಸಿರುವ ಮುಚ್ಚಳಿಕೆ ಪತ್ರದಂತೆ ಕಟ್ಟಡದಲ್ಲಿನ ಶೇಕಡಾ 40 ರಷ್ಟು ಸಿಬ್ಬಂದಿ/ನೌಕರರಿಗೆ ಅಗ್ನಿರಕ್ಷಣೆ ಮತ್ತು ನಿಯಂತ್ರಣ ಕ್ರಮಗಳ ಬಗ್ಗೆ, ಬೆಂಗಳೂರಿನ ಆರ್.ಎ.ಮುಂಡ್ಕುರ್ ಅಗ್ನಿಶಾಮಕ ಮತ್ತು ತುರ್ತು ಸೇವೆಗಳ ಆಕಾಡೆಮಿಯಲ್ಲಿ ಸೂಕ್ತ ತರಬೇತಿಯನ್ನು 6 ತಿಂಗಳೊಳಗೆ ಪಡೆಯಲು ವ್ಯವಸ್ಥಿಸಬೇಕೆಂಬ ಷರತ್ತಿಗೊಳಪಟ್ಟಿದೆ.

ಅಲ್ಲದೆ ಸದರಿ ಕಟ್ಟಡಗಳ ಅವರಣದ ಯಾವುದೇ ಭಾಗದಲ್ಲಿ ಎಲ್ಜಿಸಿ ಅಥವಾ ಹೆಚ್ಎಸ್ಡೆ ಇತ್ಯಾದಿಗಳನ್ನು ಶೇಖರಣೆ ಮಾಡಲು ಉದ್ದೇಶಿಸಿದ್ದಲ್ಲಿ ಸಕ್ಷಮ ಪ್ರಾಧಿಕಾರದಿಂದ ಅನುಮತಿಯನ್ನು ಪಡೆಯತಕ್ಕದ್ದು.

ಈ ಕ್ಲಿಯರೆನ್ಸ್ ಪತ್ರವು ಸರ್ಕಾರಿ ಆದೇಶ ಸಂ. ಒಇ 33 ಕಅಸೇ 2011 ದಿನಾಂಕ 07/07/2011 ರಂತೆ, ಈ ದಿನಾಂಕದಿಂದ ಮುಂದಿನ 2 ವರ್ಷಗಳವರೆಗೆ ಚಾಲ್ತಿಯಲ್ಲಿರುತ್ತದೆ. ತದನಂತರ ಈ ಕ್ಲಿಯರೆನ್ಸ್ ಪತ್ರವನ್ನು ದಿನಾಂಕ 27/06/2025 ರೊಳಗೆ ನವೀಕರಿಸುವಂತೆ ತಿಳಿಸಲಾಗಿದೆ.

ಒಂದು ವೇಳೆ ಯಾವುದೇ ಸಂದರ್ಭದಲ್ಲಿ ಕಟ್ಟಡದಲ್ಲಿ ಇಲಾಖಾ ಶಿಫಾರಸ್ಸಿನನ್ವಯ ಅಳವಡಿಸಿರುವ ಅಗ್ನಿನಿವಾರಣೆ ಹಾಗೂ ಅಗ್ನಿಶಮನದ ಉಪಕರಣಗಳು ಸುಸ್ಥಿತಿಯಲ್ಲಿ ಇಲ್ಲದೇ ಇರುವುದು ಕಂಡು ಬಂದರೆ ಅಥವಾ ರಕ್ಷಣಾ ಕ್ರಮಗಳನ್ನು ಕಟ್ಟುನಿಟ್ಟಾಗಿ ಪಾಲಿಸದಿದ್ದರೆ ಅಥವಾ ಕಾನೂನಿನ್ವಯ ಬಿಟ್ಟಿರುವ ತೆರೆದ ಪ್ರದೇಶದಲ್ಲಿ ಅಥವಾ ಕಟ್ಟಡದಲ್ಲಿ ಯಾವುದೇ ಹೆಚ್ಚುವರಿ ನಿರ್ಮಾಣ ಮಾಡಿದರೆ, ಅಥವಾ ಯಾವುದೇ ರೀತಿ ಖಾಯಂ/ತಾತ್ಕಾಲಿಕ ಅಡಚಣೆಗಳನ್ನುಂಟು ಮಾಡಿದರೆ ಹಾಗೂ ಮೇಲೆ ವಿವರಿಸಲಾದ ಬಾಕಿ ಉಳಿದಿರುವ ಶಿಫಾರಸ್ಸುಗಳನ್ನು ಮುಚ್ಚಳಿಕೆ ಪತ್ರದಲ್ಲಿ ಒಪ್ಪಿಕೊಂಡಂತೆ ಅಳವಡಿಸದಿದ್ದರೆ, ಈ ಕ್ಲಿಯರೆನ್ಸ್ ಪತ್ರ ಅನೂರ್ಜಿತ ಗೊಳ್ಳುವುದು ಹಾಗೂ ಕಾನೂನಿನ ಚೌಕಟ್ಟಿನಲ್ಲಿ ಮುಂದಿನ ಕ್ರಮ ಕೈಗೊಳ್ಳಲಾಗುವುದು.



Director of Fire & Emergency Services, Karnataka

ತಮ್ಮ ವಿಶ್ವಾಸಿ,

ಪೊಲೀಸ್ ಮಹಾ ನಿರ್ದೇಶಕರು ಹಾಗೂ ಮಹಾ ನಿರ್ದೇಶಕರು ಕರ್ನಾಟಕ ಅಗ್ನಿಶಾಮಕ ಮತ್ತು ತುರ್ತು ಸೇವೆಗಳು.

ಪ್ರತಿ:

1) ಮೆ: ಆಸ್ಟೆರ್ ಡಿಎಂ ಹೆಲ್ತ್ಕೇ ರ್ ಲಿಮಿಟೆಡ್, ನಂ.1785, ಸರ್ಜಾರಪುರ ರಸ್ತೆ, ಸೆಕ್ಟ್ರ್ಆ-1, ಹೆಚ್ಎ್ಸ್ ಸ್ಆಕರ್ ಬಡಾವಣೆ, ವಾರ್ಡ್ ನಂ.174, ಅಗ್ರ ಎಕ್ಸ್ಟೆನನ್ಷೆನ್, ಬೆಂಗಳೂರು-560102 2) ಉಪ ನಿರ್ದೇಶಕರು (ತಾಂತ್ರಿಕ), ಅಗ್ನಿಶಾಮಕ ಮತ್ತು ತುರ್ತು ಸೇವೆಗಳು.

Digitally signed by SHIVA KUMAR K Date: 2023.06.27 17:29:05 +05:30

Reason: Approved



INDIA NON JUDICIAL

Government of Karnataka

e-Stamp

Certificate No.

Certificate Issued Date

Account Reference

Unique Doc. Reference

Purchased by

Description of Document

Description

Consideration Price (Rs.)

First Party

Second Party

Stamp Duty Paid By

Stamp Duty Amount(Rs.)

IN-KA36763052890534V

08-Apr-2023 03:09 PM

: NONACC/ kakscsa08/ INDIRA NAGAR2/ KA-SV

: SUBIN-KAKAKSCSA0857244478101591V

: ANU AUTOCLAVE AND INCIN SERVICES

: Article 12 Bond

AGREEMENT

: 0

(Zero)


: ANU AUTOCLAVE AND INCIN SERVICES


: ASTER DM HEALTHCARE LIMITED

: ANU AUTOCLAVE AND INCIN SERVICES

100

(One Hundred only)





Please write or type below this line

BIO-MEDIAL WASTE MANAGEMENT SERVICE AGREEMENT

M/s. Anu Autoclave & Incin. Services (GSTIN: AAVFA7795F1ZL) having its registered office at GF, #854/F, 10th Main, Indiranagar 2nd Stage, Bangalore – 560038. Hereinafter referred to as "AAIS" represented by its Business- Head Mr. PSS. Rao



AND

War lister was a line

M/s. Aster DM Healthcare Limited (GSTIN: 29AACCD7912K1ZD), No.1785, Sarjapura Road, Sector-1, HSR Layout Ward No.174, Agra Extension, Bengalore-5600102 having its Hospital at in the name of Aster Hospital (A unit of Aster DM healthcare Ltd) having its place of business at Plot No. 2, Sadaramangala Industrial Area, off Whitefield Main Road, opposite ITPL, Whitefield, Bengaluru, Karnataka 560066, Karnataka, India, Hereinafter referred to as "Aster Hospital", represented by its Authorized Signatory - (COO) Mr Arun Kumar is hereby agreed and come to the Agreement on this 1st Day of April month year 2023 as detailed below:

- "AAIS", with Consent from Karnataka State Pollution Control Board is Operating a Common Treatment Facility for Managing Bio-Medical Waste in the State of Karnataka at Sy.No.145/2, Gullahalli Village, Sulibele Hobli, Hoskote Taluk, Bangalore Rural -562122. The facility is having a State of Art Autoclave System along with the Shredder and Incinerator.
- 2. "Aster Hospital", its Bio-Medical Waste, properly packed in color-coded bags as per Pollution Control Board regulations for treatment and final disposal to "AAIS". The waste should be given at one single point by "Aster Hospital", has at given time of "AAIS" vehicle.
- 3. "AAIS" will charge a price of Rs.6/- (Rupees Six) per Bed per Day (Excluding Statutory taxes if any) as agreed for collection, transportation, treatment and final disposal of Bio-Medical Waste. This price is for a period of one year from the date of this agreement and thereafter there will be 10% (Ten percent) escalations in the price for every one year on the existing rate. However, for cost factors beyond control, a suitable revision will be permitted.
- 4. "Aster Hospital", will not enter into any kind of agreement with any other party or organization for the waste treatment and disposal unless cancellation of this agreement by obtaining NO OBJECTION CERTIFICATE from KSPCB and DHO and BBMP/Local Municipal Authorities.
- 5. "Aster Hospital" at Plot No. 2, Sadaramangala Industrial Area, off Whitefield Main Road, opposite ITPL, Whitefield, Bengaluru, Karnataka 560066, Karnataka, India having total 49 Beds. Anu Autoclave & Incin Services shall charge for 49 Beds per day up to 12(TWELVE) months thereafter total Licensed Beds.
- 6. "Aster Hospital", assuring that, payment should be made through Electronic Payment Mode on or before 5th of every month. Details for electronic payment: -

A/c Name: ANU AUTOCLAVE & INCIN SERVICES;

A/c. No: 00000038600340239; Type of A/c: CURRENT ACCOUNT.

Bank: STATE BANK OF INDIA; MICR Code: 560002183.

Branch: PREMIER BANKING BRANCH - INDIRANAGAR; IFSC Code: SBIN0015035.

7. "AAIS" will collect Bio-Medical waste regularly and treat the waste as per the regulations. "AAIS" will not collect any waste that is not segregated or not properly packed. "AAIS" will not Collect General Garbage at all.

A Service of the Serv

Short

Page 2 of 3

- 8. "AAIS" will issue a proof of waste which is collected from "Aster Hospital", as per your declaration in the Application Form. This will help the individual hospital for getting compliance with the State Pollution Control Board. "Aster Hospital" can take their Authorization from the State Pollution Control Board by informing the Board that, "AAIS" treats their waste (The same has to be mentioned in the Authorization Form).
- 9. In case "Aster Hospital" find any irregularities in collection of waste, they can send a notice in writing to "AAIS" for immediate action.
- 10. "AAIS", will maintain their plant in good running condition all the time and ensure continuity of service to "Aster Hospital" as per the agreed terms & Conditions.
- 11. This MEMORANDUM OF UNDERSTANDING is entered into on the express understanding that, "AAIS" will maintain the logistics in order to collect, transport and treat the waste at their plant strictly in accordance with the Consent of the Karnataka State Pollution Control Board and it shall be the responsibility to obtain the Consent and keep the same always current.
- 12. In case of violation of any of the agreed terms & conditions of the MOU by either party, issue of notice may terminate this MOU Three months in advance by either party for terminating their respective obligations.
- 13. All disputes to this understanding are subject to the Jurisdiction of the court in Bangalore only.

14. This MOU is effective from 01-04-2023 and is valid for 5 (Five) Years up to 31.03.2028.

M/s. Anu Autoclave & Incin. Services...

Business-Head.

M/s. Aster Hospital - (A unit of Aster DM healthcare Ltd).

Authorized Signatory.



Recognised by MoEF & CC, Certified By: ISO 9001: 2015, ISO 45001: 2018 & ISO 14001: 2015 # C-56, KSSIDC Industrial Estate, Veerasandra, Hosur Road, Bangalore-560 100. Ph.: 080-2960 0330 Mob.: 98456 65241 E-mail : enquiry2022.eth@gmail.com

TEST REPORT

Name & Address of the Customer

: M/s. ASTER HOSPITAL WHITEFIELD.

(A Unit of Aster DM Health Care Limited) (A-Block) Plot No 3 & 4 Sadaramangala Industrial Area, Off. Whitefield Main Road, Opposite ITPL, Whitefield,

Bengaluru, Karnataka-560 066.

Sample Code	ETH/JUN-24/91-1					
Date of Sample Collection	17/06/2024	Date of Sample Receipt	17/06/2024			
Analysis Commenced Date	17/06/2024	Analysis Completed Date	19/06/2024			
Sampling Location	A-Block 1st Floor PICU					
Sample Particulars	A-Block 1st Floor PICU Report Issue Date 21/06/2024 Indoor Air Quality Monitoring.					

Instrument Used:

Instrument Name	Instrument ID	Make	Model	SI No	Instrument Calibrated Date	Instrument Calibration Due Date
Handy Sampler-1	ETH/AIR/INS/013	Ecotech	IAS-109	19-F-184	07-12-2023	06-12-2024

INDOOR AIR QUALITY MONITORING RESULTS

SI No	Parameters	Unit	Results	Standard Limits	Standard Reference
1	Temperature	oC	26	20 -23.6 (winter) 22.8-26.1(summer)	ASHRAE
2	Relative Humidity	%	47	30 - 65	ASHRAE
3	Particulate Matter (PM10)	mg/m³	7.6	15	OSHA
4	Particulate Matter (PM2.5)	mg/m³	1.7	5	OSHA
5	Sulphur Dioxide as SO ₂	ppm	1.9	5	OSHA
6	Nitrogen Dioxide as NO ₂	ppm	2.5	5	OSHA
7	Carbon Monoxide as CO	ppm	Not Detected	50	OSHA
8	Carbon Dioxide as CO ₂	ppm	350	5000	OSHA
9	Oxygen as O ₂	%	20.6	Min 19.5	OSHA
10	Formaldehyde	ppm	Not Detected	0.75	ETH/TR/AIR/SOP/021
11	Total Volatile Organic Compound	ppm	Not Detected	5.0	ETH/TR/AIR/SOP/021
12	Ammonia	ppm	Not Detected	25	ETH/TR/AIR/SOP/029
13	Hydrogen Sulphide	ppm	Not Detected	10	ETH/TR/AIR/SOP/030

*End of the report****

Page 1 of 2

Authorized Signatory



Recognised by MoEF & CC, Certified By: ISO 9001: 2015, ISO 45001: 2018 & ISO 14001: 2015 # C-56, KSSIDC Industrial Estate, Veerasandra, Hosur Road, Bangalore-560 100. Ph.: 080-2960 0330 Mob.: 98456 65241 E-mail: enquiry2022.eth@gmail.com

TEST REPORT

Name & Address of the Customer

: M/s. ASTER HOSPITAL WHITEFIELD.

(A Unit of Aster DM Health Care Limited) (A-Block) Plot No 3 & 4 Sadaramangala Industrial Area, Off. Whitefield Main Road, Opposite ITPL, Whitefield,

Bengaluru, Karnataka-560 066.

Sample Code	ETH/JUN-24/91-1					
Date of Sample Collection	17/06/2024	Date of Sample Receipt	17/06/2024			
Analysis Commenced Date	17/06/2024	Analysis Completed Date	21/06/2024			
Sampling Location	A-Block 1st Floor PICU	21/06/2024				
Sample Particulars	Indoor Air Quality Monitor	A-Block 1st Floor PICU Report Issue Date 21/06/2024 Indoor Air Quality Monitoring.				

Instrument Used:

Instrument Name	Instrument ID	Make	Model	SI No	Instrument Calibrated Date	Instrument Calibration Due Date
Handy Sampler-1	ETH/AIR/INS/013	Ecotech	IAS-109	19-F-184	07-12-2023	06-12-2024

INDOOR AIR QUALITY MONITORING RESULTS

SI No	Parameters	Unit	Results	Standard Limits	Standard Reference
1	Yeasts	CFU	2	((0) -	ETH/TR/MB/SOP-024
2	Fungi molds	CFU	7/1	m -	ETH/TR/MB/SOP-024
3	Streptococci spp.	Absent/Present	Absent	~/-	ETH/TR/MB/SOP-025
4	Staphylococci spp.	Absent/Present	Absent	-	ETH/TR/MB/SOP-026
5	Bacterial Count	CFU	5	-	ETH/TR/MB/SOP-027

****End of the report****

Page 2 of 2

Jan 106/24

BANGALORE BANGALORE

Authorized Signatory

@ allelan

Reviewed By



Recognised by MoEF & CC, Certified By: ISO 9001: 2015, ISO 45001: 2018 & ISO 14001: 2015

C-56, KSSIDC Industrial Estate, Veerasandra, Hosur Road, Bangalore-560 100. Ph.: 080-2960 0330 Mob.: 98456 65241 E-mail: enquiry2022.eth@gmail.com

TEST REPORT

Name & Address of the Customer

: M/s. ASTER HOSPITAL WHITEFIELD.

(A Unit of Aster DM Health Care Limited) (B-Block) Plot No 3 & 4 Sadaramangala Industrial Area, Off. Whitefield Main Road, Opposite ITPL, Whitefield, Bengaluru, Karnataka-560 066.

Sample Code	ETH/JUN-24/92-1					
Date of Sample Collection	17/06/2024	Date of Sample Receipt	17/06/2024			
Analysis Commenced Date	17/06/2024	Analysis Completed Date	19/06/2024			
Sampling Location	B-Block 3rd Floor Medical ICU	Report Issue Date	21/06/2024			
Sample Particulars	Indoor Air Quality Monitoring.					

Instrument Used:

Instrument Name	Instrument ID	Make	Model	SI No	Instrument Calibrated Date	Instrument Calibration Due Date
Handy Sampler-1	ETH/AIR/INS/013	Ecotech	IAS-109	19-F-184	07-12-2023	06-12-2024

INDOOR AIR QUALITY MONITORING RESULTS

SI No	Parameters	Unit	Results	Standard Limits	Standard Reference
1	Temperature	OC	23.8	20 -23.6 (winter) 22.8-26.1(summer)	ASHRAE
2	Relative Humidity	%	51	30 - 65	ASHRAE
3	Particulate Matter (PM10)	mg/m³	6.9	15	OSHA
4	Particulate Matter (PM2.5)	mg/m³	1.6	5	OSHA
5	Sulphur Dioxide as SO ₂	ppm	1.8	5	OSHA
6	Nitrogen Dioxide as NO ₂	ppm	2.3	5	OSHA
7	Carbon Monoxide as CO	ppm	Not Detected	50	OSHA
8	Carbon Dioxide as CO ₂	ppm	370	5000	OSHA
9	Oxygen as O ₂	%	20.9	Min 19.5	OSHA
10	Formaldehyde	ppm	Not Detected	0.75	ETH/TR/AIR/SOP/021
11	Total Volatile Organic Compound	ppm	Not Detected	5.0	ETH/TR/AIR/SOP/021
12	Ammonia	ppm	Not Detected	25	ETH/TR/AIR/SOP/029
13	Hydrogen Sulphide	ppm	Not Detected	10	ETH/TR/AIR/SOP/030

RO TES****End of the report*****

Page 1 of 2

Reviewed By

Authorized Signatory



Recognised by MoEF & CC, Certified By: ISO 9001: 2015, ISO 45001: 2018 & ISO 14001: 2015 # C-56, KSSIDC Industrial Estate, Veerasandra, Hosur Road, Bangalore-560 100. Ph.: 080-2960 0330 Mob.: 98456 65241 E-mail: enquiry2022.eth@gmail.com

TEST REPORT

Name & Address of the Customer

: M/s. ASTER HOSPITAL WHITEFIELD.

(A Unit of Aster DM Health Care Limited) (B-Block) Plot No 3 & 4 Sadaramangala Industrial Area, Off. Whitefield Main Road, Opposite ITPL, Whitefield,

Bengaluru, Karnataka-560 066.

Sample Code	ETH/JUN-24/92-1					
Date of Sample Collection	17/06/2024	Date of Sample Receipt	17/06/2024			
Analysis Commenced Date	17/06/2024	Analysis Completed Date	21/06/2024			
Sampling Location	B-Block 3rd Floor Medical ICU	Report Issue Date	21/06/2024			
Sample Particulars	Indoor Air Quality Monitoring.					

Instrument Used:

Instrument Name	Instrument ID	Make	Model	SI No	Instrument Calibrated Date	Instrument Calibration Due Date
Handy Sampler-1	ETH/AIR/INS/013	Ecotech	IAS-109	19-F-184	07-12-2023	06-12-2024

INDOOR AIR QUALITY MONITORING RESULTS

SI No	Parameters	Parameters Unit		Standard Limits	Standard Reference
1	Yeasts	CFU	Nil	177 -	ETH/TR/MB/SOP-024
2	Fungi molds	CFU	1 1	~// -	ETH/TR/MB/SOP-024
3	Streptococci spp.	Absent/Present	Absent	-	ETH/TR/MB/SOP-025
4	Staphylococci spp.	Absent/Present	Absent	-	ETH/TR/MB/SOP-026
5	Bacterial Count	CFU	4	-	ETH/TR/MB/SOP-027

*****End of the report****

Page 2 of 2

Vario 6/24

Reviewed By

BANGALORE OF ALL GLOWN

Authorized Signatory



Recognised by MoEF & CC, Certified By: ISO 9001: 2015, ISO 45001: 2018 & ISO 14001: 2015 # C-56, KSSIDC Industrial Estate, Veerasandra, Hosur Road, Bangalore-560 100. Ph.: 080-2960 0330 Mob.: 98456 65241 E-mail : enquiry2022.eth@gmail.com

TEST REPORT

Name & Address of the Customer

: M/s. ASTER HOSPITAL WHITEFIELD.

(A Unit of Aster DM Health Care Limited) (B-Block) Plot No 3 & 4 Sadaramangala Industrial Area, Off. Whitefield Main Road, Opposite ITPL, Whitefield, Bengaluru, Karnataka-560 066.

Sample Code	ETH/JUN-24/92-3					
Date of Sample Collection	17/06/2024 Date of Sample Receipt 17/06/2024					
Analysis Commenced Date	17/06/2024	Analysis Completed Date	19/06/2024			
Sampling Location	B-Block 4th Floor OT Corridor	Report Issue Date	21/06/2024			
Sample Particulars	Indoor Air Quality Monitoring.	-				

Instrument Used:

Instrument Name	Instrument ID	Make	Model	SI No	Instrument Calibrated Date	Instrument Calibration Due Date
Handy Sampler-1	ETH/AIR/INS/013	Ecotech	IAS-109	19-F-184	07-12-2023	06-12-2024

INDOOR AIR QUALITY MONITORING RESULTS

SI No	Parameters	Unit	Results	Standard Limits	Standard Reference
1	Temperature	oC	24.5	20 -23.6 (winter) 22.8-26.1 (summer)	ASHRAE
2	Relative Humidity	%	61.2	30 - 65	ASHRAE
3	Particulate Matter (PM10)	mg/m³	6.9	15	OSHA
4	Particulate Matter (PM2.5)	mg/m³	1.8	5	OSHA
5	Sulphur Dioxide as SO ₂	ppm	1.7	5	OSHA
6	Nitrogen Dioxide as NO ₂	ppm	2.2	5	OSHA
7	Carbon Monoxide as CO	ppm	Not Detected	50	OSHA
8	Carbon Dioxide as CO ₂	ppm	410	5000	OSHA
9	Oxygen as O ₂	%	20.7	Min 19.5	OSHA
10	Formaldehyde	ppm	Not Detected	0.75	ETH/TR/AIR/SOP/021
11	Total Volatile Organic Compound	ppm	Not Detected	5.0	ETH/TR/AIR/SOP/021
12	Ammonia	ppm	Not Detected	25	ETH/TR/AIR/SOP/029
13	Hydrogen Sulphide	ppm	Not Detected	10	ETH/TR/AIR/SOP/030

Reviewed By

*End of the report**** BANGALORE

Page 1 of 2

NOTE: 1. The result listed above pertain only to the tested samples and applicable parameters. 2. Samples will be stored for a period of 15 Days unless otherwise specified. 3. This report is not to be reproduced either wholly or in part and can not be used an evidence in the court of law and should not be used in any advertising media without prior written permission. 4. Sampling not done by us unless specified. 5. Total liability of our lab is limited to the Invoice Amount & any disputes arising out of this report are subject to Bangalore Jurisdiction only.

6. Laboratory is not responsible for the authenticity of photocopied test reports. ETH/QR/F&F/069 Issue date 01/01/2024



Recognised by MoEF & CC, Certified By: ISO 9001: 2015, ISO 45001: 2018 & ISO 14001: 2015

C-56, KSSIDC Industrial Estate, Veerasandra, Hosur Road, Bangalore-560 100. Ph.: 080-2960 0330 Mob.: 98456 65241 E-mail: enquiry2022.eth@gmail.com

TEST REPORT

Name & Address of the Customer

: M/s. ASTER HOSPITAL WHITEFIELD.

(A Unit of Aster DM Health Care Limited) (B-Block) Plot No 3 & 4 Sadaramangala Industrial Area, Off. Whitefield Main Road, Opposite ITPL, Whitefield,

Bengaluru, Karnataka-560 066.

Sample Code	ETH/JUN-24/92-3				
Date of Sample Collection	17/06/2024	Date of Sample Receipt	17/06/2024		
Analysis Commenced Date	17/06/2024	Analysis Completed Date	21/06/2024		
Sampling Location	B-Block 4th Floor OT Corridor	Report Issue Date	21/06/2024		
Sample Particulars	Indoor Air Quality Monitoring.				

Instrument Used:

Instrument Name	Instrument ID	Make	Model	SI No	Instrument Calibrated Date	Instrument Calibration Due Date
Handy Sampler-1	ETH/AIR/INS/013	Ecotech	IAS-109	19-F-184	07-12-2023	06-12-2024

INDOOR AIR QUALITY MONITORING RESULTS

SI No	Parameters	Unit	Results	Standard Limits	Standard Reference
1	Yeasts	CFU	Nil	(C)	ETH/TR/MB/SOP-024
2	Fungi molds	CFU	1	~// -	ETH/TR/MB/SOP-024
3	Streptococci spp.	Absent/Present	Absent	· -	ETH/TR/MB/SOP-025
4	Staphylococci spp.	Absent/Present	Absent	-	ETH/TR/MB/SOP-026
5	Bacterial Count	CFU	4	-	ETH/TR/MB/SOP-027

*****End of the report****

Page 2 of 2



Reviewed By

Authorized Signatory



Recognised by MoEF & CC, Certified By: ISO 9001: 2015, ISO 45001: 2018 & ISO 14001: 2015 # C-56, KSSIDC Industrial Estate, Veerasandra, Hosur Road, Bangalore-560 100. Ph.: 080-2960 0330 Mob.: 98456 65241 E-mail: enquiry2022.eth@gmail.com

TEST REPORT

Name & Address of the Customer

: M/s. ASTER HOSPITAL WHITEFIELD.

(A Unit of Aster DM Health Care Limited) (A-Block) Plot No 3 & 4 Sadaramangala Industrial Area, Off. Whitefield Main Road, Opposite ITPL, Whitefield, Bengaluru, Karnataka-560 066.

Sample Code	ETH/JUN-24/82-1				
Date of Sample Collection	14/06/2024 Date of Sample Receipt 15/06/2024				
Analysis Commenced Date	15/06/2024	Analysis Completed Date	19/06/2024		
Sampling Location	Basement Entrance Area	Report Issue Date	19/06/2024		
Sample Particulars	Ambient Air Quality Monitoring.				

Instrument used

Instrument Name	PM 2.5	PM 10	
	Fine Particulate Sampler-1	Respirable Dust Sampler-1	
Make	Ecotech	Ecotech	
Model	AAS-127-FC	AAS-217-NL	
SI No	19-D-952	21-G-1065	
Instrument Calibrated Date	07-12-2023	07-12-2023	
Instrument Calibration Due Date	06-12-2024	06-12-2024	

AMBIENT AIR QUALITY MONITORING RESULTS

S1 No	Parameters	Unit	Results	Standard as per NAAQM	Test Method
10	Carbon Monoxide as CO	mg/m³	0.73	4.0 Max	IS 5182 (Part 10) 1999 (RA - 2019)
11	Benzene (C ₆ H ₆)	μg/m³	Not Detected	5.0 Max	IS 5182 (Part 11) 2006 (RA - 2017)
12	Benzo (a) Pyrene	ng/m³	Not Detected	1.0 Max	IS 5182 (Part 12) 2004 (RA – 2019)

*****End of the report****

Page 2 of 2



Reviewed & Authorized Signatory



Recognised by MoEF & CC, Certified By: ISO 9001: 2015, ISO 45001: 2018 & ISO 14001: 2015

C-56, KSSIDC Industrial Estate, Veerasandra, Hosur Road, Bangalore-560 100. Ph.: 080-2960 0330 Mob.: 98456 65241 E-mail: enquiry2022.eth@gmail.com



TEST REPORT

Name & Address of the Customer

: M/s. ASTER HOSPITAL WHITEFIELD.

(A Unit of Aster DM Health Care Limited) (A-Block) Plot No 3 & 4 Sadaramangala Industrial Area, Off. Whitefield Main Road, Opposite ITPL, Whitefield, Bengaluru, Karnataka-560 066.

Sample Code	ETH/JUN-24/82-1					
Date of Sample Collection	14/06/2024 Date of Sample Receipt 15/06/2024					
Analysis Commenced Date	15/06/2024	Analysis Completed Date	19/06/2024			
Sampling Location	Basement Entrance Area	Report Issue Date	19/06/2024			
Sample Particulars	Ambient Air Quality Monitoring.					

Instrument used

Instrument Name	PM 2.5	PM 10	
	Fine Particulate Sampler-1	Respirable Dust Sampler-1	
Make	Ecotech	Ecotech	
Model	AAS-127-FC	AAS-217-NL	
SI No	19-D-952	21-G-1065	
Instrument Calibrated Date	07-12-2023	07-12-2023	
Instrument Calibration Due Date	06-12-2024	06-12-2024	

AMBIENT AIR QUALITY MONITORING RESULTS

SI No	Parameters	Unit	Results	Standard as per NAAQM	Test Method
1	Particulate Matter (PM10)	μg/m³	70.4	100.0 Max	IS 5182 (Part-23) 2006 (RA - 2022)
2	Particulate matter (PM2.5)	μg/m³	27.1	60.0 Max	IS 5182 (Part-24) 2019
3	Sulphur Dioxide (SO ₂)	μg/m³	18.3	80.0 Max	IS 5182 (Part-2) 2001 (RA - 2017)
4	Nitrogen Dioxide (NO ₂)	μg/m³	24.7	80.0 Max	IS 5182 (Part 6)2006 (RA - 2022)
5	Lead as Pb	μg/m³	BDL	1.0 Max	ETH/TR/IS/SOP/003
6	Ammonia (NH ₃)	μg/m³	14.2	400.0 Max	IS 5182 (Part 25) 2018
7	Arsenic as As	ng/m³	BDL	6.0 Max	ETH/TR/IS/SOP/003
8	Nickel as Ni	ng/m³	BDL	20.0 max	ETH/TR/IS/SOP/003
9	Ozone as O ₃	μg/m³	10.2	180.0 Max	IS 5182 (Part 10) 1999 (RA - 2019)

Note: BDL: Below Detection Limit

Page 1 of 2



Reviewed & Authorized Signatory



Recognised by MoEF & CC, Certified By : ISO 9001 : 2015, ISO 45001 : 2018 & ISO 14001 : 20

C-56, KSSIDC Industrial Estate, Veerasandra, Hosur Road, Bangalore-560 100

Ph.: 080-2960 0330 Mob.: 98456 65241 E-mail : enquiry2022.eth@gmail.com

TEST REPORT

Name & Address of the Customer

: M/s. ASTER HOSPITAL WHITEFIELD.

(A Unit of Aster DM Health Care Limited) (B-Block) Plot No 3 & 4 Sadaramangala Industrial Area, Off. Whitefield Main Road, Opposite ITPL, Whitefield,

Bengaluru, Karnataka-560 066.

Sample Code	ETH/JUN-24/83-1				
Date of Sample Collection	14/06/2024 Date of Sample Receipt 15/06/2024				
Analysis Commenced Date	15/06/2024	19/06/2024			
Sampling Location	Basement Entrance Area	20/06/2024			
Sample Particulars	Ambient Air Quality Monitoring.				

Instrument used

Instrument Name	PM 2.5	PM 10	
	Fine Particulate Sampler-1	Respirable Dust Sampler-1	
Make	Ecotech	Ecotech	
Model	AAS-127-FC	AAS-217-NL	
SI No	19-D-952	21-G-1065	
Instrument Calibrated Date	07-12-2023	07-12-2023	
Instrument Calibration Due Date	06-12-2024	06-12-2024	

AMBIENT AIR QUALITY MONITORING RESULTS

S1 No	Parameters	Unit	Results	Standard as per NAAQM	Test Method
1	Particulate Matter (PM10)	μg/m³	71.7	100.0 Max	IS 5182 (Part-23) 2006 (RA - 2022)
2	Particulate matter (PM2.5)	μg/m³	28.2	60.0 Max	IS 5182 (Part-24) 2019
3	Sulphur Dioxide (SO ₂)	μg/m³	17.6	80.0 Max	IS 5182 (Part-2) 2001 (RA - 2017)
4	Nitrogen Dioxide (NO ₂)	μg/m³	25.9	80.0 Max	IS 5182 (Part 6)2006 (RA - 2022)
5	Lead as Pb	μg/m³	BDL	1.0 Max	ETH/TR/IS/SOP/003
6	Ammonia (NH ₃)	μg/m³	13.7	400.0 Max	IS 5182 (Part 25) 2018
7	Arsenic as As	ng/m³	BDL	6.0 Max	ETH/TR/IS/SOP/003
8	Nickel as Ni	ng/m³	BDL	20.0 max	ETH/TR/IS/SOP/003
9	Ozone as O ₃	μg/m³	10.5	180.0 Max	IS 5182 (Part 10) 1999 (RA - 2019)

Note: BDL: Below Detection Limit

Page 1 of 2



Reviewed & Authorized Signatory



Recognised by MoEF & CC, Certified By: ISO 9001: 2015, ISO 45001: 2018 & ISO 14001: 2015

C-56, KSSIDC Industrial Estate, Veerasandra, Hosur Road, Bangalore-560 100. Ph.: 080-2960 0330 Mob.: 98456 65241 E-mail: enquiry2022.eth@gmail.com

TEST REPORT

Name & Address of the Customer

: M/s. ASTER HOSPITAL WHITEFIELD.

(A Unit of Aster DM Health Care Limited) (B-Block) Plot No 3 & 4 Sadaramangala Industrial Area, Off. Whitefield Main Road, Opposite ITPL, Whitefield,

Bengaluru, Karnataka-560 066.

Sample Code	ETH/JUN-24/83-1				
Date of Sample Collection	14/06/2024 Date of Sample Receipt 15/06/2024				
Analysis Commenced Date	15/06/2024	19/06/2024			
Sampling Location	Basement Entrance Area	20/06/2024			
Sample Particulars	Ambient Air Quality Monitoring.				

Instrument used

Instrument Name	PM 2.5	PM 10	
	Fine Particulate Sampler-1	Respirable Dust Sampler-1	
Make	Ecotech	Ecotech	
Model	AAS-127-FC	AAS-217-NL	
SI No	19-D-952	21-G-1065	
Instrument Calibrated Date	07-12-2023	07-12-2023	
Instrument Calibration Due Date	06-12-2024	06-12-2024	

AMBIENT AIR QUALITY MONITORING RESULTS

S1 No	Parameters	Unit	Results	Standard as per NAAQM	Test Method
10	Carbon Monoxide as CO	mg/m³	0.71	4.0 Max	IS 5182 (Part 10) 1999 (RA - 2019)
11	Benzene (C ₆ H ₆)	μg/m³	Not Detected	5.0 Max	IS 5182 (Part 11) 2006 (RA - 2017)
12	Benzo (a) Pyrene	ng/m³	Not Detected	1.0 Max	IS 5182 (Part 12) 2004 (RA - 2019)

*****End of the report****

Page 2 of 2



Reviewed & Authorized Signatory

GOVERNMENT OF KARNATAKA (ELECTRICAL INSPECTORATE)

NO: DCEI/BE/AEI/ DG-286/..

3572 700

Office of the

Deputy Chief Electrical Inspector.

Bangalore East., No:307,6th Main 18th Cross, Malleshwaram, Bangalore.

Dated;

To,
M/s. Nandini Hotel (P) Ltd,
Plot No: 3&4, KIADB, Indl.Area,
O'pp to ITPL Sadaramangala,
Bangalore.

2 1 MAY 2813

Sir

Sub:-Approval of drawings pertaining to 2x500KVA DG Sets at the above said premises Ref: Requisition Letter No: Nil Dt.17-05-2013

Please find enclosed the drawing in duplicate referred to above duly approved after effecting necessary corrections and with observations in a note in RED INK. You may take up the work through a Licensed Electrical Contractor, as per approved drawings and after completing the works contact the <u>undersigned</u> with the following particulars to arrange for inspection.

- 1. Manufacturer's test Report of Transformer, Circuit breaker HT Cable etc.
- Completion report of L.E.C for having completed the works as per the approved drawing along with the following details.
 - i) Description of the Motor Equipment indicating serial Number.
 - ii) Rating in HP/KW iii) Feeder Details iv) Voltage Rating.
 - v) Megger test results of the equipment vi) Earth Test results.

The completion report should be signed by the licensed electrical contractor and the electrical supervisor along with the Licence number & validity.

- 3. Copy of the power sanction letter from BESCOM permitting the installation of HT installation.
- 4. Megger test results of transformer/CBs/Cables and other connected equipment of the installation.
- 5. Oil test results of transformer /and oil circuit breaker.
- 6. Earth test results of all the earth electrodes disconnecting all the earth leads from them.
- Calibration certificates in original of protective devices, CTs, PTS & Energy Meters etc, as calibrated by the Relay testing and Meter Testing divisions of supplier or any other approved agencies.
- A list of authorised persons qualified and experienced to operate and maintain the sub-station & the works list shall be signed by both the employee and employer with permit number and validity.
- Drawing scrutiny fees of Rs: 600-00 paid vide Rt No: 2031469 Dt: 17-05-2013 at this office is hereby acknowledged
- 10. Challan /Receipt for having paid Rs: 3,800/- (Rs: Three Thousand Eight Hundred Only) towards inspection charges under the following Budget Head: "Non-Plan, 0043, Taxes and duties on Electricity, (2) Fees under the I.E. Rules, 1956" at this office cash counter.

Your's faithfully

Deputy Office Electrical Inspector

Bangalooru

Copy Submitted to:-

- The Chief-Electrical Inspector to Govt Bangalore for kind information.
 Copy to:
- 2. The Electrical Inspector Bangalore, East, for information.
- 3. The Dy. Electrical Inspector, East for information.
- O/C/M/C



Recognised by MoEF & CC, Certified By : ISO 9001 : 2015, ISO 45001 : 2018 & ISO 14001 : 201

C-56, KSSIDC Industrial Estate, Veerasandra, Hosur Road, Bangalore-560 100.

Ph.: 080-2960 0330 Mob.: 98456 65241 E-mail : enquiry2022.eth@gmail.com



TEST REPORT

Name & Address of the Customer

: M/s. ASTER HOSPITAL WHITEFIELD.

(A Unit of Aster DM Health Care Limited) (A-Block) Plot No 3 & 4 Sadaramangala Industrial Area, Off. Whitefield Main Road, Opposite ITPL, Whitefield,

Bengaluru, Karnataka-560 066.

Sample Code	ETH/JUL-24/50-1				
Date of Sample Collection	11/07/2024	Date of Samula B	11/07/2024		
Analysis Commenced Date	12/07/2024	12/07/2024 Date of Sample Receipt			
Sampling Location		Analysis Completed Date	15/07/2024		
	DG Set-500 KVA No-2	Report Issue Date	15/07/2024		
Sample Particulars	Stack Monitoring.		10/ 0// 2021		

Instrument Used:

Instrument	Instrument ID	Maleo	24.11					
Name	and the state of t	Make	Model	01110	01110	01110	or 110 mstrument	- and the Due
Stack Sampler-1	ETH/AIR/INS/015	Ecotech	TOO 400			Date		
1		Ecotech	ESS-100	19-G-286	07-12-2023	06-12-2024		

General Details

Date of Monitoring	
Fuel Used	11/07/2024
Ambient Temperature °C	Diesel
Cross Section Area (m²)	30.0
Quantity of flue gas discharged into the atmosphere (Nm³/Hr)	0.018
Flue Gas Temperature °C	351.2
Exit Velocity of gas (Mts/Sec)	402.0
DATE VELOCITY OF gas (IVITS/ Sec)	13.79

STACK MONITORING RESULTS

Parameters	Unit	Result	Limits	Test Method
Particulate matter	/** *			rest Method
11-01-00-00-0	mg/Nm³	36.9	150.0	IS 11255(Part 1)1985 RA 2019
Sulphur Dioxide(SO ₂)	mg/Nm³	17.6	N.S	
Ovides of Nitrogen (NO.)	9	27.10	14.5	IS 11255(Part 2) 1985 RA 2019
Oxides of Nitrogen (NO ₂)	mg/Nm³	25.3	N.S	IS 11255(Part 7) 2005 RA 2017

Note: 1. N.S: Not Specified,

*****End of the report****

Page 1 of 1

Reviewed By

BANGALORE OF BOTO

Authorized Signatory



Recognised by MoEF & CC, Certified By : ISO 9001 : 2015, ISO 45001 : 2018 & ISO 14001 : 2015

C-56, KSSIDC Industrial Estate, Veerasandra, Hosur Road, Bangalore-560 100.

Ph.: 080-2960 0330 Mob.: 98456 65241 E-mail: enquiry2022.eth@gmail.com



TEST REPORT

Name & Address of the Customer

: M/s. ASTER HOSPITAL WHITEFIELD.

(A Unit of Aster DM Health Care Limited) (B-Block) Plot No 3 & 4 Sadaramangala Industrial Area, Off. Whitefield Main Road, Opposite ITPL, Whitefield,

Bengaluru, Karnataka-560 066.

Sample Code	ETH/JUL-24/51-1				
Date of Sample Collection	11/07/2024	Date of Sample Receipt	11/07/2024		
Analysis Commenced Date	12/07/2024	Analysis Completed Date	15/07/2024		
Sampling Location	DG Set-1010 KVA No-1	Report Issue Date	16/07/2024		
Sample Particulars	Stack Monitoring.		10/ 0// 2021		

Instrument Used:

Instrument Name	Instrument ID	Make	Model	SI No	Instrument Calibrated Date	Instrument Calibration Due Date
Stack Sampler-1	ETH/AIR/INS/015	Ecotech	ESS-100	10 C 206	07.10.0000	
omen omnipier i	E111/ AIR/ 1105/ 015	Ecotecn	ESS-100	19-G-286	07-12-2023	06-12-2024

General Details

Date of Monitoring	11/07/2024
Fuel Used	Diesel
Ambient Temperature °C	30.0
Cross Section Area (m ²)	0.071
Quantity of flue gas discharged into the atmosphere (Nm³/Hr)	1300.1
Flue Gas Temperature °C	459.0
Exit Velocity of gas (Mts/Sec)	13.84

STACK MONITORING RESULTS

Parameters	Unit	Result	Limits	Test Method
Particulate matter	mg/Nm³	41.9	75.0	IS 11255(Part 1)1985 RA 2019
Sulphur Dioxide(SO ₂)	mg/Nm³	15.4	N.S	IS 11255(Part 2) 1985 RA 2019
Oxides of Nitrogen (NO ₂)	mg/Nm³	26.8	N.S	IS 11255(Part 7) 2005 RA 2017

Note: 1. N.S: Not Specified,

*****End of the report*****

Page 1 of 1

Reviewed By



Authorized Signatory



Recognised by MoEF & CC, Certified By : ISO 9001 : 2015, ISO 45001 : 2018 & ISO 14001 : 201

C-56, KSSIDC Industrial Estate, Veerasandra, Hosur Road, Bangalore-560 100

Ph.: 080-2960 0330 Mob.: 98456 65241 E-mail : enquiry2022.eth@gmail.com

TEST REPORT

Name & Address of the Customer

: M/s. ASTER WOMEN AND CHILDREN HOSPITAL.

Plot No 2, Sadaramangala Industrial Area, Off. Whitefield Road, Opposite ITPL, Whitefield, Bengaluru, Karnataka-560 066.

Sample Code	ETH/JUL-24/52-1		
Date of Sample Collection	11/07/2024	Date of Sample Receipt	11/07/2024
Analysis Commenced Date	12/07/2024	Analysis Completed Date	15/07/2024
Sampling Location	DG Set-250 KVA	Report Issue Date	15/07/2024
Sample Particulars	Stack Monitoring.		

Instrument Used:

Instrument Name	Instrument ID	Make	Model	SI No	Instrument Calibrated Date	Instrument Calibration Due Date
Stack Sampler-1	ETH/AIR/INS/015	Ecotech	ESS-100	19-G-286	07-12-2023	06-12-2024

General Details

Date of Monitoring	11/07/2024
Fuel Used	Diesel
Ambient Temperature °C	30.0
Cross Section Area (m ²)	0.018
Quantity of flue gas discharged into the atmosphere (Nm³/Hr)	302.6
Flue Gas Temperature °C	
Exit Velocity of gas (Mts/Sec)	208.0
) - 0 (i.i.d) occ)	8.47

STACK MONITORING RESULTS

Parameters	Unit	Result	Limits	Test Method
Particulate matter	mg/Nm³	31.9	150.0	IS 11255(Part 1)1985 RA 2019
Sulphur Dioxide(SO ₂)	mg/Nm³	12.1	N.S	IS 11255(Part 2) 1985 RA 2019
Oxides of Nitrogen (NO2)	mg/Nm³	24.6	N.S	IS 11255(Part 7) 2005 RA 2017

Note: 1. N.S: Not Specified,

*****End of the report****

Page 1 of 1

Reviewed By



Authorized Signatory



Recognised by MoEF & CC, Certified By : ISO 9001 : 2015, ISO 45001 : 2018 & ISO 14001 : 2015

C-56, KSSIDC Industrial Estate, Veerasandra, Hosur Road, Bangalore-560 100. Ph.: 080-2960 0330 Mob.: 98456 65241 E-mail: enquiry2022.eth@gmail.com



TEST REPORT

Name & Address of the Customer

:M/s. ASTER HOSPITAL WHITEFIELD.

(A Unit of Aster DM Health Care Limited) (B-Block) Plot No 3 & 4 Sadaramangala Industrial Area, Off. Whitefield Main Road, Opposite ITPL, Whitefield, Bengaluru, Karnataka-560 066.

Sample Code	ETH/JUL -24/51-9		
Date of Sample Collection	11/07/2024	Date of Sample Receipt	11/07/2024
Analysis Commenced Date	12/07/2024	Analysis Completed Date	16/07/2024
Sample Description	STP Treated Water (STP Plant Basement)	Report Issue Date	16/07/2024
Qty. Received	2 Ltrs	Sample Received Condition	Good
Sample Appearance	Slightly Turbid Liquid		
Sampling Details	Sample Collected by A to Z	Enviro Test House LLP Representat	ive

Sl. No	Parameters	Unit	Result	Standards as per KSPCB	Test Method
1	pH Value @ 25°C	17/	7.60	6.5-9.0	IS 3025(P-11) 2022
2	Chemical Oxygen Demand	mg/L	42.5	<50	IS 3025(P-58) 2023
3	Bio-Chemical Oxygen Demand (3days @ 27°C)	mg/L	5.9	<10	IS 3025(P-44) 2023
4	Total Suspended Solids	mg/L	6.0	<10	IS 3025(P-17) 2022
5	Total Nitrogen as N	mg/L	4.6	<10	IS 3025(P-34) 1988 (RA-2019)
6	Ammonical Nitrogen as N	mg/L	2.2	<5	IS 3025(P-34) 1988 (RA-2019)

*****End of the report****

Page 1 of 2

Note Note 16/7/24 Reviewed By



Authorized Signatory



Recognised by MoEF & CC, Certified By : ISO 9001 : 2015, ISO 45001 : 2018 & ISO 14001 : 2015

C-56, KSSIDC Industrial Estate, Veerasandra, Hosur Road, Bangalore-560 100.

Ph.: 080-2960 0330 Mob.: 98456 65241 E-mail: enquiry2022.eth@gmail.com



TEST REPORT

Name & Address of the Customer

: M/s. ASTER HOSPITAL WHITEFIELD.

(A Unit of Aster DM Health Care Limited) (B-Block) Plot No 3 & 4 Sadaramangala Industrial Area, Off. Whitefield Main Road, Opposite ITPL, Whitefield,

Bengaluru, Karnataka-560 066.

Sample Code	ETH/JUL-24/51-9		
Date of Sample Collection	11/07/2024	Date of Sample Receipt	11 /07 /2024
Analysis Commenced Date	11/07/2024	Analysis Completed Date	11/07/2024 15/07/2024
Sample Description	STP Treated Water (STP Plant Basement)	Report Issue Date	16/07/2024
Qty. Received	500 ml	Sample Received Condition	Good
Sample Appearance	Slightly Turbid Liquid	r	Good
Sampling Details	Sample Collected by A to Z Env	riro Test-House I I P Poprosontati	Maria.

SI. No	Parameters	Unit	Result	Standards as per KSPCB	Test Method
1	Faecal coliform	MPN/100ml	17	<100	IS 1622-1981(RA2019)

*****End of the Report****

Page 2 of 2

Romand Julym



Reviewed & Authorized Signatory



ENVIPRO LABORATORIES

le Floor, "SAMRUDDHI", Site No. 02, Sy. No. 192/1, Behind SBI Bank, Kadabagere Cross, Machohalli Village, Magadi Road, Bangaluru North Taluk, Bengaluru—560091, Karnataka.Cell:+91 9480180099/7795000993 Tel: 080 29770188 E-mail: enviprolabsAgmail.coin Website: enviprogroup.co.in

An ISO 9001-2015, ISO 14001-2015 As ISO 45001-2018 Certified Company.

Format No.: - EPL/WD/F/TC/14

Name of the Project

Aster Women & Children Hospital

Plot No.2, Sy. No. 76, Sadaramangala Industrial

Area of ITPL Main Road, Kadugodi,

Bengaluru, Karnataka 560067

2 Sample Collected By

Mr. Karthik, EPL

3 Particulars of Sample

Treated STP Water

4 Date of Collection

24—July—2024

5 Sample Receipt Date

24—July—2024

6 Analysis Start Date

24—July—2024

7 Analysis End Date

29—July—2024

8 Report Date

29-July- 2024

9 Sample No.

EPL/2024-2025/S - 672

Si. No.	Parameters	Unit	Result	Limits as per KSPCB	Protocol
1	рН		7.5	6.5 to 9.0	IS 3025 (P—11) — 1983 Reaffirmed 2017
2	BOD (3 days H 27 ^o C)	mg/I	8.2	Not more than 10	IS 3025 (P—44) — 1993 Reaffirmed 2019
3	Chemical Oxygen Demand	mg/L	42.2	Not more than 50	IS 3025 (P—58) - 2006 Reaffirmed 2017
4	Total Suspended Solids	mg/L	12.2	Not more than 20	IS 3025 (P—17) - 1984 Reaffirmed 2019
5	Ammonical Nitrogen	mg/L	5.1	Not more than 5	IS 3025 (P—34) — 1988 Reaffirmed 2019
6	Total Nitrogen	mg/L	8.2	Not more than 10	APHA 23 nd Edition 2017
7	Fecal Coliform (MPN/I00MI)		88	Less than 100	IS 5401 (P—02) — 2012 ISO 4831 : 2006 Reaffirmed 2012

INFERENCE

As per KSPCB Standards All the above Parameters are within in the prescribed limits.

ANALYZED BY

P. N. Rauvawani P.N. RAMAMANI Chemist



AUTHORIZED SIGNATORY

ASHWATH NARAYANA M S Chief Executive Officer

Note: 1. the above results relates only to the samples tested.

2. The report shall not be reproduced without approval of the Envipro laboratories, Bangalore

-: End of Report: -

Page:1 of 1

Terms & Conditions

- 1. Samples are analysed as per BIS/APHA Methods.
- 2.. The reported resulted are restricted to the given samples only, for the applicable parameters.
- 3. The results of the tests may vary from lab to lab and also time to time for same parameters for the same samples, depending on the quality of sample received, analytical methods adopted, equipment used and it's sensitivity.
- 4. Samples will be destroyed after 15 days from the date of receipt of report by the customer, unless otherwise specified. Perishable samples will not be retained. Sample collection not done by us unless specified.
- 3. specified.

STP Flush Water meter Reading A

Date	Time	Reading	Reading	in KL	Total in Kl
01-08-24	7.00 am	0	0	0.0	0.0
02-08-24	7.00 am	0	29	29.0	29.0
03-08-24	7.00 am	29	56.8	27.8	56.8
04-08-24	7.00 am	56.8	79.5	22.7	79.5
05-08-24	7.00 am	79.5	125.8	46.3	125.8
06-08-24	7.00 am	125.8	175.4	49.6	175.4
07-08-24	7.00 am	175.4	225.6	50.2	225.6
08-08-24	7.00 am	225.6	275.6	50.0	275.6
09-08-24	7.00 am	275.6	320.4	44.8	320.4
10-08-24	7.00 am	320.4	345.8	25.4	345.8
11-08-24	7.00 am	345.8	390.2	44.4	390.2
12-08-24	7.00 am	390.2	432.5	42.3	432.5
13-08-24	7.00 am	432.5	470.5	38.0	470.5
14-08-24	7.00 am	470.5	500.2	29.7	500.2
15-08-24 7.00 am		500.2	524.2	24.0	524.2
16-08-24	7.00 am	524.2	550.7	26.5	550.7
17-08-24	7.00 am	550.7	600.4	49.7	600.4
18-08-24	7.00 am	600.4	650.4	50.0	650.4
19-08-24	7.00 am	650.4	700.4	50.0	700.4
20-08-24	7.00 am	700.4	750.9	50.5	750.9
21-08-24	7.00 am	750.9	800.4	49.5	800.4
22-08-24	7.00 am	800.4	850.1	49.7	850.1
23-08-24	7.00 am	850.1	900.46	50.4	900.5
24-08-24	7.00 am	900.46	925.4	24.9	925.4
25-08-24	7.00 am	925.4	950.63	25.2	950.6
26-08-24	7.00 am	950.63	975.24	24.6	975.2
27-08-24	7.00 am	975.24	1000.24	25.0	1000.2
28-08-24	7.00 am	1000.24	1024.65	24.4	1024.7
29-08-24	7.00 am	1024.65	1048.25	23.6	1048.3
30-08-24	7.00 am	1048.25	1078.9	30.7	1078.9
31-08-24	7.00 am	1078.9	1100.34	21.4	1100.3
	No.	Total Wa	ter Consump	tion in KL	1100.3

STP Flush Water meter Reading A

Date	Time	Opening Reading	Closing Reading	Difference in KL	Total in KL
01-08-24	7.00 am	1135.14	1147.52	12.4	12.4
02-08-24	7.00 am	1147.52	1159.18	11.7	24.0
03-08-24	7.00 am	1159.18	1171.75	12.6	36.6
04-08-24	7.00 am	1171.75	1183.1	11.3	48.0
05-08-24	7.00 am	1183.1	1191.77	8.7	56.6
06-08-24	7.00 am	1191.77	1200.13	8.4	65.0
07-08-24	7.00 am	1200.13	1211.74	11.6	76.6
08-08-24	7.00 am	1211.74	1224.73	13.0	89.6
09-08-24	7.00 am	1224.73	1233.88	9.2	98.7
10-08-24	7.00 am	1233.88	1242.83	8.9	107.7
11-08-24	7.00 am	1242.83	1256.91	14.1	121.8
12-08-24	7.00 am	1256.91	1267.12	10.2	132.0
13-08-24	7.00 am	1267.12	1275.15	8.0	140.0
14-08-24	7.00 am	1275.15	1283.8	8.6	148.7
15-08-24	7.00 am	1283.8	1294.41	10.6	159.3
16-08-24	7.00 am	1294.41	1315.02	20.6	179.9
17-08-24	7.00 am	1315.02	1333.24	18.2	198.1
18-08-24	7.00 am	1333.24	1347.63	14.4	212.5
19-08-24	7.00 am	1347.63	1356.07	8.4	220.9
20-08-24	7.00 am	1356.07	1379.16	23.1	244.0
21-08-24	7.00 am	1379.16	1391.35	12.2	256.2
22-08-24	7.00 am	1391.35	1404.39	13.0	269.3
23-08-24	7.00 am	1404.39	1415.97	11.6	280.8
24-08-24	7.00 am	1415.97	1430.56	14.6	295.4
25-08-24	7.00 am	1430.56	1444.56	14.0	309.4
26-08-24	7.00 am	1444.56	1458.15	13.6	323.0
27-08-24	7.00 am	1458.15	1470.29	12.1	335.2
28-08-24	7.00 am	1470.29	1490.38	20.1	355.2
29-08-24	7.00 am	1490.38	1501.72	11.3	366.6
30-08-24	7.00 am	1501.72	1512.44	10.7	377.3
31-08-24	7.00 am	1512.44	1545.08	32.6	409.9

Good

STP Flush Water meter readings August- 2024 Block B



Recognised by MoEF & CC, Certified By: ISO 9001: 2015, ISO 45001: 2018 & ISO 14001: 2015 # C-56, KSSIDC Industrial Estate, Veerasandra, Hosur Road, Bangalore-560 100.

Ph.: 080-2960 0330 Mob.: 98456 65241 E-mail: enquiry2022.eth@gmail.com



TEST REPORT

Name & Address of the Customer

: M/s. ASTER HOSPITAL WHITEFIELD.

(A Unit of Aster DM Health Care Limited) (A-Block) Plot No 3 & 4 Sadaramangala Industrial Area, Off. Whitefield Main Road, Opposite ITPL, Whitefield, Bengaluru, Karnataka-560 066.

Sample Code	ETH/JUN-24/82-3		
Date of Sample Collection	14/06/2024	Date of Sample Receipt	15/06/2024
Analysis Commenced Date	15/06/2024	Analysis Completed Date	19/06/2024
Sample Particulars	Noise Monitoring.	Report Issue Date	19/06/2024

Instrument Name	Instrument ID	Make	Model	SI No	Instrument Calibrated Date	Instrument Calibrated Due Date
Sound Level Meter-1	ETH/AIR/INS/022	Equinox	EQ-805	190706383	08-12-2023	07-12-2024

NOISE MONITORING RESULTS

SL. NO	Sample Locations	L Min dB(A)	L Max dB(A)	Result Leq dB(A)	KSPCB Standards	Test method
1	Basement Entrance Area	42.9	47.2	45.0	50 dB (A) Leq Max	IS 9989:1981

*****End of the Report****

Page 1 of 1



Reviewed & Authorized Signatory



Recognised by MoEF & CC, Certified By: ISO 9001: 2015, ISO 45001: 2018 & ISO 14001: 2015

C-56, KSSIDC Industrial Estate, Veerasandra, Hosur Road, Bangalore-560 100.

Ph.: 080-2960 0330 Mob.: 98456 65241 E-mail : enquiry2022.eth@gmail.com



TEST REPORT

Name & Address of the Customer

: M/s. ASTER HOSPITAL WHITEFIELD.

(A Unit of Aster DM Health Care Limited) (B-Block) Plot No 3 & 4 Sadaramangala Industrial Area, Off. Whitefield Main Road, Opposite ITPL, Whitefield,

Bengaluru, Karnataka-560 066.

Sample Code	ETH/JUN-24/83-3		
Date of Sample Collection	14/06/2024	Date of Sample Receipt	15/06/2024
Analysis Commenced Date	15/06/2024	Analysis Completed Date	19/06/2024
Sample Particulars	Noise Monitoring.	Report Issue Date	20/06/2024

Instrument Name	Instrument ID	Make	Model	SI No	Instrument Calibrated Date	Instrument Calibrated Due Date
Sound Level Meter-1	ETH/AIR/INS/022	Equinox	EQ-805	190706383	08-12-2023	07-12-2024

NOISE MONITORING RESULTS

SL. NO	Sample Locations	L Min dB(A)	L Max dB(A)	Result Leq dB(A)	KSPCB Standards	Test method
1	Basement Entrance Area	44.1	48.6	46.3	50 dB (A) Leq Max	IS 9989:1981

*****End of the Report****

Page 1 of 1



Reviewed & Authorized Signatory



Recognised by MoEF & CC, Certified By: ISO 9001: 2015, ISO 45001: 2018 & ISO 14001: 2015 # C-56, KSSIDC Industrial Estate, Veerasandra, Hosur Road, Bangalore-560 100. Ph.: 080-2960 0330 Mob.: 98456 65241 E-mail: enquiry2022.eth@gmail.com

TEST REPORT

Name & Address of the Customer

: M/s. ASTER HOSPITAL WHITEFIELD.

(A Unit of Aster DM Health Care Limited) (B-Block) Plot No 3 & 4 Sadaramangala Industrial Area, Off. Whitefield Main Road, Opposite ITPL, Whitefield, Bengaluru, Karnataka-560 066.

Sample Code	ETH/JUN-24/92-2		
Date of Sample Collection	17/06/2024	Date of Sample Receipt	17/06/2024
Analysis Commenced Date	17/06/2024	Analysis Completed Date	19/06/2024
Sample Particulars	Noise Monitoring.	Report Issue Date	21/06/2024

Instrument Name	Instrument ID	Make	Model	SI No	Instrument Calibrated Date	Instrument Calibrated Due Date
Sound Level Meter-1	ETH/AIR/INS/022	Equinox	EQ-805	190706383	08-12-2023	07-12-2024

NOISE MONITORING RESULTS

SL. NO	Sample Locations	L Min dB(A)	L Max dB(A)	Result Leq dB(A)	KSPCB Standards	Test method
1	B-Block 3rd Floor SICU	47.6	52.1	49.8	50 dB (A) Leq Max	IS 9989:1981

*****End of the Report****

Page 1 of 1

Seviewed By

Authorized Signatory



Recognised by MoEF & CC, Certified By : ISO 9001 : 2015, ISO 45001 : 2018 & ISO 14001 : 2015

C-56, KSSIDC Industrial Estate, Veerasandra, Hosur Road, Bangalore-560 100

Ph.: 080-2960 0330 Mob.: 98456 65241 E-mail: enquiry2022.eth@gmail.com

C-13068

TEST REPORT

Name & Address of the Customer

: M/s. ASTER WOMEN AND CHILDREN HOSPITAL.

Plot No 2, Sadaramangala Industrial Area, Off. Whitefield Road, Opposite ITPL, Whitefield, Bengaluru, Karnataka-560 066.

Sample Code	ETH/JUN-24/84-3		
Date of Sample Collection	14/06/2024	Date of Sample Receipt	15/06/2024
Analysis Commenced Date	15/06/2024	Analysis Completed Date	19/06/2024
Sample Particulars	Noise Monitoring.	Report Issue Date	19/06/2024

Instrument Name	Instrument ID	Make	Model	SI No	Instrument Calibrated Date	Instrument Calibrated Due Date
Sound Level Meter-1	ETH/AIR/INS/022	Equinox	EQ-805	190706383	08-12-2023	07-12-2024

NOISE MONITORING RESULTS

SL. NO	Sample Locations	L Min dB(A)	L Max dB(A)	Result Leq dB(A)	KSPCB Standards	Test method
1	Basement Entrance Area	46.3	48.9	47.6	50 dB (A) Leq Max	IS 9989:1981

*****End of the Report*****

Page 1 of 1



Reviewed & Authorized Signatory





We'll Treat You Well

SERVICE ORDER

Supplier:

Sewa Waste Management

No.18, 2nd Cross, Thippanna Layout, Kariyanna palya,

Lingarajapuram, St. Thomas Town Post,

Bangalore - 560084.

Sub: Disposal of wet, Dry waste and rejected waste from the premises

Dear Sir,

This is with reference to your inquiry and your quotations and the various discussion we had with you, we are pleased to issue you this confirmed Service order for disposal of wet, dry waste and rejected waste from the premises as set out below

In this service/work order the following terms shall have the meaning as specified hereafter.

Billing Address: Aster Hospital (A unit of Aster DM healthcare Limited), Plot No 2,3 & 4 Sadaramangala Industraial Area, Off. Whitefield Main Road. Opp ITPL, Whitefield, Bengaluru, Karnataka 560066.

Supplier: Sewa Waste management, No.18, 2nd Cross, Thippanna Layout, Kariyanna palya, Lingarajapuram, St. Thomas Town Post, Bangalore - 560084.

Site: Aster Hospital, Whitefield Bangalora

Details Specification and quantities of the individual subcomponents more specifically as set out in annexure below and subject to other terms and conditions stated.

Description		Rate	
49	Clearing the solid waste (Dry, Wet and Rejected	Rs 10,000/ Per Month	
	Wastes)		

Aster WHITEFIELD HOSPITAL



We'll Treat You Well

Terms and conditions:

- 1. Price: The above-mentioned Prices are inclusive of all the taxes as applicable and inclusive of labour, Packing & forwarding charges & transportation Etc.
- 2. Payment Terms: Payment Against Invoice Every Month

3. Other Terms:

- (1) Supplier shall comply with all the Govt rules and regulation.
- (2) This order is valid from 01st May 2023 to 30th Apr 2024
- (3) Termination one month of notice period.

Kindly Sign the duplicate copy and return the same to us to signify acceptance of all terms and conditions mentioned above.

Yours Cordially,

For Aster Hospital - Whitefield.

(A unit of Aster DM Healthcare Limited)

Anil Kumar Reddy

Finance Head

Mr Arun Kumar

COO





We'll Treat You Well

PO NO: ASTERDM/PO/23-24/44059

Date: 08-09-2023

PURCHASE ORDER

Supplier:

M/s. Vennar organic Fertilizer Pvt Ltd # 57/A, 31st cross, 7th block, jayanagar. Bangalore - 560082

Sub: - Purchase Order for Supply and Installation of **Organic Waste converter** - **60 MS (400Kg)** for Aster Hospital Whitefield Bangalore.

Dear Sir,

This with reference to our inquiry and your quotations and the various discussion we had with you. We are pleased to issue you this confirmed Purchase Order for Supply & Installation of Organic Waste converter - 60 MS (400Kg) for Aster Hospital Whitefield Bangalore as set out below.

In this Purchase Order the following terms shall have the meanings as specified hereunder.

Purchaser: M/s. Aster Hospital White Field (A unit of Aster DM Healthcare Limited) Plot No.2,3&4, Sadaramangala Industrial Area, ITPL Main Road Opp to ITPL main gate, Whitefield, Bangalore – 560066.

Supplier: M/s. Vennar organic Fertilizer Pvt Ltd # 57/A, 31st cross, 7th block, jayanagar Bangalore - 560082.

Site: M/s. Aster Hospital White Field (A unit of Aster DM Healthcare Limited) Plot No.2,3&4, Sadaramangala Industrial Area, ITPL Main Road Opp to ITPL main gate, Whitefield, Bangalore – 560066.

Detailed specifications and quantities of the individual sub-components more specifically as set out in the annexure below and subject to other terms and conditions stated.

Bangalore-102

1 | Page

Aster WHITEFIELD HOSPITAL



We'll Treat You Well

PO NO: ASTERDM/PO/23-24/44059 Date: 08-09-2023

Sl. No	Particulars	Qty	Rate	Amount
1	Composting machine OWC - 60 (SS)	1	4,82,000	4,82,000
2	Composting Curing system - 200kgs/day (Composting Machine)	2	1,91,000	3,82,000
3	Garden shredder - 3HP	1	1,29,500	1,29,500
	Sub Total			9,93,500
	Less: Discount			78,500
	Subtotal after discount			9,15,000
	Add: GST @ 12%			1,09,800
	Grand Total			10,24,800

Amount in words: INR - Ten Lakh Twenty-Four Thousand Eight Hundred Rupees only.

Terms and Conditions:

- 1. Price: The Total Value is Inclusive of all the taxes as applicable, Transport, Labor Etc.
- 2. Payment: 50% along with the Purchase Order, 50 % against delivery.
- 3. Delivery: 2 weeks from the date of advance payment.
- 4. Warranty: 1 Year from the date of installation.

Kindly sign the duplicate copy and return the same to us to signify acceptance of all terms and conditions mentioned above.

Yours cordially,

For Aster Hospital White Field (A Unit of Aster DM Healthcare Limited)

Anil Kumar M Manager - Finance

Arun Kumar Unit Head - COO Bangalore-102



INDIA NON JUDICIAL

Government of Karnataka

e-Stamp

Certificate No.

Certificate Issued Date

Account Reference

Unique Doc. Reference

Purchased by

Description of Document

Description

Consideration Price (Rs.)

First Party

Second Party

Stamp Duty Paid By

Stamp Duty Amount(Rs.)

IN-KA81541563273655V

: 05-Jun-2023 02:47 PM

: NONACC (FI)/ kacrsfl08/ CHANNASANDRA2/ KA-SV

: SUBIN-KAKACRSFL0842854820407765V

: ASTER HOSPITAL

: Article 4 Affidavit

: AFFIDAVIT

0

(Zero)

: ASTER HOSPITAL


: MS GOMTI INCINCO

: ASTER HOSPITAL

: 100

(One Hundred only)







Please write or type below this line

AGREEMENT

This agreement is entered into at Bengaluru on this the 1st day in the month of June Two Thousand Twenty Three between M/s. Aster DM Healthcare GSTIN(29AACCD7912K1ZD)No.1785 Sarjapura Road, Sector 1,HSR Layout, ward no 174,Agra Extension, Bengaluru Karnataka 560102, A company incorporated having its

Hospital in the name of Aster Hospital (A unit of Aster DM Healthcare) at plot no 2,3 & 4,Sadarmangala Industrial Area, Off Whitefield main road, Opp ITPL, Whitefield, Bengaluru, Karnataka, 560066, India. Represented by its Authorized Signatory (COO) Mr. Arun Kumar (which expression shall Include, successors —in-interest and assigns) of the "FIRST PART" COMPANY.

AND

M/s. GOMTI INCINCO, and having is registered office and Factory at # 3 B 2, Kumbalgodu Industrial Area, Ist Phase, Mysore Road, Bangalore-560074 represented by its Managing Partner Mr. RAMESH SHARMA, Hereinafter referred as "CONTRACTOR." (which expression shall include, successors —in-interest and assigns) of the "SECOND PART" CONTRACTOR.

WHEREAS M/s. Aster Hospital is a company applying certain process whereby certain quantity of hazardous waste is generated. The said company interested in incinerating the above hazardous waste as per the norms prescribed by Karnataka State Pollution Control Board (KSPCB).

WHEREAS M/s. Gomti Incinco is an authorized company for treating hazardous waste, possessing consent letter bearing No. 319220 dated 23rd July 2020 issued by the Karnataka State Pollution Control Board. for such Incineration of Hazardous Wastes. The contractor is desirous of carry the Hazardous waste for the company.

AND WHEREAS the parties are desirous of entering into agreement for arranging for carrying and Incineration of Hazardous Waste generated by the company subject to the terms of agreement.

I. DUTIES & RESPONSIBILITIES OF THE PARTY OF THE FIRST PART

- Agree to inform KSPCB about the hazardous waste generated in the industry being incinerated at the facility of M/s Gomti Incinco.
- Agree to store the hazardous waste generated in a safe and secured manner as prescribed by KSPCB offload the said hazardous waste to M/s. Gomti Incinco on quarterly basis.
- Agree to offload estimated quantity 250-350 kg of the hazardous waste every three months, even if needed before as well.
- 4. Agree to pay at the revised rate, arrived only at after mutual discussion.



- 5. Agree to pay the bill within Fifteen days from the receipt of the bill from the 2nd party.
- 6. Agree to accept the commercial terms mentioned in Annexure to this Agreement.
- Agree to make an interest free deposit of Rs. 15000/- (Rupees Fifteen Thousand Only), which will be refunded on termination of the contract.

II. DUTIES & RESPONSIBILITIES OF PARTY OF THE SECOND PART (M/S. GOMTI INCINCO)

- Agree to possess an up-to-date Consent letter for the Incineration of Hazardous Wastes.
- 2. Agree to give a copy of the consent Letter to M/s. Aster Hospital
- 3. Agree to possess an up-to-date Public Liability Insurance Policy.
- 4. Whenever the Transport Vehicle of M/s Gomti Incinco is utilized for transportation of the Hazardous Wastes. M/s Gomti Incinco agree to keep such vehicle road worthy, fit to carry such hazardous wastes as prescribed by statutory bodies such as, Department of Ecology / Environment, KSPCB and such other statutory bodies as prescribed from time to time.
- Vehicles are used exclusively for the transportation of hazardous wastes, maintained in good condition and an alternative arrangement made in case of breakdown.
- Agree to store and incinerate the hazardous waste received from M/s. Aster
 Hospital and dispose the incinerated ash generated thereafter as per the norms of
 KSPCB.
- Agree to accept, and incinerate the hazardous waste as per the norms prescribed by KSPCB.
- 8. Agree to provide access to the representatives of M/s. Aster Hospital to visit the facility with prior appointment.
- Agree to cover the employees of M/s Gomti Incinco, who visit the premises of M/s. Aster Hospital by ESI and other statutory rules and regulations and also to provide such safety gadgets as required.
- 10. Agrees to indemnify M/s. Aster Hospital against any liabilities arising out of the incineration of hazardous waste until the final disposal.

3/

11. Agree to submit monthly returns to KSPCB of the quantity and nature of hazardous waste received and incinerated from M/s. Aster Hospital.

III. In Pursuant of the aforesaid terms the parties to this agreement jointly

That they will individually and jointly are responsible to the Karnataka State Pollution Control Board in carrying out their respective duties.

- That the system functioning at M/s Gomti Incinco is according to the approval granted by KSPCB, if the environmental audit carried out by M/s. Aster Hospital finds need for change / modification in the systems of M/s Gomti Incinco will be to the account of M/s. Aster Hospital.
- 2. If M/s. Aster Hospital transport the hazardous waste to the facility of M/s Gomti Incinco, M/s. Aster Hospital, will take all measures for the safe transportation of the hazardous wastes to M/s Gomti Incinco as per the norms prescribed by KSPCB. Similarly M/s Gomti incinco will take such safety measures in case their vehicle is utilized for the transportation
- 3. Disputes, if any, arising out of the terms of this agreement, shall, as far as possible mutually settled involving KSPCB. If this fails, the matter shall be settled as laid down in the Arbitration Act 1940, and the award passed thereon shall be final and binding on both the parties.
- 4. This agreement comes into effect from the day, month, and year first above written.
- This agreement is valid for a period of Three year and renewal / revision will be by mutual consent.
- Termination of the contract will be by mutual consent by giving written notice of six months by either party.
- The commercial part of this agreement and mode of transportation are mentioned in annexure to this agreement.



IN WITNESS WHEREOF the parties hereto have executed this presence at Bangalore on the day, month and year herein above mentioned.

FOR Aster Hospital

Mr Arun Kumar & Bangalora-10

1.

COO

FOR GOMTI INCINCO,

2.

Ramesh Sharma Managing Partner

WITNESSES:

1. Whu

2.

ANNEXURE:

The rates payable by M/s. Aster Hospital is Rs. 25/- per kg & Transportation Charges Rs.3800/- Per Trip of Hazardous Solid/Liquid Waste up to 01.03.2026. It will be reviewed and revised at mutually acceptable rates thereafter.

Chemical/ Hazardous waste

Xylene Isopropyl Alcohol Formalin Paraffin IHC Waste Specimen WAX