

Half Yearly Compliance Report
for the period (Sep-2024 to Feb-2025)

of Environment Clearance accorded by MoEF & CC vide no.
SIA/KA/INFRA2/412250/2022

for M/s Aster Hospital A Unit of Aster DM Healthcare limited.

Plot No 3 & 4 comprised in Sy.No.76, Sadaramangala Industrial
Area, Sadaramangala Village, KR Puram Hobli, Bengaluru south
Taluk, Bengaluru urban.560066



To,

Deputy Director General of Forests (C),
Ministry of Environment, Forest and Climate Change,
Integrated Regional Office Kendriya Sadan, 4th Floor,
E&F Wings, 17th Main Road, Koramangala II Block,
Bangalore – 560034

Email: rosz.bng-mefcc@gov.in

Date: 30.05.2025

Ref: Environmental clearance letter no. (EC23B038KA188490) dated
(12.04.2023)

Sub: Online submission of Half yearly compliance report for the period of
(Sep-2024 to Feb-2025) in M/s Aster Hospital A Unit of Aster DM Healthcare
limited. Plot No 3&4 comprised in Sy.No.76, Sadaramangala Industrial
Area, Sadaramangala Village KR Puram Hobli, Bangalore south taluk,
Bangalore urban.

Dear sir,

Environmental clearance was accorded to M/s Aster Hospital A Unit of
Aster DM Healthcare limited. Plot No 3&4 comprised in Sy.No.76,
Sadaramangala Industrial Area, Sadaramangala Village KR Puram Hobli,
Bangalore south taluk, Bangalore urban vide letter no
(SIA/KA/INFRA2/412250/2022) dated: (12.04.2023). We are herewith
submitting the half yearly EC compliance report for the period from (Sep-
2024 to Feb-2025) as per EIA Notification, 2006 on Parivesh portal and
through soft copy for your ready reference.

We trust that the measures taken towards environmental safeguards
comply with the stipulated environmental conditions. We look forward to
your further guidance which shall certainly help us in our endeavour for
further improve upon our environmental management practices.

Thanking you,

Yours faithfully,



Aster Whitefield Hospital		
ENVIRONMENTAL COMPLIANCE REPORT OF STIPULATED CONDITIONS OF ENVIRONMENTAL CLEARANCE		
Sr. No.	EC Conditions	Compliance Status
	Statutory Compliance.	
1	The project proponent shall obtain all necessary clearance/permission from all relevant agencies including town planning authority before commencement of work. All the construction shall be done in accordance with the local building by laws.	CFE, Electrical inspectorate, KIADB building approval , Lift licenses are obtained
2	The approval of the Competent Authority shall be obtained for structural safety of the constructions due to earthquakes, adequacy of firefighting equipment etc as per National Building Code including protection measures from lightening etc.	Structural safety test conducted
3	The project proponent shall obtain forest clearance under the provisions of Forest (Conservation) Act, 1980, in case of diversion of forest land for non forest purpose involved in the project.	Not applicable
4	The proponent shall obtain clearance from the National Board for Wildlife, if applicable.	Not applicable
5	The project proponent shall obtain Consent to Establish and Operate under the provisions of Air (Prevention & Control of Pollution) Act, 1981 and the Water (Prevention & Control of Pollution) Act, 1974 from the concerned State Pollution Control Board/ Committee.	CFE obtained, CFO applied
6	The project proponent shall obtain the necessary permission for drawl of ground water / surface water required for the project from the competent authority.	Noted and Agreed
7	A certificate of adequacy of available power from the agency supplying power to the project along with the load allowed for the project should be obtained.	Electrical Inspectorate approval obtained
8	All other statutory clearances such as the approvals for storage of diesel from Chief Controller of Explosives, Fire Department, Civil Aviation Department shall be obtained, as applicable, by project proponents from the respective competent authorities.	Fire and Chief controller of explosive approvals obtained
9	The provisions of the Solid Waste Management Rules, 2016, e-Waste (Management) Rules, 2016, and the Plastics Waste Management Rules, 2016 shall be followed.	Will be followed
10	The project proponent shall follow the ECBC/ECBC-R prescribed by Bureau of Energy Efficiency, Ministry of Power strictly.	Noted and Agreed
	Air quality monitoring and preservation	
11	Notification GSR 94(E) dated 25.01.2018 of MoEF&CC regarding Mandatory Implementation of Dust Mitigation Measures for Construction and Demolition Activities for projects requiring Environmental Clearance shall be complied with.	Barricade installed and Water sprinkled on regular intervals
12	A management plan shall be drawn up and implemented to contain the current exceedance if any in ambient air quality at the site.	Noted and Agreed
13	The project proponent shall install system to carryout Ambient Air Quality monitoring for common/criterion parameters relevant to the main pollutants released (e.g. PM ₁₀ and PM _{2.5}) covering upwind and downwind directions during the construction period.	Air quality monitoring conducted

14	Diesel power generating sets proposed as source of backup power should be of enclosed type and conform to rules made under the Environment (Protection) Act, 1986. The height of stack of DG sets should be equal to the height needed for the combined capacity of all proposed DG sets. Use of low sulphur diesel. The location of the DG sets may be decided with in consultation with State Pollution Control Board.	Exisiting DG set will used
15	Construction site shall be adequately barricaded before the construction begins. Dust, smoke & other air pollution prevention measures shall be provided for the building as well as the site. These measures shall include screens for the building under construction, continuous dust/ wind breaking walls all around the site (at least 3 meter height). Plastic/tarpaulin sheet covers shall be provided for vehicles bringing in sand, cement, murrum and other construction materials prone to causing dust pollution at the site as well as taking out debris from the site.	All the measures implemented
16	Sand, murrum, loose soil, cement, stored on site shall be covered adequately so as to prevent dust pollution.	All the dust genetrating materials will be covered
17	Wet jet shall be provided for grinding and stone cutting.	Provided
18	All construction and demolition debris shall be stored at the site (and not dumped on the roads or open spaces outside) before they are properly disposed. All demolition and construction waste shall be managed as per the provisions of the Construction and Demolition Waste Rules 2016.	Has been complied as per to C&D rules
19	The diesel generator sets to be used during construction phase shall be low sulphur diesel type and shall conform to standards prescribed under Environmental (Protection) Rules for air and noise emission standards.	Exisiting DG set will used
20	The gaseous emissions from DG set shall be dispersed through adequate stack height as per CPCB standards. Acoustic enclosure shall be provided to the DG sets to mitigate the noise pollution. Low sulphur diesel shall be used. The location of the DG set and exhaust pipe height shall be as per the provisions of the Central Pollution Control Board (CPCB) norms.	Stacks are available
Water quality monitoring and preservation		
21	The natural drain system should be maintained for ensuring unrestricted flow of water. No construction shall be allowed to obstruct the natural drainage through the site, on wetland and water bodies. Check dams, bio-swales, landscape, and other sustainable urban drainage systems (SUDS) are allowed for maintaining the drainage pattern and to harvest rain water	Not applicable, no natural waterbodies available on the site
22	Buildings shall be designed to follow the natural topography as much as possible. Minimum cutting and filling should be done.	Noted and Agreed
23	Total fresh water use shall not exceed the proposed requirement as provided project details.	Noted and Agreed
24	The quantity of fresh water usage, water recycling and rainwater harvesting shall be measured and recorded to monitor the water balance as projected by the project proponent. The record shall be submitted to the Regional Office, MoEF&CC along with six monthly Monitoring reports.	Monitoring in progress

25	A certificate shall be obtained from local body supplying water, specifying the total annual water availability with local authority, the quantity of water already committed, the quantity of water allotted to the project under consideration and the balance water available, this should be specified separately for ground water and surface water sources, ensuring that there is no impact on the other users.	Noted and Agreed
26	At least 20% of the open spaces as required by the local building bye-laws shall be pervious. Use of Grass pavers, paver blocks with at least 50% opening, landscape etc. would be considered as pervious surface.	Noted and Agreed
27	Installation of dual pipe plumbing for supplying fresh water for drinking, cooking and bathing etc and other for supply of recycled water for flushing, landscape irrigation, car washing, thermal cooling, conditioning etc. shall be done.	Installed dual plumbing system
28	Use of water saving devices/ fixtures (viz. low flow flushing systems; use of low flow faucets tap aerators etc) for water conservation shall be incorporated in the project area.	Water saving devices installed
29	Separation of grey and black water should be done by the use of dual plumbing system. In case of single stack system separate recirculation lines for flushing by giving dual plumbing system be done.	Noted and Agreed
30	The project proponent shall identify a suitable source of treated water for construction and submit an MOU/Agreement with such suppliers. If so the supplier identified shall be responsible for treatment of water with appropriate technology to the standards required for construction purpose.	Noted and Agreed
31	The local bye-law provisions on rain water harvesting should be followed. If local bye-law provision is not available adequate provision for storage and recharge should be followed as per the Ministry of Urban Development Model Building Bylaws. 2016.	RHW system installed
32	A rainwater harvesting plan needs to be designed where the recharge bores of minimum one recharge bore per 5,000 square meters of built up area and storage capacity of minimum one day of total fresh water requirement shall be provided. In areas where ground water recharge is not feasible, the rainwater should be harvested and stored for reuse. The ground water shall not be withdrawn without approval from the Competent Authority.	Noted and Agreed
33	All recharge should be limited to shallow aquifer.	Noted and Agreed
34	No ground water shall be used during construction phase of the project.	Agreed
35	Any ground water dewatering should be properly managed and shall conform to the approvals and the guidelines of the CGWA in the matter. Formal approval shall be taken from the CGWA for any ground water abstraction or dewatering.	No ground water extraction
36	The quantity of fresh water usage, water recycling and rainwater harvesting shall be measured and recorded to monitor the water balance. The record shall be submitted to the Regional Office, MoEF&CC along with six monthly Monitoring reports.	Monitoring in progress
37	Sewage shall be treated in the STP based on MBBR/SBR Technology with tertiary treatment i.e. Ultra Filtration. The treated effluent from STP shall be recycled./reused for flushing, landscaping and HVAC cooling. No treated water shall be discharged to municipal drain.	STP installed
38	No sewage or untreated effluent water would be discharged through storm water drains.	Noted and Agreed

39	The existing water body, canals and rajakaluve and other drainage and water bound structures shall be retained unaltered with due buffer zone as applicable and maintained under tree cover.	Noted and Agreed
40	On-site sewage treatment of capacity of treating 100% waste water to be installed. The installation of the Sewage Treatment Plant (STP) shall be certified by an independent expert and a report in this regard shall be submitted to the Ministry before the project is commissioned for operation. Treated waste water shall be reused_on site for landscape flushing, cooling tower, and other end-uses. Excess treated water shall be discharged as per statutory norms notified by Ministry of Environment, Forest and Climate Change Natural treatment systems shall be promoted.	STP installed and treated water is used back on the site
41	Periodical monitoring of water quality of treated sewage shall be conducted. Necessary measures should be made to mitigate the odour problem from STP.	Monthly monitoring is implemented
42	Sludge from the on-site sewage treatment, including septic tanks, shall be collected, conveyed and disposed as per the Ministry of Urban Development, Central Public Health and Environmental Engineering Organization (CPHEEO) Manual on Sewerage and Sewage Treatment Systems,2013.	Noted and Agreed
43	Ambient noise levels shall conform to residential area both during day and night as per Noise Pollution (Control and Regulation) Rules, 2000. Incremental pollution loads on the ambient air and. noise quality shall be closely monitored during construction phase. Adequate measures shall be made to reduce ambient air and noise level during construction phase, so as to conform to the stipulated standards by CPCB / SPCB.	Noted and Agreed
44	Noise level survey shall be carried as per the prescribed guidelines and report in this regard shall be submitted to Regional Officer of the Ministry as a part of sixmonthly compliance report. Acoustic enclosures for DG sets, noise barriers for ground-run bays, ear plugs for operating personnel shall be implemented as mitigation measures for noise impact due to ground sources.	Noise monitoring is conducted
45	The project proponent shall ensure the time specification prescribed by the Honorable High Court of Karnataka in WP. No. 1958/2011 (LB - RES - PIL) on 04.12.2012 for different activities involved in construction work	Noted and Agreed
Energy Conservation measures		
46	Compliance with the Energy Conservation Building Code (ECBC) of Bureau of Energy Efficiency shall be ensured. Buildings in the States which have notified their own ECBC, shall comply with the State ECBC.	Noted and Agreed
47	Outdoor and common area lighting shall be LED.	LED lights installed
48	Concept of passive solar design that minimize energy consumption in buildings by using design elements, such as buildings orientation, landscape, efficient building envelope ,appropriate fenestration, increased day lighting design and thermal mass etc. shall be incorporated in the building design . Wall, window, and roof u-values shall be s per ECBC specifications.	Design considered as ECBC specifications
49	Energy conversation measures like installation of LED for the lighting the area outside the building should be integral part of the project design and should be in place before project commissioning.	LED lights installed

50	Solar, wind or other renewable energy shall be installed to meet electricity generation equivalent to 1% of the demand load or as per the state level/local building bye-laws, requirement, whichever is higher.	Planned to install
51	Solar power shall be used for lighting in the apartment to reduce the power load on grid. Separate electric meter shall be installed for solar power. Solar water heating shall be provided to meet 20 % of the hot water demand of the commercial and institutional building or as per the requirement of the local building bye-laws, whichever is higher. Residential buildings are also recommended to meet its hot water demand from solar water heaters, as far as possible.	Solar water installed
	Waste management	
52	A certificate from the competent authority handling municipal solid wastes, indicating the existing civic capacities of handling and their adequacy to cater to the M.S.W. generated from project shall be obtained.	Noted and Agreed
53	Disposal of muck during construction phase shall not create an adverse effect on the neighboring communities and be disposed taking the necessary precautions for general safety and health aspects of people, only in approved sites with the approval of competent authority.	Noted and Agreed
54	Separate wet and dry bins must be provided and at the ground level for facilitating segregation of waste. Solid waste shall be segregated into wet garbage and inert materials.	Available
55	Organic waste compost/ vermin culture pit/organic waste converter within the premises with a minimum capacity of 0.3kg/per/person/day must be installed.	PO released we'll install the same at the earliest.
56	All non-biodegradable waste shall be handed over to authorized recycles for which is written tie up must be done with the authorized recyclers.	MOU for disposal is available
57	Any hazardous waste generated during construction phase, shall be disposed of as per applicable rules and norms with necessary approvals of the state pollution control board.	No hazardous waste generated
58	Use of environment friendly materials in bricks, blocks and other construction materials, shall be required for a least 20% of the construction material quantity. These include Fly Ash bricks, AACs, Fly Ash lime Gypsum blocks, compressed earth blocks, and other environment friendly materials.	Noted and Agreed
59	Fly ash should be used as construction material as per the provision of fly ash notification of September, 1999 and amended as on 27th August, 2003 and 25th January, 2016. Ready mixed concrete must be used in construction.	Ready mix concrete used
60	Any waste from construction and demolition activities related thereto shall be managed so as to strictly conform to the construction and demolition waste management rules, 2016.	Noted and Agreed
61	Used CFLS/TFLS/LED should be properly collected and disposed of/ sent for recycling as per the prevailing guidelines/rules of the regulatory authority to avoid mercury contamination.	Noted and Agreed
62	Green cover	
63	No tree cutting/transplantation should be carried out unless exigencies demand. Where absolutely necessary, tree transplantation shall be with prior permission from the concerned regulatory authority. Old trees should be retained based on the girth and age regulation as may be prescribed by the Forest Department Plantations to be ensured species (cut) to species (planted).	No Trees were cut

64	A minimum of 1 tree for every 802 m land should be planted and maintained. The existing tress will be counted for this purpose. The landscape planning should include plantation of native species. The species with heavy foliage, broad leaves and wide canopy cover are desirable. Water intensive and/or invasive species should not be used for landscaping.	Noted and Agreed
65	Where the tress need to be cut with prior permission from the concerned local authority, compensation plantation in the ratio of 1:10 (i.e. planting of 10 trees for every tree that is cut) shall is done and maintained. Plantations to be ensured species (cut) shall be done and maintained. Plantation to be ensured species (cut) to species (planted).	Noted and Agreed
66	Topsoil should be stripped to a depth of 20 cm from the areas proposed for buildings, roads, paved areas, and external services. It should be stockpiled appropriately in designated areas and reapplied during plantation of the proposed vegetation on site.	Noted and Agreed
67	A comprehensive mobility plan, as per MoUD best practices guidelines (URDPFT), shall be prepared to include motorized, non-motorized, public, and private networks. Road should be designed with due consideration for environment, and safety of users. The road system can be designed with these basic criteria.	Noted and Agreed
68	a) Hierarchy of roads with proper segregation of vehicular and pedes traffic.	Noted and Agreed
69	b) Traffic calming measures.	Available
70	c) Proper design of entry and exit points.	Implemented
71	d) Parking norms as per local regulation.	Implemented
72	Vehicles hired for bringing construction material to the site should be in condition and should have a pollution check certificate and should conform to applicable air and noise emission standards be operated only during nonpeak hours.	Noted and Agreed
73	A detailed traffic management and traffic decongestion plan shall be drawn ensure that the current level of service of roads within a 5 km radius of the project is maintained and improved upon after the implementation of the project. This plan should be based on cumulative impact of all development and increased habitation being carried out or proposed to be carried out by the project or other agencies in this 5 km radius of the site in different scenario of space and time and the traffic management plan shall be duly validated and certified by the Urban development department and the P.W.D./ competent authority for road augmentation and shall also have their consent to the implementation components of the plan which involve the participation of these departments.	Noted and Agreed
74	Provide at the main entrances bell gates, which are located at least 12' inside the boundary of the project to enable smooth flow of traffic on the main road leading to be entrance.	Available
Human health issues		
75	All workers working at the construction site and involved in loading, unloading, carriage of construction material and construction debris or working in any area with dust pollution shall be provided with dust mask.	Provided with mask
76	All required sanitary and hygienic measures should be in place before starting construction activities and to be maintained throughout the construction phase. Sufficient number of toilets/bathrooms shall be provided with required mobile toilets, mobile STP for construction workface.	Exisitng STP is used

77	For indoor air quality the ventilation provisions as per National Building code India.	Ventelation is provided
78	Emergency preparedness plan based on the Hazard identification and risk Assessment (HIRA) and Disaster Management Plan shall be implemented.	Noted and Agreed
79	Provision shall be made for the housing of construction labour within the site all necessary infrastructure and facilities such as fuel for cooking, mobile toilets, mobile STP, safe drinking water, medical health care, crèche etc. The housing may be in the form of temporary structures to be removed after the completion of the project.	Exisitng STP is used
80	Occupational health surveillance of the workers shall be done on regular basis.	Noted and Agreed
81	A first Aid Room shall be provided in the project both during construction and operations of the project.	Noted and Agreed
Corporate Environment Responsibility		
82	The project proponent shall comply with provision contained in OM vide F.No. 22-65/2017-IA.III dated 20th October 2020, of the Ministry of Environment, Forest and climate change as applicable, regarding Corporate Environment Responsibility and shall execute the action plan of Awareness on Cardiac Alternative treatments, Free treatment for LIG and Medical checkup camps in labor colony of Mahadevapura, as submitted vide letter dated 10.04.2023.	Noted and Agreed
83	The company shall have a well laid down environment policy duly approved by the Board of Directors. The environment policy should prescribed for standard operating procedures to have proper checks and should and balances and to bring into focus any infringements/deviation/violation of the environment / forest / wildlife norms / conditions. The company shall have defined system of reporting conditions and /or stakeholders. The copy of the board resolution in this regard shall be submitted to the MoEF&CC as a part of six-monthly report.	Noted and Agreed
84	The separate environment Cell both at the project and company head quarter level, with qualified personnel shall be set up under the control of senior Executive, who will directly to the head of the organization. The project proponent enter into an agreement with the prospective buyers/ tenants to ensure that they maintain the cell and take care of all environment concerns during the operation phase of the project. In addition, sufficient fees should be levied so as to raise a corpus fund to maintain the environment cell.	Noted and Agreed
85	Action plan for implementing EMP and environment conditions along responsibility matrix of the company shall be prepared and shall be duly approved by competent authority. The year wise funds earmarked for environmental protection measures shall be kept in separate account and not to be diverted for any other purpose. Year wise progress of implementation of action plan shall be reported to the Ministry of Environment, Forest and climate Change/regional Office along with the Six Monthly Compliance Report.	Noted and Agreed
Miscellaneous		
86	The project proponent shall prominently advertise it at least in two newspapers of the District or State, of which one shall be in the vernacular language within seven days indicating that the project has been accorded environment clearance and the details of MoEFCC/SEIAA website where displayed.	

87	The copies of the environment clearance shall be submitted by the project proponents to the Heads of local bodies, panchayats and Municipal Bodies in addition to the relevant offices of the Government who in turn has to display the same for 30 days from the date of receipt.	Submitted to local bodies
88	The project proponent shall obtain the construction material such as stones and aggregates etc. only from the approved quarries and other construction material shall also be procured from the authorized agencies/traders.	Noted and Agreed
89	The project proponent shall not use Kharab land in any for any purpose and available to the general public duly displaying a board as public property structure of any kind be put up in the kharab land and shall be afforested maintained as green belt only.	Noted and Agreed
90	The project proponent shall build in infrastructure required for use of piped Natural Gas (PNG) such as pipelines and space for installation of PNG distribution equipment for both domestic/commercial purpose and DG set and shall ensure that PNG is supplied for both commercial and for DG set instead of the other type of fuels.	Provision available
91	The project proponent shall upload the status of compliance of the stipulated environment clearance conditions, including results of monitored data on their website and update the same on half-yearly basis.	Noted and Agreed
92	The project proponent shall submit six-monthly reports on the status of the compliance of the stipulated environment conditions on the website of the ministry of Environment, Forest and Climate Change at environment clearance portal.	Noted and Agreed
93	The half Yearly Compliance Reports (HYCRs) with its contents of a covering letter, compliance reports, and environment monitoring data has to be in PDF format merged into a single document. The email should clearly mention the name of project, EC No & date, period of submission and to be sent to the Regional Office of MOEF&CC by email only at email ID rosz.bng-mefcc@gov.in Hard copy of HYCRs shall not be acceptable.	Noted and Agreed
94	The project proponent shall submit the environment statement for each financial year in Form-V to the concerned State Pollution Control Board as prescribed under the Environment (protection) Rules, 1986, as amended subsequently and put on the website of the company.	Noted and Agreed
95	The project proponent shall inform the Regional Office as well as the Ministry of Environment, Forest and Climate Change, the date of financial closure and final approval of the project by the concerned authorities, commencing the development work and start of production operation by the project.	Noted and Agreed
96	The project authorities must strictly adhere to the stipulations made by the State Pollution Control Board and the State Government.	Noted and Agreed
97	The project proponent shall abide by all the commitments and recommendations made in the EIA/EMP report and also that during their presentation to the Expert Appraisal Committee.	Noted and Agreed
98	No further expansion or modification in the plan shall be carried out without Environmental Clearance from the competent authority.	Noted and Agreed
99	Concealing factual data or submission of false/fabricated data may result in revocation of this environment clearance and attract action under the provisions of environment (protection) Act, 1986.	Noted and Agreed

100	The state Level Environment Impact Assessment Authority, Karnataka may revoke or suspend the clearance, if implementation of any of the above conditions is not satisfactory.	Noted and Agreed
101	The SEIAA, Karnataka reserves the right to stipulate additional conditions if found necessary. The Company in a time bound manner shall implement conditions.	Noted and Agreed
102	The Regional Office of MoEF&CC shall monitor compliance of the stipulated conditions. The project authorities should extend full cooperation to the office(s) of the Regional Office by furnishing the requisite data / information/monitoring reports	Noted and Agreed
103	The above conditions shall be enforced, inter-alia under the provisions of the Water (prevention & Control of pollution) Act,1974,the Air (Prevention & Control of pollution) Act,1981, the Environment (Protection) Act, Hazardous and other Wastes (management and Trans boundary Movement) Rules, 2016 and the Public Liability Insurance Act,1991 along with their amendments and Rules and any others passed by the Honorable Supreme Court of India/ High Courts and any other court of Law relating to the subject matter.	Noted and Agreed
104	Any appeal against this EC shall lie with the National Green Tribunal, if preferred, within a period of 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010.	Noted and Agreed
105	In case of any material supported by documents/court orders which is contrary to the claim of the applicant and materials facts produced, the SEIAA reserves the right to withdraw the EC at any point of time.	Noted and Agreed
	Additional Condition	
106	Assured water supply, commensurate with the ultimate occupancy envisaged in the project, shall be ensured before commencement of the project.	Noted and Agreed
107	The PP shall strictly adhere to the local Planning Authority Bye-laws.	Noted and Agreed
108	The proponent shall establish a separate pre-treatment of biomedical liquid waste and the treated effluents shall be free from pathogens and disposed off as per Bio-medical Waste (Management& Handling) Rules, 1998.	Noted and Agreed



Karnataka State Pollution Control Board
Parisara Bhavana, No.49, Church Street, Bengaluru-560001

Tele : 080-25589112/3,
25581383/388

Fax: 080-25586321

Email id: ho@kspcb.gov.in

Consent For Operation(CFO-Air,Water) - (CfO-Expand)

As per the provisions of
The Water (Prevention & Control of Pollution) Act, 1974
&
The Air (Prevention & Control of Pollution) Act, 1981

To

Aster Hospital , Plot No.3 & 4, Sadaramangala Industrial area, whitefield

for the Facility located at,

**Aster Hospital ,Plot No. 3 & 4 ,Plot No.3 & 4, Sadaramangala Industrial area,
whitefield**

Bangalore Urban

Consent Order No	PCBID	INW ID	Industry Colour/Scale	Date of Issue
AW-339458	99322	192696	RED/LARGE	05/09/2023

**This Consent is granted for the Products/ Activity/Service name indicated
in the annexure along with the terms & conditions attached to this order**

Validity through: 05/09/2023 to 30/06/2028



ISO 9001:2015 & 14001:2015 Certified

Combined Consent Order No: AW-339458

PCB ID: 99322

GSC No : PBOXG0000182696

Date: 05/09/2023

Combined consent for discharge of effluents under the Water (Prevention and Control of Pollution) Act , 1974 and emission under the Air (Prevention and Control of Pollution)Act , 1981

Ref: 1. Application filed by the applicant/organization on 11/08/2023
2. Inspection of the Industry/organization/by RO, on 06/08/2023
3. Proceedings of the ECM dated 31/08/2023 , held on 29/08/2023

Consent is hereby granted to the Occupier under Section 25(4) of the Water (Prevention & Control of Pollution) Act, 1974 (herein referred to as the Water Act) & Section 21 of Air (Prevention & Control of Pollution) Act, 1981, (herein referred to as the Air Act) and the Rules and Orders made there under and authorized the Occupier to operate /carryout industry/activity & to make discharge of the effluents & emissions confirming to the stipulated standards from the premises mentioned below and subject to the terms and conditions as detailed in the Schedule Annexed to this order.

Location:

Name of the Industry: Aster Hospital

Address: Plot No. 3 & 4, Plot No.3 & 4, Sadaramangala Industrial area, whitefield

Industrial Area: Kadugodi-Sadaramangala I.A, Sadaramangala Industrial Area,

Taluk: BBMP- W- 83, District: Bangalore Urban

CONDITIONS:**a) Discharge of effluents under the Water Act:**

Sr	Water Code	WC(KLD)	WWG(KLD)	Remark
1	Domestic Purpose	91.250	88.500	(Expansion) Sewage shall be treated in proposed STP of capacity 175 KLD (165 KLD STP + 10 KLD Liquid biomedical waste treatment tank) & treated sewage shall be used for secondary purposes for toilet flushing, landscaping & HVAC purpose.
2	Domestic Purpose	63.750	51.000	(Existing) Sewage shall be treated in proposed STP of capacity 175 KLD (165 KLD STP + 10 KLD Liquid biomedical waste treatment tank) & treated sewage shall be used for secondary purposes for toilet flushing, landscaping & HVAC purpose.
3	Others	5.000	4.500	(Expansion) Lab washing effluents shall be fine screened & shall be disinfection process with sodium hypochlorite and then shall be taken to STP for further treatment.
4	Others	5.000	4.500	(Existing) Lab washing effluents shall be fine screened & shall be disinfection process with sodium hypochlorite and then shall be taken to STP for further treatment.

b) Discharge of Air emissions under the Air Act from the following stacks etc.

Sl. No.	Description of chimney/outlet	Limits specified refer schedule
The details of Sources, control equipments and its specification, type of fuel, constituents to be controlled in emissions etc. are detailed in Annexure-II.		

The consent for operation is granted considering the following activities/Products;

Sr	Product Name	Applied Qty	Unit
1	hospital with 148 beds	148.0000	Number
2	hospital with 294 beds (additional 146 beds)	294.0000	Number of Beds

Validity through : 05/09/202 to 30/06/2028
3

To,

Aster Hospital

Plot No.2, Sadaramangala Industrial area,
off Whitefield Main road, opp. ITPL, W

COPY TO:

The Environmental Officer, KSPCB, Regional Office Bengaluru Mahadevapura for information and necessary action.

2. Master Register.
3. Case file.

Consent Fee paid : Rs. 474000

SCHEDULE**TERMS AND CONDITIONS****A. TREATMENT AND DISPOSAL OF EFFLUENTS UNDER THE WATER ACT.**

1. The discharge from the premises of the occupier shall pass through the terminal manhole/manholes where from the Board shall be free to collect samples in accordance with the provisions of the Act/Rules made there under.
- 2(a). The sewage/domestic effluent shall be treated in septic tank and with soak pit. No overflow from the soak pit is allowed. The septic tank and soak pit shall be as per IS 2470 Part-I & Part-II.
- 2(b). The treated sewage effluent discharged shall conform to the standards specified in Annexure-I.
- 3(a). The trade effluent generated in the industry shall be treated in the ETP and treated effluent shall confirm to the standards stipulated by the Board in Annexure-I
- 3(b). The trade effluent shall be handed over to CETP and maintain logbook of effluent generated & sent every day.

4. The applicant shall install flow measuring/recording devices to record the discharge quantity and maintain the record.
5. The applicant shall not change or alter either the quality or the quantity or the place of discharge or temperature or the point of discharge without the previous consent/ permission of the Board.
6. The applicant shall not allow the discharge from the other premises to mix with the discharge from his premises. Storm water shall not be allowed to mix with the effluents on the upstream of the terminal manhole where the flow measuring devices are installed.
7. The daily quantity of domestic effluent and trade effluent from the industry shall not exceed the limits as indicated in this consent order:
8. The applicant shall discharge the effluents only to the place mentioned in the Consent order and discharge of treated/untreated outside the premises is not permitted.

B. EMISSIONS:

1. The discharge of emissions from the premises of the applicant shall pass through the air pollution control equipment and discharged through stacks/chimneys mentioned in **Annexure-II** where from the Board shall be free to collect the samples at any time in accordance with the provisions of the Act and Rules made there under. The tolerance limits of the constituents forming the emissions in each of the stacks shall not exceed the limits laid down in Annexure-II.
2. The applicant shall provide port holes for sampling of emission, access platforms for carrying out stack sampling, electrical points and all other necessary arrangements including ladder as indicated in Annexure-II.
3. The applicant shall upgrade/modify/replace the control equipment with prior permission of the Board.

C. MONITORING & REPORTING:

1. The applicant shall get the samples of effluents & emissions collected and get them analyzed once a month/either by in house monitoring laboratory or through EP approved laboratories for the parameters as Indicated in Annexure I & II.
2. The applicant shall maintain log books to reflect the working condition of pollution control systems and also self monitoring results and keep it open for inspection.

D. SOLID WASTE (OTHER THAN HAZARDOUS WASTE) DISPOSAL:

1. The applicant shall segregate solid waste from Hazardous Waste, Municipal Solid Waste and store it properly till treatment/disposal without causing pollution to the surrounding Environment.
2. The solid waste generated shall be handled & disposed by scientific method without causing eye sore to the general public and to the surrounding environment.

E. NOISE POLLUTION CONTROL:

The applicant shall ensure that the ambient noise levels within its premises during construction and during operational period shall not exceed w.r.t Area/Zone as per Noise Pollution (Regulation and Control) Rules, 2000 as mentioned below:-

- a) In Industrial Area 75 dB(A) Leq during day time and 70 dB(A) Leq during night time.
- b) In Commercial Area 65 dB(A) Leq during day time and 55 dB(A) Leq during night time.
- c) In Residential Area 55 dB(A) Leq during day time and 45 dB(A) Leq during night time.
- d) In Silence Zone 50 dB(A) Leq during day time and 40 dB(A) Leq during night time.

Note: - * Day time shall mean 6 am to 10 pm and Night time shall mean 10 pm to 6 am.

- * dB(A) Leq denotes the time weighted average of the level of sound in decibels on scale A which is relatable to human hearing.
- * A “decibel” is a unit in which noise is measured.
- * “A”, in dB(A) Leq, denotes the frequency weighting in the measurement of noise and corresponds to frequency response characteristics of the human ear.
- * Leq: It is an energy mean of the noise level over a specified period.

F. HAZARDOUS AND OTHER WASTES (MANAGEMENT & TRANSBOUNDARY MOVEMENT) Rules 2016:

The applicant shall comply with the provisions of the Hazardous and other Wastes (Management & Transboundary Movement) Rules 2016.

G. GENERAL CONDITIONS:

1. The applicant shall obtain prior permission from the competent authority for drawing of water from Surface/Ground water source and submit a copy of the same to the Board.
2. The applicant shall not allow the discharge from the other premises to mix with the discharge from his premises.
3. The applicant shall promptly comply with all orders and instructions issued by the Board from time to time or any other officers of the Board duly authorized in this behalf.
4. The applicant shall set-up Environmental Cell comprising of qualified and competent personnel for complying with the conditions specified.
5. The Board reserves the right to review, impose additional conditions, revoke, change or alter terms and conditions of this consent.
6. The applicant shall forthwith keep the Board informed of any accidental discharge of emissions/effluents into the atmosphere in excess of the standards laid down by the Board. The applicant shall also take corrective steps to mitigate the impact.
7. The applicant shall provide alternate power supply sufficient to operate all Pollution control equipments.

8. The entire premises shall always be kept clean. The effluent holding area, inspection chambers, outlets, flow points should be made easily approachable.
9. The applicant shall display the consent granted in a prominent place for perusal of the inspecting officers of the Board.
10. The applicant his heirs, legal representatives or assignee shall have no claims whatsoever to the continuation or renewal of this consent after expiry of the validity of consent.
11. The applicant shall make an application for consent for subsequent period at least 120 days before expiry of this consent.
12. The applicant shall develop and maintain adequate green belt all around the periphery.
13. The applicant shall provide rain water harvesting system and shall provide proper storm water management system.
14. This consent is issued without prejudice to any Court Cases pending in any Hon'ble Court
15. The applicant shall furnish the Environmental statement for every financial year ending with 31st March in Form-V as per Environment (Protection) Rules, 1986. The statement shall be furnished before the end of September.
16. The applicant shall display flow diagram of the pollution control system near the pollution control system/s

NOTE:

The Conditions A(2(a) & 3(b)) mentioned in the schedule are not applicable.

Additional Conditions:

1) This CFO(Expansion) is issued after prior approval of Chairman & MS for the period upto 30.06.2028 with conditions, for operating the hospital with bed strength of 294. 2) Shall conduct Environmental audit and submit Environmental statement within 30th September every year. 3) Shall not mix and dispose the Bio Medical waste(BMW) with any other Waste, collect the BMW in different color coding bins and shall be handed over to CBMTF, maintain the records on daily basis 4) Shall submit the annual report in Form IV every year before 30th June. 5) Applicant shall submit quarterly monitoring report and submit half yearly consent condition compliance report. 6) Awareness campaign through digital display system at the reception areas w.r.t environment. 7) There shall not be any complaint against the unit, in such cases action will be taken to withdraw the CFO. 8)The Occupier of the hospital shall comply with all the conditions prescribed in the Annexure.

Chimney No.	Chimney attached to	Capacity/KVA Rating	Minimum chimney height to be provided above ground level (in Mts)	Constituents to be controlled in the emission	Tolerance limits mg/NM3	Fuel	Air pollution Control equipment to be installed, in addition to chimney height as per col.(4)	Date of which air pollution control equipments shall be provided to achieve the stipulated tolerance limits and chimney heights conforming to stipulated heights.
1	D.G. Sets	1010 KVA DG set	30	PM,SO ₂ ,NO _x ,CO, NMHC	75,0,710,150,100	DIE	AEC,NDR	At all times
2	D.G. Sets	1010 KVA DG set	30	PM,SO ₂ ,NO _x ,CO, NMHC	75,0,710,150,100	DIE	AEC	At all times
3	D.G. Sets	500 KVA DG Set - 4.5 M ARL	7	PM,SO ₂ ,NO _x ,CO, NMHC	0,0,0,0,0	DIE	AEC	At all times
4	D.G. Sets	500 KVA DG Set - 4.5 M ARL	7	PM,SO ₂ ,NO _x ,CO, NMHC	0,0,0,0,0	DIE	AEC	At all times

Note:

AEC,ND R : Accoustic Enclosures

AEC : Accoustic Enclosures

Note:

1. The Noise levels within the premises shall not exceed 75 dB (A) leq during day time and 70 dB(A) leq during night time respectively.
2. The DG set shall be provided with acoustic measures as per SI.No.94 in Schedule-I of Environment (Protection)Rules.
3. There shall be no smell or odour nuisance from the industry.

LOCATION OF SAMPLING PORTHOLES, PLATFORMS, ELECTRICAL OUTLET.

1. Location of Portholes and approach platform:

Portholes shall be provided for all chimneys, stacks and other sources of emission. These shall serve as the sampling points. The sampling point should be located at a distance equal to atleast eight times the stack or duct diameters downstream and two diameters upstream from source of low disturbance such as a Bend, Expansion, Construction Valve, Fitting or Visible Flame for rectangular stacks, the equivalent diameter can be calculated from the following equation.

$$\text{Equivalent Diameter} = \frac{2 (\text{Length} \times \text{Width})}{(\text{Length} + \text{Width})}$$

2. The diameter of the sampling port should not be less than 100 mm dia". Arrangements should be made so that the porthole is closed firmly during the non sampling period
3. An easily accessible platform to accommodate 3 to 4 persons to conveniently monitor the stack emission from the portholes shall be provided. Arrangements for an Electric Outlet Point of 230 V 15 A with suitable switch control and 3 Pin Point shall be provided at the Porthole location.
4. The ladder shall be provided with adequate safety features so as to approach the monitoring location with ease.

For and on behalf of the
Karnataka State Pollution Control Board

Signature Not Verified
Digitally signed by
Date: 2023.09.06 12:39:46
+05:30



BANGALORE ELECTRICITY SUPPLY COMPANY LTD.

(Wholly owned by Government of Karnataka undertaking)

No. EEE / AEE / MT / JEE / RMU(S) (N)/23-24/121

Office of the
Executive Engineer (Elec)

M.T. Division, BMASZ
23, 3rd Floor, Bescom Building
24th Main, 17th Cross, HSR Layout
2nd Sector, Bangalore - 560 102.

To,
The Assistant. Executive Engineer (Elec.,)
Sub-Division
BESCOM, Bangalore

Date 06/05/2023

Sir,

Sub : Pre-Commission Test of RMU Installed at (M+20D+1VL) DAS, RMU for APIS.

to an extent of 1500KVA. Supply information was provided
Hd. No. 3451, 13th Main Road, Salarangula.
Ref: Whitefield Bangalore
Ref: AEE (E12) / AEE / 2022-23/125 & 4/15/2023

With reference to the above, I write to state the per-commission test of RMU (S) is conducted on 06/05/2023
the above said location, the details of test results are follows.

Sl. No.	RMU Details	Make	Remarks
1.	OD (In comer) 20D	ABB Hd. Mfg- 2021 Type : 400V+MPT I: 630A V: 12kV Sl. No. SN01-1V4N 040122.001164	Tested Good /
2.	VL (Out going) 1VL	Type : 400V I: 630A V: 12kV Sl. No. —	Tested Good /
3.	CT VL CPR-200/11	Make : Vidyalakshmi Type : Ratio : 400-200-100/1 Class : 5P10 Sl. No. ① 52247 ② 52246 ③ 52245	—
4.	Relay (ELR) (Protection)	Make : CTS CSDPR-V2	—

- The Ratio & Polarity test are conducted for each CT & found to be OK.
- Mechanical operation for all the breaks is tested and found to be OK.
- ~~Insulation resistance is measured with 5 KV megger & Results found to be satisfactory.~~
- The cable termination has to be done with a single run 3 core cable for each module. The cable entries have to be sealed properly & the installation has to be serviced as per the corporate norms.
- The testing fee Rs. 4080 X 1 = Rs. 4080/- paid on 06/05/2023 Receipt No. 857402864077/283 at Sub Division E12

6. Thru 4 DAS RMU

Yours Faithfully,

Asst. Executive Engineer (Elec)
The Assistant Executive Engineer (Elec)
RMU Sub-Dn. North
MT Division, BMASZ
BESCOM Bangalore

- Copy to
- The Executive Engineer (Elec) Whitefield Division, BESCOM, BMASZ, Bangalore
 - The Executive Engineer (Elec), MT Division, BESCOM, BMASZ, Bangalore
 - M.F.

No.: EEE/AEE/HTR/WF/MT/BMAZ/

To,

The Assistant Executive Engineer (Ele.)

E12 C, O & M Sub-Division

BMAZ, BESCOM, Bengaluru

Office of the Executive Engineer (Ele.),
MT Division, BMAZ (South),
537, VSR Sabhangana, Bhavani Nagar,
Gavipuram, Basavanagudi, Bengaluru - 19.
Tel : 080-26605067

Date: 05.05.2023

Sir/Madam,

Sub : Pre-Commission Test Report of HT / EHT Installation of O&M Unit: EPIP

Ref : 1) Your request letter No.: AEE(e) / E12 / AECT / 22-23 / 125 dt: 04.05.23

The Pre-Commission test conducted on HT / EHT metering cubicle on 05.04.23 of HT/EHT

installation as requested vide above ref. and following details for your further needful.

1. Details of HT / EHT Installation :

TOD: Yes / No ABT: Yes / No

Name and Address of the Consumer	M/s Nandini Hotels (P) Ltd. No: 345/1, 13th Main Road, Sadolamangla I. A. Whitefield, B'lore.
Sanctioned Contract Demand in kVA	1500 kVA
Tariff Sanctioned as per Power Sanction Letter	HT 2C2
Connected Current Transformer Ratio (CCTR)	75/1A
Connected Potential Transformer Ratio (CPTR)	11kV/√3 / 110V/√3
MC (in No. & Words)	X X 7 5 0 0 (Seven Thousand Five Hundred only)

2. Supply Voltage & Type: 220/-66 / 11 kV & O-H / GOS / RMU / LBS (Make: AB13 30MVA)

Switch Gear

3. Meggar Values with 5 kV and 500 V Meggar:

- a) HT to LT (5 kV Meggar): - 2900 - M Ohms
- b) HT to Ground (5 kV Meggar): - 2700 - M Ohms
- c) LT to Ground (500 V Meggar): - 300 - M Ohms

4. Ratio Test Results (at field):

Particulars	Connected Ratio	Primary Injected	Secondary Measured
Current Transformer	75/1A	50 Amps	0.667 Amps
Potential Transformer	11kV/√3 / 110V/√3	-241- Volts	-2.41- Volts

5. Installed Equipment Details :

Particulars		CURRENT TRANSFORMER	POTENTIAL TRANSFORMER	METERING CUBICAL DETAILS	
Make		Padmas	Padmas	Make	Omega Switchgear
Type		Indoor / Outdoor	Indoor / Outdoor	Sl. No.	OMEGA - 23-03-2348
Class		0.2	0.2	TRANSFORMER DETAILS	
Insultaion		15 38 95	15 38 95	Make	Classic Technologies
Burden		2.5VA	2.5VA	Capacity	1x2250kVA
Ratio Exist.		75 1A	11kV/√3 110V/√3	Vector Group	Dyn11
Ratio Connt.		75 1A	11kV/√3 110V/√3	Voltage Ratings	11kV 433V
SL No.	R Ø	M CT 017732	M PT 015800	Current Ratings	104.98 2666.82 A
	Y Ø	M CT 017733	M PT 015802	Sl. No.:	CTPL 2000 2023 030669
				MODEM & SIM CARD DETAILS	
				Modem Make & Sl. No.:	A 100215 171 20777 02250

7. METER DETAILS

8. SEALS DETAILS

PARTICULARS	MAIN METER		PARTICULARS	MAIN METER		CHECK METER	
	Make	Catetory/Type		Lead / P.C.	Plastic / Mfg.	Lead / P.C.	Plastic / Mfg.
Make	L&S	C/B/A	Meter Cover	BMH 54	856		
Catetory/Type	C/B/A	C/B/A	Terminal Cover	BMH 70	151		
Class	0.2S	0.2S	MD Reset Button	BMH 70	152		
Voltage	3x63.5V	3x63.5V	Test Terminal Block	BMH 70	155		
Amps	1A	1A	Meter Chamber Main Door	BMH 70	156		
Pulse	50000		Meter Reading Window				
Dial Constant	1	1	CT & PT Chamber	BMH 70	153		
Sl. No.	23003486		Cable Entry Chamber	BMH 70	154		
Year & Mfd.	2023		Hologram	MT 1064	88		
Wiring Type	3P4W	3P4W	Optical Port				
DLMS/TOD/ABT	DLMS/TOD/ABT	DLMS/TOD/ABT	Modern SIM Card Slot				
Com. Port Avail.	RS-232/485/OP	RS-232/485/OP					

9. INITIAL READINGS:

PARAMETERS	BILLING / MAIN METER INITIAL READINGS		CHECK METER INITIAL READINGS	
	→ IMPORT/FORWARD	← EXPORT/REVERSE	→ IMPORT/FORWARD	← EXPORT/REVERSE
Time & Date	17:37 5.05.23			
r MD kVA/r Avg. PF	0.000			
Total C kWh	0.213			
C kWh Zone-1	0.054 (0.054)			
C kWh Zone-2	0.036			
C kWh Zone-3	0.000			
C kWh Zone-4	0.121			
C KVArh (Lag/Lead)	0.121 / 0.072			
C kVAh	0.288			
C MD kVA	0.238			
Total Billing kWh	0.213			
Billing kWh Zone-1	0.054			
Billing kWh Zone-2	0.036			
Billing kWh Zone-3	0.000			
Billing kWh Zone-4	0.000			
Billing kVAh	0.288			
Billing kVA / MD	0.000			
Billing kWh Zone-1	0.000			
Billing kWh Zone-2	0.000			
Billing kWh Zone-3	0.000			
Billing kWh Zone-4	0.000			
Billing Avg. PF				
CH kVArh (Leg/Led)				
CL kVArh (Lag/Led)				
% THD Voltage				
% THD Current				
Anomaly/Diagnose	000			
MD Reset Count	06			
Auto/Manual Reset	Auto			

Whether display parameters of ETV meter are as per BESCOM requirement : YES / NO

10. Observations : The P.C. test results found within permissible limits. The time may be charged after getting approval from concerned authority by duly following "NORMS". After charging our office shall inform to further needful.



Bangalore Electricity Supply Company Limited

(Wholly Owned by Govt. of Karnataka Under taking)

No: EE/WFD/AEE/AE(T)/23-24/276

Ph No. : 8277893919

Email : eewf.work@gmail.com

Office of the

Executive Engineer (Ele),

Whitefield Division

BESCOM, Bangalore-560 066.

Date:- 05-05-2023

To

The Assistant Executive Engineer (Ele)

C, O & M, BESCOM,

E12 Sub Division,

Mahadevapura, Bangalore-560048.

Sir,

Sub: submission of sanctioned Estimate file for arranging power supply to an extent of **1500 KVA on HT(c) tariff for hospital purpose** in favor of **M/s.NANDINI HOTELS PVT LTD** at No 345/1, 13th Main Road, Sadaramangala Industrial area, Whitefield, Bangalore-560066 in **EPIP O & M unit** of E-12 sub division under self-execution.

Ref: 1. AEE/E12SD/AET/2023-24/119 dated 04-05-2023.

2. Work order No: E-12/ F-302 / 2348530 Dated: 15-04-2023.

With reference to the above cited subject, I am here with enclosing the subject file pertaining to E12 sub division submitted for arranging power supply to an extent of **1500 KVA on HT(c) tariff for hospital purpose** in favor of **M/s.NANDINI HOTELS PVT LTD** at No 345/1, 13th Main Road, Sadaramangala Industrial area, Whitefield, Bangalore-560066 in **EPIP O & M unit** of E-12 sub division under self-execution.

You are requested to take further needful action duly observing the company formalities as per KERC regulations for arranging power supply.

Yours faithfully,

Executive Engineer (Ele)

Whitefield Division

BESCOM, Bangalore-560 066.



Bangalore Electricity Supply Company Limited

(Wholly Owned by Govt. of Karnataka Under taking)

No: EE/WFD/AEE/AE(T)/23-24/276

Ph No. : 8277893919

Email : eewf.work@gmail.com

Office of the

Executive Engineer (Ele),

Whitefield Division

BESCOM, Bangalore-560 066.

Date:- 05-05-2023

OFFICIAL MEMORANDUM

Sub: Accounting of assets taken over by BESCOM in connection with self-execution works for arranging power supply to an extent of **1500 KVA on HT(c) tariff for hospital purpose** in favor of **M/s.NANDINI HOTELS PVT LTD** at No 345/1, 13th Main Road, Sadaramangala Industrial area, Whitefield, Bangalore-560066- in **EPIP O & M** unit of E-12 sub division under self-execution

PREAMBLE:

1. Power sanction to the above proposal is conveyed by vide letter No: **CEE/BMAZ-N/SEE(O)/AE-2/22-23/5650-53 Dated: 23-03-2023.**
2. Consumer has paid the following supervision charges and deposits; Supervision charges **Rs 1,55,269 /-** vide **Rt.No.837402847052 dated 28-03-2023.** E12 sub division..
3. Arranging power supply to M S Building is carried out by the Class-1 LEC and the Electric fitness certificate is issued by the Electrical Inspectorate vide letter No: **ACEI/BN//280/2023-24 Ack No: EI000110533503 dated: 29-04-2023.**
4. The consumer has submitted an undertaking on **Rs. 200/-** stamp paper to stand guarantee for the line materials, equipment's, and the quality of work for one year, from the date of commissioning. The consumer should give an undertaking to the effect that he will abide by the above conditions.
5. **Work order No: E-12/ F-302 / 2348530 Dated: 15-04-2023.**
6. The Asst. Exe. Engineer (Ele.), E12 sub division has furnished the inventory report of the assets to be created for the above said installation, bills under taking etc., vide letter No.**AEE (ELE)/E12SD/AET/2023-24/119 dated 04-05-2023.**

Order

Approval is hereby accorded to take over the extended works and account the assets actually executed in the self-execution works for arranging power supply to an extent of **1500 KVA on HT(c) tariff for hospital purpose** in favor of **M/s.NANDINI HOTELS PVT LTD** at No 345/1, 13th Main Road, Sadaramangala Industrial area, Whitefield, Bangalore-560066- in **EPIP O & M** unit of E-12 sub division under self-execution

Executive Engineer (Ele)

Whitefield Division

BESCOM, Bangalore-560 066.

Copy to:

1. Asst. Exe.Engineer, E12 sub division, Whitefield, Bangalore.
2. Accounts officer, Whitefield Division, Bangalore.
3. MF.



Bangalore Electricity Supply Company Limited

(Wholly Owned by Govt. of Karnataka Under taking)

EEE/WF/AEE(O)/AET/23-24/ 144-45

Encl:

TO

M/s.NANDINI HOTELS PVT LTD

No 345/1, 13th Main Road, Sadaramangala Industrial area,
Whitefield, Bangalore-560066.

Sir,

Office of the
Executive Engineer (Ele)
Whitefield Division, BESCOM.,
Whitefield, Bangalore-66.

24/4/23

Sub: Arranging Power supply to an extent of 1500 KVA on HT(C) tariff for hospital purpose, at above mentioned address.

Ref: 1. Power Sanction No: CEE/BMAZ-N/SEE(O)/AE-2/22-23/5650-53 Dated: 23-03-2023.
2. Power Sanction No: SEE/BEC/EE(O)/AEE(O)/22-23/14915-16 Dated: 20-03-2023
2. Payment Certificate No : AEE(ELE)/E12SD/AAO/SA/22-23/2163 Dated : 30-03-2023.

With reference to the above, approval is hereby accorded to execute the work of the above, subjected to the following conditions.

1. You shall carryout the work as per sanctioned estimate vide self-execution certificate no. E12-F-302 dated. 15-04-2023 (W.O.2348530) through Licensed Electrical Contractor having class-I License.
2. The materials used shall confirm to corporate specifications before execution of work.
3. You shall use all standard materials in accordance with relevant ISI/BESCOM specification.
4. The entire distribution system with the concerned equipment will be taken over by the corporation after completion of work and certified by Asst. Exe. Engineer (EI), BESCOM, O&M E12 sub division.
5. You should give an INDEMNITY BOND on Rs. 100/- STAMP PAPER to Asst. Exe. Engineer (EI), BESCOM, E12 sub division, that you will stand guarantee for a period of 12 months for the materials used by you as well as for the quality of works carried out by you, from the date of taking over of the lines and equipment's by corporation. Any failure within the guarantee period will be replaced by you "FREE OF COST"
6. Proof for having purchased the materials used for execution of the work from the reputed firm will be verified wherever necessary.
7. The Materials shall be purchased from BESCOM approved vendors and have to be got inspected by the TA&QC staff whenever necessary, as per General Manager (TA&QC) letter no. BESCOM/GM(TA&QC)/ BC-35/11-12/ Cys-26 dated. 27.06.11. Inspection charges of Rs. 5000/- per inspection in case of inspection of materials at factory premises in Karnataka, Outside Karnataka, charges such as transportation, boarding and lodging charges etc. has to be borne by prospective consumers
8. For further details, you may contact the Asst. Exe. Engineer (EI), BESCOM, O&M E12 sub division.
9. The self-exccution work shall be completed within 90days of issue of this certificate and avail service, otherwise the application will be treated as cancelled.
10. The Applicant shall furnish the Occupancy Certificate from Competent Authority, Before Commencement of Supply as per Clause No.9.07/4,New of C.O.S of Electricity of distribution Licenses in the state of Karnataka (Sixth Amendment)2017.

Yours faithfully,

Executive Engineer (EI),
BESCOM, Whitefield Division, Bangalore.

Copy to the Asst. Exe. Engineer (EI), E12 sub division, BESCOM, and to intimate the consumer as per with regard to availing service as per "Conditions of supply of electricity of distribution licenses in the state of Karnataka" & collect inspection charges as per Cys-26/ 27.06.11

Copy to the Accounts Officer, Whitefield Division, BESCOM., Bangalore for needful action along with sanctioned estimate



**GOVERNMENT OF KARNATAKA
(Electrical Inspectorate)**

Lr. No

Date : 08/05/2023

Ack No : EI000110537524

GSC No :

O/o Additional Chief Electrical Inspector,
Bengalore North,
No. 2/3 & 4, Aragini Building, 1st Floor,
Dr. Rajkumar Road, Rajajinagar, Bangalore10
Phone No :080-23420022

To

MS. NANDHINI HOTELS PVT LTD
NO – 354/1, 13th MAIN ROAD, SADARAMANGALA, INDUSTRIAL AREA, SADARAMANGALA VILLAGE,
BENGALURU, BENGALURU(District), BENGALURU EAST(Taluk)
Karnataka, India-560067

Sir,

Sub : Approval of electrical installation pertaining to 2X1010KVA 415V DG sets in an existing HTMSB installation **MS. NANDHINI HOTELS PVT LTD NO – 354/1,, 13th MAIN ROAD,, SADARAMANGALA, INDUSTRIAL AREA,, SADARAMANGALA VILLAGE, BANGALORE EAST(District), BANGALORE EAST(IRA)(Taluk) - 560067**

Drawing Ref No : EI000110535678

Ref : 1.Existing HT MSB Approval Ack No:
2. Drg Ack No:EI000110535678

With reference to the above, approval is hereby granted for energizing the electrical installation at [**MS. NANDHINI HOTELS PVT LTD with NO – 354/1,, 13th MAIN ROAD,, SADARAMANGALA, INDUSTRIAL AREA,, SADARAMANGALA VILLAGE, BANGALORE EAST, BANGALORE EAST(IRA) - 560067**] under Regulation No. [32] of Central Electricity Authority (Measures relating to Safety and Electric Supply) Regulation, 2010 as per details enclosed.
This approval is strictly subject to your full compliance with the relevant provisions of the Central Electricity Authority (Measures relating to Safety and Electric Supply) Regulation, 2010 (as amended to date) in every respect.

Note :

Conditions :

1. As per Regulation No: 46(5) and 46(6) required records shall be maintained.
2. As per Regulation No: 46(7) the installation shall be maintained and operated in a condition free from danger.
3. As per Regulation No: 3 designated person(s) shall operate and carryout the work on electrical lines and apparatus.

Inspection fee of **Rs. 11,400/- (IN WORDS) Eleven Thousand Four Hundred only** paid vide K2 Challan Ref. No: **EL0523004300002079** dated **06/05/2023**

Details of Equipments :

CG. No: DG1:BE-6840, DG2:BE-6841

Engine :Make:Cummins India Limited,1500RPM, 1180BHP, DG1-25481237, DG2-SI.No:25480856, .

Alternator :Make:Stamford, 1010KVA, 1405.1A, 1500RPM, SI.No:DG1-N23A020770, DG1-SI.No:N23A010308,

CTs: Make:Kalpa, 10VA, cl:1.0, 1600/5A, DG1-SI.No:80282/22, 80281/22, 80280/22.

DG2-SI.No:80263/22, 80264/22, 80265/22.

EMs: Make: Elemeasure, smart-3E, 3P4W, DG1-SI.No:ECC5141294, IR:00000400.00, MF: Direct Reading.

DG2-SI.No:CCC5112961, IR:00000400.00, MF: Direct Reading.

CONDITIONS :

1. This approval is subject to condition of compliance of Central Electricity Authority (Measures Relating to Safety Electric Supply) Regulations, 2010, framed under the Electricity Act 2003 and also The Karnataka Electricity (Taxation on consumption or sale) Act, 1959 and the Karnataka Electricity (Taxation on consumption or sale) Rules 2014.
2. This approval is subject to condition of clause (a) of sub-section (2) of Section 3 of the Karnataka Electricity (Taxation on consumption or Sale) Act, 1959, (Karnataka Act 14 of 1959), prescribed tax per unit shall be remitted as electricity tax on captive consumption of electricity generated by the Captive power generating plant.
3. Monthly tax returns shall be filed in Forms 'G' and same shall be sent to jurisdictional DEI's Office, under intimation to the undersigned.
4. This approval shall be displayed at the generator room or in the control room.
5. Log book detailing/ showing day-to-day generation of energy and fuel consumption shall be maintained.
6. The energy meter shall be got calibrated once in a year and CTs shall be got tested once in three years respectively and Calibration and Test Certificates shall be sent to jurisdictional DEI's Office, under intimation to the undersigned.
Calibration & Test may done by the KPTCL or any other approved agencies.
7. The set shall always be kept open for inspection of Electrical Inspectorate authorities.
8. Any change in the generator machineries shall be intimated to this office and fresh approval shall be obtained.
9. Shifting of generator machineries shall be intimated and prior approval of the undersigned shall be obtained.
10. Necessary clearance shall be obtained from KSPCB.
11. It shall be the responsibility of the owner of all installations to maintain and operate the installation in a condition free from danger and as recommended by the manufacturer or by the relevant codes of practice of the Bureau of Indian Standards.



Digitally Signed by : KONAPALLI NAGARAJ
Additional Chief

Electrical Inspector
Bangalore North

Signed Date :08/05/2023

Note: This is a Digitally Signed Certificate and Does not require manual signature.

Please, Verify authenticity of this certificate by visiting www.ksei.gov.in and entering certificate number in Third party verification.

SCHEDULE OF OPENINGS

DOOR D 1.1X2.1
D1 0.9X2.1
D2 0.75X2.1

WINDOW W 1.8X1.50
W1 1.2X1.5
W2 0.9X1.5

VENT V 0.9X0.6



AREA STATEMENT IN 8065.33 SQUARE MTRS			
EXISTING BUILDING (HOTEL + KITCHEN)			
GROUND FLOOR	1021.13 SMT	TOTAL	1649.13 SMT
FIRST FLOOR	628.00 SMT		
PROPOSED MODIFIED HOSPITAL BUILDING			
BASEMENT FLOOR			
SERVICE AREA	649.67 SMT		
PARKING AREA	783.56 SMT		
GROUND FLOOR			
MEZZANINE FLOOR	1432.35 SMT		
FIRST FLOOR	1432.35 SMT		
SECOND FLOOR	1432.35 SMT		
THIRD FLOOR	1432.35 SMT		
TOTAL AREA	8625.23 SMT		

COVERED AREA 30.79% F.A.R. - 1.06			
PARKING STATEMENT			
LIVING ESTABLISHMENT 80 SQM OF FLOOR AREA			
8 TOURIST HOMES			
HOSPITAL BUILDING			
CAR PARKING REQUIRED			
CAR PARKING REQUIRED 106.17+10% FOR VISITOR			
CAR PARKING REQUIRED CARS = 115.67 SAY 116 CARS			
CAR PARKING REQUIRED 140 CARS			
BASEMENT PARKING - 82 NOS			
TOTAL PARKING = 82 NOS			
TOTAL PARKING = 194 NOS			


PROPOSED MODIFIED HOSPITAL BUILDING FOR M/S SINGAPORE WHITEFIELD INVESTMENT PVT LTD @ NO 3 & 4 SADARAMANGAL INDUSTRIAL AREA WHITEFIELD ROAD BANGALORE.

OWNERS SIGNATURE


ENGINEERS SIGNATURE



SECTION AT AA



FRONT ELEVATION



GROUND FLOOR PLAN

BASEMENT FLOOR PLAN

MADE TO ORDER
DATE: 10/10/2013
BY: 39/10/2013
THE KARNATAKA INDUSTRIAL AREAS DEVELOPMENT BOARD
BANGALORE - 560 001
LICENCE IS GRANTED AS PER PLAN

Asst. Engineer
City Building, Industrial Areas Development Board,
Opp. R.R. N.T. Road, Bangalore - 560 001.
Ph: 22222222, 22222222

Asst. Engineer
City Building, Industrial Areas Development Board,
Opp. R.R. N.T. Road, Bangalore - 560 001.
Ph: 22222222, 22222222

SCHEDULE OF OPENINGS

DOOR

D 1.1X2.1
D1 0.9X2.1
D2 0.75X2.1

WINDOW

W 1.8X1.50
W1 1.2X1.5
W2 0.9X1.5

VENT

V 0.9X0.6

AREA STATEMENT IN 8095.33 SQUARE METRS

EXISTING BUILDING (HOTEL + KITCHEN)

GROUND FLOOR 1021.13 SMT TOTAL

FIRST FLOOR 828.00 SMT 1849.13 SMT

PROPOSED MODIFIED HOSPITAL BUILDING

BASEMENT FLOOR 649.87 SMT

SERVICE AREA 793.58 SMT

PARKING AREA 1482.80 SMT

GROUND FLOOR 1432.35 SMT

MEZZANINE FLOOR 1432.35 SMT

FIRST FLOOR 1432.35 SMT

SECOND FLOOR 1432.35 SMT

THIRD FLOOR 1432.35 SMT

TOTAL AREA 8625.23 SMT

COVERAGE 30.79% F.A.R. 1.06

PARKING STATEMENT

LOOKING ESTABLISHMENT 80 SQM OF FLOOR AREA

HOSPITAL BUILDING 106 SQM OF FLOOR AREA

CAR PARKING REQUIRED 106 17-TW FOR VISITOR

TOTAL PARKING 140 CARS

BASEMENT PARKING 82 NOS

TOTAL PARKING 184 NOS

PROPOSED MODIFIED HOSPITAL BUILDING

FOR

M/S SINGAPORE WHITEFIELD INVESTMENT PVT LTD

@ NO 3 & 4 SADARAMANGAL INDUSTRIAL AREA

WHITEFIELD ROAD BANGALORE.

OWNERS SIGNATURE

ENGINEERS SIGNATURE

VALID UP TO 14/06/2022

DATE 14/06/2022

DEVELOPMENT OFFICER

EXECUTIVE ENGINEER

THE KARNATAKA INDUSTRIAL AREAS DEVELOPMENT BOARD

BANGALORE - 560 001

LICENCE IS GRANTED AS PER PLAN

OPEN TERRACE TO HOUSE SERVICES 5288 SQ.FT.

140 NOS

70 NOS

140 NOS

106 17-TW FOR VISITOR

CARS = 11587 SQ. FT. 118 CARS

140 CARS

BASEMENT PARKING = 82 NOS

TOTAL PARKING = 184 NOS

COVERAGE 30.79% F.A.R. 1.06

PARKING STATEMENT

LOOKING ESTABLISHMENT 80 SQM OF FLOOR AREA

HOSPITAL BUILDING 106 SQM OF FLOOR AREA

CAR PARKING REQUIRED 106 17-TW FOR VISITOR

TOTAL PARKING 140 CARS

BASEMENT PARKING 82 NOS

TOTAL PARKING 184 NOS

PROPOSED MODIFIED HOSPITAL BUILDING

FOR

M/S SINGAPORE WHITEFIELD INVESTMENT PVT LTD

@ NO 3 & 4 SADARAMANGAL INDUSTRIAL AREA

WHITEFIELD ROAD BANGALORE.

OWNERS SIGNATURE

ENGINEERS SIGNATURE

VALID UP TO 14/06/2022

DATE 14/06/2022

DEVELOPMENT OFFICER

EXECUTIVE ENGINEER

THE KARNATAKA INDUSTRIAL AREAS DEVELOPMENT BOARD

BANGALORE - 560 001

LICENCE IS GRANTED AS PER PLAN

OPEN TERRACE TO HOUSE SERVICES 5288 SQ.FT.

140 NOS

70 NOS

140 NOS

106 17-TW FOR VISITOR

CARS = 11587 SQ. FT. 118 CARS


140 CARS

BASEMENT PARKING = 82 NOS


TOTAL PARKING = 184 NOS

COVERAGE 30.79% F.A.R. 1.06


PARKING STATEMENT




SECOND FLOOR PLAN




FIRST FLOOR PLAN



MEZZANINE FLOOR PLAN



THIRD FLOOR PLAN



FIRST FLOOR PLAN

① This plan is approved subject to the condition that it operates vide the office letter No: K/ADP/DO & EE-3/198/2013-18 dt. 23/4/12


② This plan is approved subject to the condition that you should obtain the sanction of the DoE (AF & S Upper Head), Air Force Division of DoE & CPO before acceptance of the same.

TADB/DO II / S. Narayana / P 380 / Ban / 2017-18

The Karnataka Industrial Areas
DEVELOPMENT BOARD
BANGALORE - 560 001

LICENCE IS GRANTED AS PER PLAN

VALID UPTO: 27.04.2018

Date: 28.4.2017  Development Officer
& Executive Engineer-II

The
 T-2000
 T-2000
 UPTO 26/4/2020

INDEX			
DOORS	WINDOWS	VENTILATORS	
D-1.0X2.10	W-1.8X1.5	0.90X0.75	
D1 0.9X2.10	W1 2.0X1.5		
D2 0.75X2.10	W2 0.90X1.5		
AREA STATEMENT - 8097.00 SQM			
EXISTING BUILDING AREA STATEMENT			
BASEMENT FLOOR SERVICE AREA =		649.67 SQM	
GROUND FLOOR		1462.60 SQM	
FIRST FLOOR		1432.35 SQM	
SECOND FLOOR		1432.35 SQM	
THIRD FLOOR		1432.35 SQM	
TOTAL AREA		6409.32 SQM	
PROPOSED BUILDING AREA STATEMENT			
FLOOR	GROSS	DEDUCT	NET
BASEMENT FLOOR	3023.39 SQM	2441.35 SQM	582.04 SQM
GROUND FLOOR	2299.38 SQM	81.96 SQM	2217.42 SQM
FIRST FLOOR	2517.46 SQM	141.30 SQM	2376.16 SQM
SECOND FLOOR	2569.96 SQM	81.96 SQM	2488.00 SQM
THIRD FLOOR	2569.96 SQM	81.96 SQM	2488.00 SQM
FOURTH FLOOR	2569.96 SQM	81.96 SQM	2488.00 SQM
FIFTH FLOOR	1112.59 SQM	81.96 SQM	1030.63 SQM
TERRACE FLOOR	221.32 SQM	221.32 SQM	NIL
TOTAL	16884.02 SQM	3213.77 SQM	13670.25 SQM
COVERGE - 53.62%			
F.A.R = EXISTING NET AREA + PROPOSED AREA			
6409.32 SQM + 13670.25 SQM = 20079.57 SQM			
F.A.R $\frac{20079.57 \text{ SQM}}{8097 \text{ SQM}} = 2.47 > 2.5$			
PARKING STATEMENT			
HOSPITAL BUILDING CAR PARKING REQUIRED		100 SQM OF FLOOR AREA	
CAR PARKING REQUIRED		120 + 10% (12 CAR) FOR VISITOR CARS = 132 NOS	
CAR PARKING ACHIVED		210 NOS CAR	
PROPOSED CONSTRUCTION OF HOSPITAL BUILDING FOR			
M/S.SINGAPORE WHITE FIELD INVESTMENT PVT.LTD.			
M/S NANDIHINI HOTELS PVT.LTD.			
@ NO.3 & 4 SADRAMANGALA INDUSTRIAL AREA WHITE FIELD ROAD BANGALORE,			

OWNERS SIGNATURE

[Handwritten signature]

ENGINEERS SIGNATURE

[Handwritten signature]

S. Manjunath, DMC, DCE, B.E. (Civil)
CONSULTING CIVIL ENGINEER
Reg. No. BCC/BL-3.6/S-1450/15-16
Ph: 9966891282

ಕರ್ನಾಟಕ ಸರ್ಕಾರ

(ವಿದ್ಯುತ್ ಪರಿವೀಕ್ಷಣಾಲಯ ಇಲಾಖೆ)

ಸಂಖ್ಯೆ :EI000110558744

ಲಿಫ್ಟ್ ಪರವಾನಗಿ ಸಂಖ್ಯೆ : LRL 14298/2022-2023

Date of Issue:28/07/2023

ಮುಖ್ಯ ವಿದ್ಯುತ್ ಪರಿವೀಕ್ಷಕರ ಕಛೇರಿ,
ನಿರ್ಮಾಣ ಭವನ, 2ನೇ ಮಹಡಿ,
ಡಾ|| ರಾಜ್ ಕುಮಾರ್ ರಸ್ತೆ, ರಾಜಾಜಿನಗರ,
ಬೆಂಗಳೂರು-560010

ಲಿಫ್ಟ್ ಚಾಲನಾ ಪರವಾನಗಿ

(ನಮೂನೆ 'ಸಿ'- ಕರ್ನಾಟಕ ಲಿಫ್ಟ್ ಗಳ ನಿಯಮ 4ರ ಉಪ ನಿಯಮ 3 ಅನ್ನು ನೋಡುವುದು)

ಮೆ: ASTER DM HEALTH CARE LIMITED,NO.3&4,SY.NO.76,SADARAMANGALA INDUSTRIAL AREA OPP ITPL,WHITEFIELD ROAD,K.R.PURAM HOBLI,BENGALURU-560048 BENGALURU EAST BENGALURU

ಇವರಿಗೆ 2 , ASTER DM HEALTH CARE LIMITED,NO.3&4,SY.NO.76,SADARAMANGALA INDUSTRIAL AREA OPP ITPL,WHITEFIELD ROAD,K.R.PURAM HOBLI,BENGALURU-560048 BANGALORE EAST(IRA) BANGALORE EAST ಇಲ್ಲಿ ಒಂದು (1) ಸಂಖ್ಯೆಯ ಲಿಫ್ಟ್ ಅನ್ನು ಚಾಲನೆ ಗೊಳಿಸಲು ಅನುಮತಿಯನ್ನು ನೀಡಲಾಗಿದ್ದು, ಅನುಮತಿಯು ಕರ್ನಾಟಕ ಲಿಫ್ಟ್ ಗಳ, ಎಸ್ಕಲೇಟರ್ ಗಳ ಮತ್ತು ಪ್ಯಾಸೆಂಜರ್ ಕನ್ವೇಯರ್ ಗಳ ನಿಯಮಗಳು 2015ರ ಷರತ್ತಿಗೊಳಪಟ್ಟಿರುತ್ತದೆ ಮತ್ತು

ಮೆ: ASTER DM HEALTH CARE LIMITED,NO.3&4,SY.NO.76,SADARAMANGALA INDUSTRIAL AREA OPP ITPL,WHITEFIELD ROAD,K.R.PURAM HOBLI,BENGALURU-560048 BENGALURU EAST BENGALURU ಇವರ ಮಾಲೀಕತ್ವದಲ್ಲಿರುತ್ತದೆ.

ಯಂತ್ರಗಳ ವಿವರ:		
1	ಲಿಫ್ಟ್ ತಯಾರಿಕೆ ಮತ್ತು ಸಂಖ್ಯೆ	Mitsubishi Elevator India Pvt. Ltd., 1 No
2	ಲಿಫ್ಟ್ ವಿಧ	PASSENGER
3	ಸಾಮರ್ಥ್ಯ	15 Passengers, 1020.00 Kg
4	ಬಹುಮಹಡಿ ಕಟ್ಟಡದ ವಿವರ	5 BF+GF+3UF , HOSPITAL
5	ಲಿಫ್ಟ್ ಕಾರು ಮತ್ತು ಲ್ಯಾಂಡಿಂಗ್ ಡೋರ್	Telescopic Auto DoorTelescopic Auto Door
6	ಲಿಫ್ಟ್ ಲ್ಯಾಂಡಿಂಗ್ ಗಳ ವಿವರ	5 Landings , 5 BF+GF+3UF
7	ಲಿಫ್ಟ್ ನಿರ್ಧರಿತ ವೇಗ	1.00 m/s
8	ಲಿಫ್ಟ್ ಮೋಟಾರಿನ ವಿವರ	MITSUBISHI, 6.20(kW/HP), 93.00 RPM, SL No: 010912891

ಲಿಫ್ಟ್ ಚಾಲನಾ ಪರವಾನಗಿ ನವೀಕರಣ

ಕರ್ನಾಟಕ ಲಿಫ್ಟ್ ಗಳ, ಎಸ್ಕಲೇಟರ್ ಗಳ ಮತ್ತು ಪ್ಯಾಸೆಂಜರ್ ಕನ್ವೇಯರ್ ಗಳ ನಿಯಮ 2015 ರ ನಿಯಮ 5 ರ ಉಪ ನಿಯಮ 3ನ್ನು ನೋಡುವುದು

ಚಾಲನಾ ಪರವಾನಗಿ ನವೀಕರಣ			ಚಾಲನಾ ಪರವಾನಗಿ ನವೀಕರಣಶುಲ್ಕದ ವಿವರ		
ಕ್ರಮ ಸಂಖ್ಯೆ	ರಿಂದ	ರವರೆಗೆ	ಶುಲ್ಕ	ಚಲನ್ / ರಸೀದಿ ಸಂಖ್ಯೆ	ದಿನಾಂಕ
1	28/07/2023	27/07/2028	2500/-	EL07230043000034 80 (out of Rs.5025)	07/07/2023

Remarks:

NIL. NIL



Digitally Signed by : THEETHIRA NANJAPPA
APPACHU
Chief Electrical Inspector to Government
Bangalore
Signed Date : 28/07/2023

ಇವರಿಗೆ : NO.3&4,SY.NO.76,SADARAMANGALA INDUSTRIAL AREA OPP ITPL,WHITEFIELD ROAD,K.R.PURAM
HOBLI,BENGALURU-560048 BENGALURU EAST BENGALURU,NO.3&4,SY.NO.76,SADARAMANGALA INDUSTRIAL AREA
OPP ITPL,WHITEFIELD ROAD,K.R.PURAM HOBLI,BENGALURU-560048 BENGALURU EAST BENGALURU

ಪ್ರತಿಯನ್ನು

1. ಅಪರ ಮುಖ್ಯ ವಿದ್ಯುತ್ ಪರಿವೀಕ್ಷಕರು, ಬೆಂ.ಉ, ಬೆಂ.ದ, ಮೈಸೂರು, ಮಂಗಳೂರು, ಧಾರವಾಡ, ಕಲಬುರಗಿ

2.Periodic Inspection Details, DCEI Bangalore East Office, DCEI-Bangalore East

3. ಮೆ: Mitsubishi Elevator India Pvt. Ltd.,

ಸೂಚನೆ :

ಅ) ಈ ಲಿಫ್ಟ್/ಎಸ್ಕಲೇಟರ್/ ಪ್ಯಾಸೆಂಜರ್ ಕನ್ವೇಯರ್ ಗಳನ್ನು ಕರ್ನಾಟಕ ಲಿಫ್ಟ್ ಗಳ,ಎಸ್ಕಲೇಟರ್ ಗಳ ಮತ್ತು ಪ್ಯಾಸೆಂಜರ್ ಕನ್ವೇಯರ್ ಗಳ ಅಧಿನಿಯಮ 2012 ಹಾಗೂ ಅದರಡಿಯಲ್ಲಿ ರಚಿಸಿರುವ ಕರ್ನಾಟಕ ಲಿಫ್ಟ್ ಗಳ,ಎಸ್ಕಲೇಟರ್ ಗಳ ಮತ್ತು ಪ್ಯಾಸೆಂಜರ್ ಕನ್ವೇಯರ್ ಗಳ ನಿಯಮಗಳು 2015 ರ ನಿಯಮಗಳ ಅನುಸಾರ ನಿರ್ವಹಿಸತಕ್ಕದ್ದು.

ಆ) ನಿಯಮ 5ರ ಅನುಸಾರ ಈ ಲಿಫ್ಟ್ ಚಾಲನಾ ಪರವಾನಗಿಯನ್ನು ನವೀಕರಿಸಲು ಲಿಫ್ಟ್/ಎಸ್ಕಲೇಟರ್/ ಪ್ಯಾಸೆಂಜರ್ ಕನ್ವೇಯರ್ ಮಾಲೀಕರು ಮಾನ್ಯತಾ ಅವಧಿ ಮುಗಿಯುವ 3 ತಿಂಗಳ ಮುಂಚಿತವಾಗಿ ನವೀಕರಣ ಶುಲ್ಕ ಪಾವತಿ ಮಾಡಿದ ಚಲನ್ ಸಹಿತ ಅರ್ಜಿಯನ್ನು ಸಂಬಂಧಪಟ್ಟ ಲಿಫ್ಟ್ ತಪಾಸಣಾಧಿಕಾರಿಗಳಿಗೆ ನೀಡತಕ್ಕದ್ದು.

ಇ) ಲಿಫ್ಟ್/ಎಸ್ಕಲೇಟರ್/ ಪ್ಯಾಸೆಂಜರ್ ಕನ್ವೇಯರ್ ಅಳವಡಿಸಲಾಗಿರುವ ಕಟ್ಟಡದ ಮಾಲೀಕರು ಕಟ್ಟಡದಲ್ಲಿ ವಾಸವಾಗಿಲ್ಲದಿದ್ದರೆ ಈ ಲಿಫ್ಟ್ ಚಾಲನಾ ಪರವಾನಗಿ ನೀಡಿದ ದಿನಾಂಕದ ಒಂದು ತಿಂಗಳ ಒಳಗಾಗಿ, ಕಟ್ಟಡವು ಇರುವ ಪಟ್ಟಣ ಅಥವಾ ಗ್ರಾಮದಲ್ಲಿ ವಾಸವಾಗಿರುವ ಒಬ್ಬ ಏಜೆಂಟ್ ರನ್ನು ನೇಮಕ ಮಾಡತಕ್ಕದ್ದು ಹಾಗೂ ಏಜೆಂಟ್ ರ ವಿವರಗಳನ್ನು ಪ್ರಾಧಿಕೃತ ಅಧಿಕಾರಿಗೆ ತಿಳಿಸತಕ್ಕದ್ದು. ನೇಮಕಗೊಂಡ ಏಜೆಂಟ್ ಕರ್ನಾಟಕ ಲಿಫ್ಟ್ ಗಳ, ಎಸ್ಕಲೇಟರ್ ಗಳ ಮತ್ತು ಪ್ಯಾಸೆಂಜರ್ ಕನ್ವೇಯರ್ ಗಳ ಅಧಿನಿಯಮ 2012 ಹಾಗೂ ಅದರಡಿಯಲ್ಲಿ ರಚಿಸಿರುವ ಕರ್ನಾಟಕ ಲಿಫ್ಟ್ ಗಳ, ಎಸ್ಕಲೇಟರ್ ಗಳ ಮತ್ತು ಪ್ಯಾಸೆಂಜರ್ ಕನ್ವೇಯರ್ ಗಳ ನಿಯಮಗಳು 2015 ರ ನಿಯಮಗಳನ್ನು ಪಾಲಿಸಲು ಬದ್ಧನಾಗಿರತಕ್ಕದ್ದು.

ಈ) ಲಿಫ್ಟ್/ಎಸ್ಕಲೇಟರ್/ ಪ್ಯಾಸೆಂಜರ್ ಕನ್ವೇಯರ್ ಮಾಲೀಕರು, ಲಿಫ್ಟ್ ಗಳ, ಎಸ್ಕಲೇಟರ್ ಗಳ, ಪ್ಯಾಸೆಂಜರ್ ಕನ್ವೇಯರ್ ಗಳ ಮುಖ್ಯ ತಪಾಸಣಾಧಿಕಾರಿಗಳಿಗೆ ನೋಂದಾಯಿತವಾಗಿರುವ ಲಿಫ್ಟ್ ತಯಾರಕರು/ನಿರ್ವಾಹಕರ ಜೊತೆ ಲಿಫ್ಟ್ ನಿರ್ವಹಣೆಗೆ ಒಪ್ಪಂದ ಮಾಡಿಕೊಳ್ಳತಕ್ಕದ್ದು.

ಉ) ಲಿಫ್ಟ್/ಎಸ್ಕಲೇಟರ್/ಪ್ಯಾಸೆಂಜರ್ ಕನ್ವೇಯರ್ ಚಾಲನೆಗೊಳಿಸಲು ನೀಡಿರುವ ಪರವಾನಗಿಯ ಪ್ರತಿಯನ್ನು ಲಿಫ್ಟ್/ಎಸ್ಕಲೇಟರ್ ಯಂತ್ರದ ಕೊಠಡಿಯಲ್ಲಿ ಪ್ರದರ್ಶಿಸತಕ್ಕದ್ದು.

ಊ) ಲಿಫ್ಟ್/ಎಸ್ಕಲೇಟರ್/ ಪ್ಯಾಸೆಂಜರ್ ಕನ್ವೇಯರ್ ಕಾರ್ಯಾಚರಣೆ ವೇಳೆ ಪ್ರಾಣಾಂತಿಕ/ಪ್ರಾಣಾಂತಿಕವಲ್ಲದ ಲಿಫ್ಟ್ ಅಪಘಾತಗಳು ಸಂಭವಿಸಿದರೆ, ಕಟ್ಟಡದ ಮಾಲೀಕರು ಅಥವಾ ಅವರ ಏಜೆಂಟ್ ರವರು, ಅಪಘಾತದ ಬಗ್ಗೆ ಲಿಫ್ಟ್/ಎಸ್ಕಲೇಟರ್/ಪ್ಯಾಸೆಂಜರ್ ಕನ್ವೇಯರ್ ನ ಪ್ರಾಧಿಕೃತ ಅಧಿಕಾರಿಗೆ ಮತ್ತು ಪೊಲೀಸ್ ಆಯುಕ್ತರಿಗೆ ಹಾಗೂ ಜಿಲ್ಲಾ ದಂಡಾಧಿಕಾರಿಗಳಿಗೆ ನಿಗದಿತ ನಮೂನೆಯಲ್ಲಿ ಪೂರ್ಣ ವಿವರಗಳ ಸಹಿತ ಮಾಹಿತಿಯನ್ನು ನೀಡತಕ್ಕದ್ದು.

ಋ) ಲಿಫ್ಟ್, ಎಸ್ಕಲೇಟರ್ ಗಳ ಮತ್ತು ಪ್ಯಾಸೆಂಜರ್ ಕನ್ವೇಯರ್ ಗಳ ಮುಖ್ಯ ತಪಾಸಣಾಧಿಕಾರಿಯ ಲಿಖಿತ ಪೂರ್ವ ಅನುಮತಿಯ ಹೊರತು ಲಿಫ್ಟ್/ಎಸ್ಕಲೇಟರ್/ ಪ್ಯಾಸೆಂಜರ್ ಕನ್ವೇಯರ್ ಸ್ಥಾಪನೆಗೆ ಯಾವುದೇ ಸೇರ್ಪಡೆಗಳನ್ನು ಅಥವಾ ಬದಲಾವಣೆಗಳನ್ನು ಮಾಡತಕ್ಕದ್ದಲ್ಲ.

ಎ) ಸೂಕ್ತ ತರಬೇತಿ ಹೊಂದಿದ ಲಿಫ್ಟ್ ಚಾಲಕರನ್ನು ನೇಮಿಸಿಕೊಳ್ಳತಕ್ಕದ್ದು.

Note: This is a Digitally Signed Certificate and Does not require manual signature.

Please, Verify authenticity of this certificate by visiting www.ksei.gov.in and entering certificate number in Third party verification.

Digitally Signed by : THEETHIRA NANJAPPA
APPACHU
Chief Electrical Inspector to Government
Bangalore
Signed Date : 28/07/2023



ಮುಖ್ಯ ವಿದ್ಯುತ್ ಪರಿವೀಕ್ಷಕರು
ಲಿಫ್ಟ್/ಎಸ್ಕಲೇಟರ್/ಪ್ಯಾನೆಂಜರ್ ಕನ್ವೇಯರ್ ಗಳ
ಮುಖ್ಯ ತಪಾಸಣಾಧಿಕಾರಿಯವರ ಸಹಿ

ಕರ್ನಾಟಕ ಸರ್ಕಾರ

(ವಿದ್ಯುತ್ ಪರಿವೀಕ್ಷಣಾಲಯ ಇಲಾಖೆ)

ಸಂಖ್ಯೆ :EI000110558744

ಲಿಫ್ಟ್ ಪರವಾನಗಿ ಸಂಖ್ಯೆ : LRL 14297/2022-2023

Date of Issue:28/07/2023

ಮುಖ್ಯ ವಿದ್ಯುತ್ ಪರಿವೀಕ್ಷಕರ ಕಛೇರಿ,
ನಿರ್ಮಾಣ ಭವನ, 2ನೇ ಮಹಡಿ,
ಡಾ|| ರಾಜ್ ಕುಮಾರ್ ರಸ್ತೆ, ರಾಜಾಜಿನಗರ,
ಬೆಂಗಳೂರು-560010

ಲಿಫ್ಟ್ ಚಾಲನಾ ಪರವಾನಗಿ

(ನಮೂನೆ 'ಸಿ'- ಕರ್ನಾಟಕ ಲಿಫ್ಟ್ ಗಳ ನಿಯಮ 4ರ ಉಪ ನಿಯಮ 3 ಅನ್ನು ನೋಡುವುದು)

ಮೆ: ASTER DM HEALTH CARE LIMITED,NO.3&4,SY.NO.76,SADARAMANGALA INDUSTRIAL AREA OPP ITPL,WHITEFIELD ROAD,K.R.PURAM HOBLI,BENGALURU-560048 BENGALURU EAST BENGALURU

ಇವರಿಗೆ 1 , ASTER DM HEALTH CARE LIMITED,NO.3&4,SY.NO.76,SADARAMANGALA INDUSTRIAL AREA OPP ITPL,WHITEFIELD ROAD,K.R.PURAM HOBLI,BENGALURU-560048 BANGALORE EAST(IRA) BANGALORE EAST ಇಲ್ಲಿ ಒಂದು (1) ಸಂಖ್ಯೆಯ ಲಿಫ್ಟ್ ಅನ್ನು ಚಾಲನೆ ಗೊಳಿಸಲು ಅನುಮತಿಯನ್ನು ನೀಡಲಾಗಿದ್ದು, ಅನುಮತಿಯು ಕರ್ನಾಟಕ ಲಿಫ್ಟ್ ಗಳ, ಎಸ್ಕಲೇಟರ್ ಗಳ ಮತ್ತು ಪ್ಯಾಸೆಂಜರ್ ಕನ್ವೇಯರ್ ಗಳ ನಿಯಮಗಳು 2015ರ ಷರತ್ತಿಗೊಳಪಟ್ಟಿರುತ್ತದೆ ಮತ್ತು

ಮೆ: ASTER DM HEALTH CARE LIMITED,NO.3&4,SY.NO.76,SADARAMANGALA INDUSTRIAL AREA OPP ITPL,WHITEFIELD ROAD,K.R.PURAM HOBLI,BENGALURU-560048 BENGALURU EAST BENGALURU ಇವರ ಮಾಲೀಕತ್ವದಲ್ಲಿರುತ್ತದೆ.

ಯಂತ್ರಗಳ ವಿವರ:		
1	ಲಿಫ್ಟ್ ತಯಾರಿಕೆ ಮತ್ತು ಸಂಖ್ಯೆ	Mitsubishi Elevator India Pvt. Ltd., 1 No
2	ಲಿಫ್ಟ್ ವಿಧ	PASSENGER
3	ಸಾಮರ್ಥ್ಯ	15 Passengers, 1020.00 Kg
4	ಬಹುಮಹಡಿ ಕಟ್ಟಡದ ವಿವರ	5 BF+GF+3UF , HOSPITAL
5	ಲಿಫ್ಟ್ ಕಾರು ಮತ್ತು ಲ್ಯಾಂಡಿಂಗ್ ಡೋರ್	Telescopic Auto DoorTelescopic Auto Door
6	ಲಿಫ್ಟ್ ಲ್ಯಾಂಡಿಂಗ್ ಗಳ ವಿವರ	5 Landings , 5 BF+GF+3UF
7	ಲಿಫ್ಟ್ ನಿರ್ಧರಿತ ವೇಗ	1.00 m/s
8	ಲಿಫ್ಟ್ ಮೋಟಾರಿನ ವಿವರ	MITSUBISHI, 6.20(kW/HP), 93.00 RPM, SL No: 80109121890

ಲಿಫ್ಟ್ ಚಾಲನಾ ಪರವಾನಗಿ ನವೀಕರಣ

ಕರ್ನಾಟಕ ಲಿಫ್ಟ್ ಗಳ, ಎಸ್ಕಲೇಟರ್ ಗಳ ಮತ್ತು ಪ್ಯಾಸೆಂಜರ್ ಕನ್ವೇಯರ್ ಗಳ ನಿಯಮ 2015 ರ ನಿಯಮ 5 ರ ಉಪ ನಿಯಮ 3ನ್ನು ನೋಡುವುದು

ಚಾಲನಾ ಪರವಾನಗಿ ನವೀಕರಣ			ಚಾಲನಾ ಪರವಾನಗಿ ನವೀಕರಣಶುಲ್ಕದ ವಿವರ		
ಕ್ರಮ ಸಂಖ್ಯೆ	ರಿಂದ	ರವರೆಗೆ	ಶುಲ್ಕ	ಚಲನ್ / ರಸೀದಿ ಸಂಖ್ಯೆ	ದಿನಾಂಕ
1	28/07/2023	27/07/2028	2500/-	EL07230043000034 80 (out of Rs.5025)	07/07/2023

Remarks:

NIL. NIL



Digitally Signed by : THEETHIRA NANJAPPA
APPACHU
Chief Electrical Inspector to Government
Bangalore
Signed Date : 28/07/2023

ಇವರಿಗೆ : NO.3&4,SY.NO.76,SADARAMANGALA INDUSTRIAL AREA OPP ITPL,WHITEFIELD ROAD,K.R.PURAM
HOBLI,BENGALURU-560048 BENGALURU EAST BENGALURU,NO.3&4,SY.NO.76,SADARAMANGALA INDUSTRIAL AREA
OPP ITPL,WHITEFIELD ROAD,K.R.PURAM HOBLI,BENGALURU-560048 BENGALURU EAST BENGALURU

ಪ್ರತಿಯನ್ನು

1. ಅಪರ ಮುಖ್ಯ ವಿದ್ಯುತ್ ಪರಿವೀಕ್ಷಕರು, ಬೆಂ.ಉ, ಬೆಂ.ದ, ಮೈಸೂರು, ಮಂಗಳೂರು, ಧಾರವಾಡ, ಕಲಬುರಗಿ

2.Periodic Inspection Details, DCEI Bangalore East Office, DCEI-Bangalore East

3. ಮೆ: Mitsubishi Elevator India Pvt. Ltd.,

ಸೂಚನೆ :

ಅ) ಈ ಲಿಫ್ಟ್/ಎಸ್ಕಲೇಟರ್/ ಪ್ಯಾಸೆಂಜರ್ ಕನ್ವೇಯರ್ ಗಳನ್ನು ಕರ್ನಾಟಕ ಲಿಫ್ಟ್ ಗಳ,ಎಸ್ಕಲೇಟರ್ ಗಳ ಮತ್ತು ಪ್ಯಾಸೆಂಜರ್ ಕನ್ವೇಯರ್ ಗಳ
ಅಧಿನಿಯಮ 2012 ಹಾಗೂ ಅದರಡಿಯಲ್ಲಿ ರಚಿಸಿರುವ ಕರ್ನಾಟಕ ಲಿಫ್ಟ್ ಗಳ,ಎಸ್ಕಲೇಟರ್ ಗಳ ಮತ್ತು ಪ್ಯಾಸೆಂಜರ್ ಕನ್ವೇಯರ್ ಗಳ ನಿಯಮಗಳು
2015 ರ ನಿಯಮಗಳ ಅನುಸಾರ ನಿರ್ವಹಿಸತಕ್ಕದ್ದು.

ಆ) ನಿಯಮ 5ರ ಅನುಸಾರ ಈ ಲಿಫ್ಟ್ ಚಾಲನಾ ಪರವಾನಗಿಯನ್ನು ನವೀಕರಿಸಲು ಲಿಫ್ಟ್/ಎಸ್ಕಲೇಟರ್/ ಪ್ಯಾಸೆಂಜರ್ ಕನ್ವೇಯರ್ ಮಾಲೀಕರು
ಮಾನ್ಯತಾ ಅವಧಿ ಮುಗಿಯುವ 3 ತಿಂಗಳ ಮುಂಚಿತವಾಗಿ ನವೀಕರಣ ಶುಲ್ಕ ಪಾವತಿ ಮಾಡಿದ ಚಲನ್ ಸಹಿತ ಅರ್ಜಿಯನ್ನು ಸಂಬಂಧಪಟ್ಟ ಲಿಫ್ಟ್
ತಪಾಸಣಾಧಿಕಾರಿಗಳಿಗೆ ನೀಡತಕ್ಕದ್ದು.

ಇ) ಲಿಫ್ಟ್/ಎಸ್ಕಲೇಟರ್/ ಪ್ಯಾಸೆಂಜರ್ ಕನ್ವೇಯರ್ ಅಳವಡಿಸಲಾಗಿರುವ ಕಟ್ಟಡದ ಮಾಲೀಕರು ಕಟ್ಟಡದಲ್ಲಿ ವಾಸವಾಗಿಲ್ಲದಿದ್ದರೆ ಈ ಲಿಫ್ಟ್ ಚಾಲನಾ
ಪರವಾನಗಿ ನೀಡಿದ ದಿನಾಂಕದ ಒಂದು ತಿಂಗಳ ಒಳಗಾಗಿ, ಕಟ್ಟಡವು ಇರುವ ಪಟ್ಟಣ ಅಥವಾ ಗ್ರಾಮದಲ್ಲಿ ವಾಸವಾಗಿರುವ ಒಬ್ಬ ಏಜೆಂಟ್ ರನ್ನು ನೇಮಕ
ಮಾಡತಕ್ಕದ್ದು ಹಾಗೂ ಏಜೆಂಟ್ ರ ವಿವರಗಳನ್ನು ಪ್ರಾಧಿಕೃತ ಅಧಿಕಾರಿಗೆ ತಿಳಿಸತಕ್ಕದ್ದು. ನೇಮಕಗೊಂಡ ಏಜೆಂಟ್ ಕರ್ನಾಟಕ ಲಿಫ್ಟ್ ಗಳ, ಎಸ್ಕಲೇಟರ್
ಗಳ ಮತ್ತು ಪ್ಯಾಸೆಂಜರ್ ಕನ್ವೇಯರ್ ಗಳ ಅಧಿನಿಯಮ 2012 ಹಾಗೂ ಅದರಡಿಯಲ್ಲಿ ರಚಿಸಿರುವ ಕರ್ನಾಟಕ ಲಿಫ್ಟ್ ಗಳ, ಎಸ್ಕಲೇಟರ್ ಗಳ ಮತ್ತು
ಪ್ಯಾಸೆಂಜರ್ ಕನ್ವೇಯರ್ ಗಳ ನಿಯಮಗಳು 2015 ರ ನಿಯಮಗಳನ್ನು ಪಾಲಿಸಲು ಬದ್ಧನಾಗಿರತಕ್ಕದ್ದು.


ಈ) ಲಿಫ್ಟ್/ಎಸ್ಕಲೇಟರ್/ ಪ್ಯಾಸೆಂಜರ್ ಕನ್ವೇಯರ್ ಮಾಲೀಕರು, ಲಿಫ್ಟ್ ಗಳ, ಎಸ್ಕಲೇಟರ್ ಗಳ, ಪ್ಯಾಸೆಂಜರ್ ಕನ್ವೇಯರ್ ಗಳ ಮುಖ್ಯ
ತಪಾಸಣಾಧಿಕಾರಿಗಳಿಗೆ ನೋಂದಾಯಿತವಾಗಿರುವ ಲಿಫ್ಟ್ ತಯಾರಕರು/ನಿರ್ವಾಹಕರ ಜೊತೆ ಲಿಫ್ಟ್ ನಿರ್ವಹಣೆಗೆ ಒಪ್ಪಂದ ಮಾಡಿಕೊಳ್ಳತಕ್ಕದ್ದು.

ಉ) ಲಿಫ್ಟ್/ಎಸ್ಕಲೇಟರ್/ಪ್ಯಾಸೆಂಜರ್ ಕನ್ವೇಯರ್ ಚಾಲನೆಗೊಳಿಸಲು ನೀಡಿರುವ ಪರವಾನಗಿಯ ಪ್ರತಿಯನ್ನು ಲಿಫ್ಟ್/ಎಸ್ಕಲೇಟರ್ ಯಂತ್ರದ
ಕೊಠಡಿಯಲ್ಲಿ ಪ್ರದರ್ಶಿಸತಕ್ಕದ್ದು.

ಊ) ಲಿಫ್ಟ್/ಎಸ್ಕಲೇಟರ್/ ಪ್ಯಾಸೆಂಜರ್ ಕನ್ವೇಯರ್ ಕಾರ್ಯಾಚರಣೆ ವೇಳೆ ಪ್ರಾಣಾಂತಿಕ/ಪ್ರಾಣಾಂತಿಕವಲ್ಲದ ಲಿಫ್ಟ್ ಅಪಘಾತಗಳು ಸಂಭವಿಸಿದರೆ,
ಕಟ್ಟಡದ ಮಾಲೀಕರು ಅಥವಾ ಅವರ ಏಜೆಂಟ್ ರವರು, ಅಪಘಾತದ ಬಗ್ಗೆ ಲಿಫ್ಟ್/ಎಸ್ಕಲೇಟರ್/ಪ್ಯಾಸೆಂಜರ್ ಕನ್ವೇಯರ್ ನ ಪ್ರಾಧಿಕೃತ ಅಧಿಕಾರಿಗೆ
ಮತ್ತು ಪೊಲೀಸ್ ಆಯುಕ್ತರಿಗೆ ಹಾಗೂ ಜಿಲ್ಲಾ ದಂಡಾಧಿಕಾರಿಗಳಿಗೆ ನಿಗದಿತ ನಮೂನೆಯಲ್ಲಿ ಪೂರ್ಣ ವಿವರಗಳ ಸಹಿತ ಮಾಹಿತಿಯನ್ನು ನೀಡತಕ್ಕದ್ದು.

ಋ) ಲಿಫ್ಟ್, ಎಸ್ಕಲೇಟರ್ ಗಳ ಮತ್ತು ಪ್ಯಾಸೆಂಜರ್ ಕನ್ವೇಯರ್ ಗಳ ಮುಖ್ಯ ತಪಾಸಣಾಧಿಕಾರಿಯ ಲಿಖಿತ ಪೂರ್ವ ಅನುಮತಿಯ ಹೊರತು
ಲಿಫ್ಟ್/ಎಸ್ಕಲೇಟರ್/ ಪ್ಯಾಸೆಂಜರ್ ಕನ್ವೇಯರ್ ಸ್ಥಾಪನೆಗೆ ಯಾವುದೇ ಸೇರ್ಪಡೆಗಳನ್ನು ಅಥವಾ ಬದಲಾವಣೆಗಳನ್ನು ಮಾಡತಕ್ಕದ್ದಲ್ಲ.

ಎ) ಸೂಕ್ತ ತರಬೇತಿ ಹೊಂದಿದ ಲಿಫ್ಟ್ ಚಾಲಕರನ್ನು ನೇಮಿಸಿಕೊಳ್ಳತಕ್ಕದ್ದು.



Note: This is a Digitally Signed Certificate
and Does not require manual signature.

Please, Verify authenticity of this certificate
by visiting www.ksei.gov.in and entering
certificate number in Third party verification.

Digitally Signed by : THEETHIRA NANJAPPA
APPACHU
Chief Electrical Inspector to Government
Bangalore
Signed Date : 28/07/2023

ಮುಖ್ಯ ವಿದ್ಯುತ್ ಪರಿವೀಕ್ಷಕರು
ಲಿಫ್ಟ್/ಎಸ್ಕಲೇಟರ್/ಪ್ಯಾನೆಂಜರ್ ಕನ್ವೇಯರ್ ಗಳ
ಮುಖ್ಯ ತಪಾಸಣಾಧಿಕಾರಿಯವರ ಸಹಿ

ಕರ್ನಾಟಕ ಸರ್ಕಾರ

(ವಿದ್ಯುತ್ ಪರಿವೀಕ್ಷಣಾಲಯ ಇಲಾಖೆ)

ಸಂಖ್ಯೆ :EI000110558761

ಲಿಫ್ಟ್ ಪರವಾನಗಿ ಸಂಖ್ಯೆ : LRL 14301/2022-2023

Date of Issue:28/07/2023

ಮುಖ್ಯ ವಿದ್ಯುತ್ ಪರಿವೀಕ್ಷಕರ ಕಛೇರಿ,
ನಿರ್ಮಾಣ ಭವನ, 2ನೇ ಮಹಡಿ,
ಡಾ|| ರಾಜ್ ಕುಮಾರ್ ರಸ್ತೆ, ರಾಜಾಜಿನಗರ,
ಬೆಂಗಳೂರು-560010

ಲಿಫ್ಟ್ ಚಾಲನಾ ಪರವಾನಗಿ

(ನಮೂನೆ 'ಸಿ'- ಕರ್ನಾಟಕ ಲಿಫ್ಟ್ ಗಳ ನಿಯಮ 4ರ ಉಪ ನಿಯಮ 3 ಅನ್ನು ನೋಡುವುದು)

ಮೆ: ASTER DM HEALTH CARE LIMITED,NO.3&4, SY.NO.76,SADARAMANGALA INDUSTRIAL AREA,OPP ITPL,WHITEFIELD ROAD,K.R.PURAM HOBLI,BENGALURU-560048 BENGALURU EAST BENGALURU

ಇವರಿಗೆ 3 , ASTER DM HEALTH CARE LIMITED,NO.3&4, SY.NO.76,SADARAMANGALA INDUSTRIAL AREA,OPP ITPL,WHITEFIELD ROAD,K.R.PURAM HOBLI,BENGALURU-560048 BANGALORE EAST(IRA) BANGALORE EAST ಇಲ್ಲಿ ಒಂದು (1) ಸಂಖ್ಯೆಯ ಲಿಫ್ಟ್ ಅನ್ನು ಚಾಲನೆ ಗೊಳಿಸಲು ಅನುಮತಿಯನ್ನು ನೀಡಲಾಗಿದ್ದು, ಅನುಮತಿಯು ಕರ್ನಾಟಕ ಲಿಫ್ಟ್ ಗಳ, ಎಸ್ಕಲೇಟರ್ ಗಳ ಮತ್ತು ಪ್ಯಾಸೆಂಜರ್ ಕನ್ವೇಯರ್ ಗಳ ನಿಯಮಗಳು 2015ರ ಷರತ್ತಿಗೊಳಪಟ್ಟಿರುತ್ತದೆ ಮತ್ತು

ಮೆ: ASTER DM HEALTH CARE LIMITED,NO.3&4, SY.NO.76,SADARAMANGALA INDUSTRIAL AREA,OPP ITPL,WHITEFIELD ROAD,K.R.PURAM HOBLI,BENGALURU-560048 BENGALURU EAST BENGALURU ಇವರ ಮಾಲೀಕತ್ವದಲ್ಲಿರುತ್ತದೆ.

ಯಂತ್ರಗಳ ವಿವರ:		
1	ಲಿಫ್ಟ್ ತಯಾರಿಕೆ ಮತ್ತು ಸಂಖ್ಯೆ	Schindler India Private Limited, 1 No
2	ಲಿಫ್ಟ್ ವಿಧ	HOSPITAL LIFT
3	ಸಾಮರ್ಥ್ಯ	10 Passengers, 680.00 Kg
4	ಬಹುಮಹಡಿ ಕಟ್ಟಡದ ವಿವರ	6 BF+GF+MF+3UF , HOSPITAL
5	ಲಿಫ್ಟ್ ಕಾರು ಮತ್ತು ಲ್ಯಾಂಡಿಂಗ್ ಡೋರ್	Centre Opening Auto DoorCentre Opening Auto Door
6	ಲಿಫ್ಟ್ ಲ್ಯಾಂಡಿಂಗ್ ಗಳ ವಿವರ	6 Landings , 6 BF+GF+MF+3UF
7	ಲಿಫ್ಟ್ ನಿರ್ಧರಿತ ವೇಗ	1.00 m/s
8	ಲಿಫ್ಟ್ ಮೋಟಾರಿನ ವಿವರ	SCHINDLER, 4.60(kW/HP), 439.00 RPM, SL No: 2011,11,22-19

ಲಿಫ್ಟ್ ಚಾಲನಾ ಪರವಾನಗಿ ನವೀಕರಣ

ಕರ್ನಾಟಕ ಲಿಫ್ಟ್ ಗಳ, ಎಸ್ಕಲೇಟರ್ ಗಳ ಮತ್ತು ಪ್ಯಾಸೆಂಜರ್ ಕನ್ವೇಯರ್ ಗಳ ನಿಯಮ 2015 ರ ನಿಯಮ 5 ರ ಉಪ ನಿಯಮ 3ನ್ನು ನೋಡುವುದು

ಚಾಲನಾ ಪರವಾನಗಿ ನವೀಕರಣ			ಚಾಲನಾ ಪರವಾನಗಿ ನವೀಕರಣಶುಲ್ಕದ ವಿವರ		
ಕ್ರಮ ಸಂಖ್ಯೆ	ರಿಂದ	ರವರೆಗೆ	ಶುಲ್ಕ	ಚಲನ್ / ರಸೀದಿ ಸಂಖ್ಯೆ	ದಿನಾಂಕ
1	28/07/2023	27/07/2028	2500/-	EL07230043000034 78 (out of Rs.7525)	07/07/2023

Remarks:

NIL. NIL



Digitally Signed by : THEETHIRA NANJAPPA
APPACHU
Chief Electrical Inspector to Government
Bangalore
Signed Date : 28/07/2023

ಇವರಿಗೆ : NO.3&4, SY.NO.76,SADARAMANGALA INDUSTRIAL AREA,OPP ITPL,WHITEFIELD ROAD,K.R.PURAM
HOBLI,BENGALURU-560048 BENGALURU EAST BENGALURU,NO.3&4, SY.NO.76,SADARAMANGALA INDUSTRIAL
AREA,OPP ITPL,WHITEFIELD ROAD,K.R.PURAM HOBLI,BENGALURU-560048 BENGALURU EAST BENGALURU

ಪ್ರತಿಯನ್ನು

1. ಅಪರ ಮುಖ್ಯ ವಿದ್ಯುತ್ ಪರಿವೀಕ್ಷಕರು, ಬೆಂ.ಉ, ಬೆಂ.ದ, ಮೈಸೂರು, ಮಂಗಳೂರು, ಧಾರವಾಡ, ಕಲಬುರಗಿ

2.Periodic Inspection Details, DCEI Bangalore East Office, DCEI-Bangalore East

3. ಮೆ: **Schindler India Private Limited**

ಸೂಚನೆ :

ಅ) ಈ ಲಿಫ್ಟ್/ಎಸ್ಕಲೇಟರ್/ ಪ್ಯಾಸೆಂಜರ್ ಕನ್ವೇಯರ್ ಗಳನ್ನು ಕರ್ನಾಟಕ ಲಿಫ್ಟ್ ಗಳ,ಎಸ್ಕಲೇಟರ್ ಗಳ ಮತ್ತು ಪ್ಯಾಸೆಂಜರ್ ಕನ್ವೇಯರ್ ಗಳ
ಅಧಿನಿಯಮ 2012 ಹಾಗೂ ಅದರಡಿಯಲ್ಲಿ ರಚಿಸಿರುವ ಕರ್ನಾಟಕ ಲಿಫ್ಟ್ ಗಳ,ಎಸ್ಕಲೇಟರ್ ಗಳ ಮತ್ತು ಪ್ಯಾಸೆಂಜರ್ ಕನ್ವೇಯರ್ ಗಳ ನಿಯಮಗಳು
2015 ರ ನಿಯಮಗಳ ಅನುಸಾರ ನಿರ್ವಹಿಸತಕ್ಕದ್ದು.

ಆ) ನಿಯಮ 5ರ ಅನುಸಾರ ಈ ಲಿಫ್ಟ್ ಚಾಲನಾ ಪರವಾನಗಿಯನ್ನು ನವೀಕರಿಸಲು ಲಿಫ್ಟ್/ಎಸ್ಕಲೇಟರ್/ ಪ್ಯಾಸೆಂಜರ್ ಕನ್ವೇಯರ್ ಮಾಲೀಕರು
ಮಾನ್ಯತಾ ಅವಧಿ ಮುಗಿಯುವ 3 ತಿಂಗಳ ಮುಂಚಿತವಾಗಿ ನವೀಕರಣ ಶುಲ್ಕ ಪಾವತಿ ಮಾಡಿದ ಚಲನ್ ಸಹಿತ ಅರ್ಜಿಯನ್ನು ಸಂಬಂಧಪಟ್ಟ ಲಿಫ್ಟ್
ತಪಾಸಣಾಧಿಕಾರಿಗಳಿಗೆ ನೀಡತಕ್ಕದ್ದು.

ಇ) ಲಿಫ್ಟ್/ಎಸ್ಕಲೇಟರ್/ ಪ್ಯಾಸೆಂಜರ್ ಕನ್ವೇಯರ್ ಅಳವಡಿಸಲಾಗಿರುವ ಕಟ್ಟಡದ ಮಾಲೀಕರು ಕಟ್ಟಡದಲ್ಲಿ ವಾಸವಾಗಿಲ್ಲದಿದ್ದರೆ ಈ ಲಿಫ್ಟ್ ಚಾಲನಾ
ಪರವಾನಗಿ ನೀಡಿದ ದಿನಾಂಕದ ಒಂದು ತಿಂಗಳ ಒಳಗಾಗಿ, ಕಟ್ಟಡವು ಇರುವ ಪಟ್ಟಣ ಅಥವಾ ಗ್ರಾಮದಲ್ಲಿ ವಾಸವಾಗಿರುವ ಒಬ್ಬ ಏಜೆಂಟ್ ರನ್ನು ನೇಮಕ
ಮಾಡತಕ್ಕದ್ದು ಹಾಗೂ ಏಜೆಂಟ್ ರ ವಿವರಗಳನ್ನು ಪ್ರಾಧಿಕೃತ ಅಧಿಕಾರಿಗೆ ತಿಳಿಸತಕ್ಕದ್ದು. ನೇಮಕಗೊಂಡ ಏಜೆಂಟ್ ಕರ್ನಾಟಕ ಲಿಫ್ಟ್ ಗಳ, ಎಸ್ಕಲೇಟರ್
ಗಳ ಮತ್ತು ಪ್ಯಾಸೆಂಜರ್ ಕನ್ವೇಯರ್ ಗಳ ಅಧಿನಿಯಮ 2012 ಹಾಗೂ ಅದರಡಿಯಲ್ಲಿ ರಚಿಸಿರುವ ಕರ್ನಾಟಕ ಲಿಫ್ಟ್ ಗಳ, ಎಸ್ಕಲೇಟರ್ ಗಳ ಮತ್ತು
ಪ್ಯಾಸೆಂಜರ್ ಕನ್ವೇಯರ್ ಗಳ ನಿಯಮಗಳು 2015 ರ ನಿಯಮಗಳನ್ನು ಪಾಲಿಸಲು ಬದ್ಧನಾಗಿರತಕ್ಕದ್ದು.

ಈ) ಲಿಫ್ಟ್/ಎಸ್ಕಲೇಟರ್/ ಪ್ಯಾಸೆಂಜರ್ ಕನ್ವೇಯರ್ ಮಾಲೀಕರು, ಲಿಫ್ಟ್ ಗಳ, ಎಸ್ಕಲೇಟರ್ ಗಳ, ಪ್ಯಾಸೆಂಜರ್ ಕನ್ವೇಯರ್ ಗಳ ಮುಖ್ಯ
ತಪಾಸಣಾಧಿಕಾರಿಗಳಿಗೆ ನೋಂದಾಯಿತವಾಗಿರುವ ಲಿಫ್ಟ್ ತಯಾರಕರು/ನಿರ್ವಾಹಕರ ಜೊತೆ ಲಿಫ್ಟ್ ನಿರ್ವಹಣೆಗೆ ಒಪ್ಪಂದ ಮಾಡಿಕೊಳ್ಳತಕ್ಕದ್ದು.

ಉ) ಲಿಫ್ಟ್/ಎಸ್ಕಲೇಟರ್/ಪ್ಯಾಸೆಂಜರ್ ಕನ್ವೇಯರ್ ಚಾಲನೆಗೊಳಿಸಲು ನೀಡಿರುವ ಪರವಾನಗಿಯ ಪ್ರತಿಯನ್ನು ಲಿಫ್ಟ್/ಎಸ್ಕಲೇಟರ್ ಯಂತ್ರದ
ಕೊಠಡಿಯಲ್ಲಿ ಪ್ರದರ್ಶಿಸತಕ್ಕದ್ದು.

ಊ) ಲಿಫ್ಟ್/ಎಸ್ಕಲೇಟರ್/ ಪ್ಯಾಸೆಂಜರ್ ಕನ್ವೇಯರ್ ಕಾರ್ಯಾಚರಣೆ ವೇಳೆ ಪ್ರಾಣಾಂತಿಕ/ಪ್ರಾಣಾಂತಿಕವಲ್ಲದ ಲಿಫ್ಟ್ ಅಪಘಾತಗಳು ಸಂಭವಿಸಿದರೆ,
ಕಟ್ಟಡದ ಮಾಲೀಕರು ಅಥವಾ ಅವರ ಏಜೆಂಟ್ ರವರು, ಅಪಘಾತದ ಬಗ್ಗೆ ಲಿಫ್ಟ್/ಎಸ್ಕಲೇಟರ್/ಪ್ಯಾಸೆಂಜರ್ ಕನ್ವೇಯರ್ ನ ಪ್ರಾಧಿಕೃತ ಅಧಿಕಾರಿಗೆ
ಮತ್ತು ಪೊಲೀಸ್ ಆಯುಕ್ತರಿಗೆ ಹಾಗೂ ಜಿಲ್ಲಾ ದಂಡಾಧಿಕಾರಿಗಳಿಗೆ ನಿಗದಿತ ನಮೂನೆಯಲ್ಲಿ ಪೂರ್ಣ ವಿವರಗಳ ಸಹಿತ ಮಾಹಿತಿಯನ್ನು ನೀಡತಕ್ಕದ್ದು.

ಋ) ಲಿಫ್ಟ್, ಎಸ್ಕಲೇಟರ್ ಗಳ ಮತ್ತು ಪ್ಯಾಸೆಂಜರ್ ಕನ್ವೇಯರ್ ಗಳ ಮುಖ್ಯ ತಪಾಸಣಾಧಿಕಾರಿಯ ಲಿಖಿತ ಪೂರ್ವ ಅನುಮತಿಯ ಹೊರತು
ಲಿಫ್ಟ್/ಎಸ್ಕಲೇಟರ್/ ಪ್ಯಾಸೆಂಜರ್ ಕನ್ವೇಯರ್ ಸ್ಥಾಪನೆಗೆ ಯಾವುದೇ ಸೇರ್ಪಡೆಗಳನ್ನು ಅಥವಾ ಬದಲಾವಣೆಗಳನ್ನು ಮಾಡತಕ್ಕದ್ದಲ್ಲ.

ಎ) ಸೂಕ್ತ ತರಬೇತಿ ಹೊಂದಿದ ಲಿಫ್ಟ್ ಚಾಲಕರನ್ನು ನೇಮಿಸಿಕೊಳ್ಳತಕ್ಕದ್ದು.

**Note: This is a Digitally Signed Certificate
and Does not require manual signature.**

**Please, Verify authenticity of this certificate
by visiting www.ksei.gov.in and entering
certificate number in Third party verification.**

Digitally Signed by : THEETHIRA NANJAPPA
APPACHU
Chief Electrical Inspector to Government
Bangalore
Signed Date : 28/07/2023



ಮುಖ್ಯ ವಿದ್ಯುತ್ ಪರಿವೀಕ್ಷಕರು
ಲಿಫ್ಟ್/ಎಸ್ಕಲೇಟರ್/ಪ್ಯಾನೆಂಜರ್ ಕನ್ವೇಯರ್ ಗಳ
ಮುಖ್ಯ ತಪಾಸಣಾಧಿಕಾರಿಯವರ ಸಹಿ

ಕರ್ನಾಟಕ ಸರ್ಕಾರ

(ವಿದ್ಯುತ್ ಪರಿವೀಕ್ಷಣಾಲಯ ಇಲಾಖೆ)

ಸಂಖ್ಯೆ :EI000110558761

ಲಿಫ್ಟ್ ಪರವಾನಗಿ ಸಂಖ್ಯೆ : LRL 14300/2022-2023

Date of Issue:28/07/2023

ಮುಖ್ಯ ವಿದ್ಯುತ್ ಪರಿವೀಕ್ಷಕರ ಕಛೇರಿ,
ನಿರ್ಮಾಣ ಭವನ, 2ನೇ ಮಹಡಿ,
ಡಾ|| ರಾಜ್ ಕುಮಾರ್ ರಸ್ತೆ, ರಾಜಾಜಿನಗರ,
ಬೆಂಗಳೂರು-560010

ಲಿಫ್ಟ್ ಚಾಲನಾ ಪರವಾನಗಿ

(ನಮೂನೆ 'ಸಿ'- ಕರ್ನಾಟಕ ಲಿಫ್ಟ್ ಗಳ ನಿಯಮ 4ರ ಉಪ ನಿಯಮ 3 ಅನ್ನು ನೋಡುವುದು)

ಮೆ: ASTER DM HEALTH CARE LIMITED,NO.3&4, SY.NO.76,SADARAMANGALA INDUSTRIAL AREA,OPP ITPL,WHITEFIELD ROAD,K.R.PURAM HOBLI,BENGALURU-560048 BENGALURU EAST BENGALURU

ಇವರಿಗೆ 2 , ASTER DM HEALTH CARE LIMITED,NO.3&4, SY.NO.76,SADARAMANGALA INDUSTRIAL AREA,OPP ITPL,WHITEFIELD ROAD,K.R.PURAM HOBLI,BENGALURU-560048 BANGALORE EAST(IRA) BANGALORE EAST ಇಲ್ಲಿ ಒಂದು (1) ಸಂಖ್ಯೆಯ ಲಿಫ್ಟ್ ಅನ್ನು ಚಾಲನೆ ಗೊಳಿಸಲು ಅನುಮತಿಯನ್ನು ನೀಡಲಾಗಿದ್ದು, ಅನುಮತಿಯು ಕರ್ನಾಟಕ ಲಿಫ್ಟ್ ಗಳ, ಎಸ್ಕಲೇಟರ್ ಗಳ ಮತ್ತು ಪ್ಯಾಸೆಂಜರ್ ಕನ್ವೇಯರ್ ಗಳ ನಿಯಮಗಳು 2015ರ ಷರತ್ತಿಗೊಳಪಟ್ಟಿರುತ್ತದೆ ಮತ್ತು

ಮೆ: ASTER DM HEALTH CARE LIMITED,NO.3&4, SY.NO.76,SADARAMANGALA INDUSTRIAL AREA,OPP ITPL,WHITEFIELD ROAD,K.R.PURAM HOBLI,BENGALURU-560048 BENGALURU EAST BENGALURU ಇವರ ಮಾಲೀಕತ್ವದಲ್ಲಿರುತ್ತದೆ.

ಯಂತ್ರಗಳ ವಿವರ:		
1	ಲಿಫ್ಟ್ ತಯಾರಿಕೆ ಮತ್ತು ಸಂಖ್ಯೆ	Schindler India Private Limited, 1 No
2	ಲಿಫ್ಟ್ ವಿಧ	HOSPITAL LIFT
3	ಸಾಮರ್ಥ್ಯ	10 Passengers, 680.00 Kg
4	ಬಹುಮಹಡಿ ಕಟ್ಟಡದ ವಿವರ	6 BF+GF+MF+3UF , HOSPITAL
5	ಲಿಫ್ಟ್ ಕಾರು ಮತ್ತು ಲ್ಯಾಂಡಿಂಗ್ ಡೋರ್	Centre Opening Auto DoorCentre Opening Auto Door
6	ಲಿಫ್ಟ್ ಲ್ಯಾಂಡಿಂಗ್ ಗಳ ವಿವರ	6 Landings , 6 BF+GF+MF+3UF
7	ಲಿಫ್ಟ್ ನಿರ್ಧರಿತ ವೇಗ	1.00 m/s
8	ಲಿಫ್ಟ್ ಮೋಟಾರಿನ ವಿವರ	SCHINDLER, 4.60(KW/HP), 439.00 RPM, SL No: 2011,12,22,14

ಲಿಫ್ಟ್ ಚಾಲನಾ ಪರವಾನಗಿ ನವೀಕರಣ

ಕರ್ನಾಟಕ ಲಿಫ್ಟ್ ಗಳ, ಎಸ್ಕಲೇಟರ್ ಗಳ ಮತ್ತು ಪ್ಯಾಸೆಂಜರ್ ಕನ್ವೇಯರ್ ಗಳ ನಿಯಮ 2015 ರ ನಿಯಮ 5 ರ ಉಪ ನಿಯಮ 3ನ್ನು ನೋಡುವುದು

ಚಾಲನಾ ಪರವಾನಗಿ ನವೀಕರಣ			ಚಾಲನಾ ಪರವಾನಗಿ ನವೀಕರಣಶುಲ್ಕದ ವಿವರ		
ಕ್ರಮ ಸಂಖ್ಯೆ	ರಿಂದ	ರವರೆಗೆ	ಶುಲ್ಕ	ಚಲನ್ / ರಸೀದಿ ಸಂಖ್ಯೆ	ದಿನಾಂಕ
1	28/07/2023	27/07/2028	2500/-	EL07230043000034 78 (out of Rs.7525)	07/07/2023

Remarks:

NIL. NIL



Digitally Signed by : THEETHIRA NANJAPPA
APPACHU
Chief Electrical Inspector to Government
Bangalore
Signed Date : 28/07/2023

ಇವರಿಗೆ : NO.3&4, SY.NO.76,SADARAMANGALA INDUSTRIAL AREA,OPP ITPL,WHITEFIELD ROAD,K.R.PURAM
HOBLI,BENGALURU-560048 BENGALURU EAST BENGALURU,NO.3&4, SY.NO.76,SADARAMANGALA INDUSTRIAL
AREA,OPP ITPL,WHITEFIELD ROAD,K.R.PURAM HOBLI,BENGALURU-560048 BENGALURU EAST BENGALURU

ಪ್ರತಿಯನ್ನು

1. ಅಪರ ಮುಖ್ಯ ವಿದ್ಯುತ್ ಪರಿವೀಕ್ಷಕರು, ಬೆಂ.ಉ, ಬೆಂ.ದ, ಮೈಸೂರು, ಮಂಗಳೂರು, ಧಾರವಾಡ, ಕಲಬುರಗಿ

2.Periodic Inspection Details, DCEI Bangalore East Office, DCEI-Bangalore East

3. ಮೆ: **Schindler India Private Limited**

ಸೂಚನೆ :

ಅ) ಈ ಲಿಫ್ಟ್/ಎಸ್ಕಲೇಟರ್/ ಪ್ಯಾಸೆಂಜರ್ ಕನ್ವೇಯರ್ ಗಳನ್ನು ಕರ್ನಾಟಕ ಲಿಫ್ಟ್ ಗಳ,ಎಸ್ಕಲೇಟರ್ ಗಳ ಮತ್ತು ಪ್ಯಾಸೆಂಜರ್ ಕನ್ವೇಯರ್ ಗಳ
ಅಧಿನಿಯಮ 2012 ಹಾಗೂ ಅದರಡಿಯಲ್ಲಿ ರಚಿಸಿರುವ ಕರ್ನಾಟಕ ಲಿಫ್ಟ್ ಗಳ,ಎಸ್ಕಲೇಟರ್ ಗಳ ಮತ್ತು ಪ್ಯಾಸೆಂಜರ್ ಕನ್ವೇಯರ್ ಗಳ ನಿಯಮಗಳು
2015 ರ ನಿಯಮಗಳ ಅನುಸಾರ ನಿರ್ವಹಿಸತಕ್ಕದ್ದು.

ಆ) ನಿಯಮ 5ರ ಅನುಸಾರ ಈ ಲಿಫ್ಟ್ ಚಾಲನಾ ಪರವಾನಗಿಯನ್ನು ನವೀಕರಿಸಲು ಲಿಫ್ಟ್/ಎಸ್ಕಲೇಟರ್/ ಪ್ಯಾಸೆಂಜರ್ ಕನ್ವೇಯರ್ ಮಾಲೀಕರು
ಮಾನ್ಯತಾ ಅವಧಿ ಮುಗಿಯುವ 3 ತಿಂಗಳ ಮುಂಚಿತವಾಗಿ ನವೀಕರಣ ಶುಲ್ಕ ಪಾವತಿ ಮಾಡಿದ ಚಲನ್ ಸಹಿತ ಅರ್ಜಿಯನ್ನು ಸಂಬಂಧಪಟ್ಟ ಲಿಫ್ಟ್
ತಪಾಸಣಾಧಿಕಾರಿಗಳಿಗೆ ನೀಡತಕ್ಕದ್ದು.

ಇ) ಲಿಫ್ಟ್/ಎಸ್ಕಲೇಟರ್/ ಪ್ಯಾಸೆಂಜರ್ ಕನ್ವೇಯರ್ ಅಳವಡಿಸಲಾಗಿರುವ ಕಟ್ಟಡದ ಮಾಲೀಕರು ಕಟ್ಟಡದಲ್ಲಿ ವಾಸವಾಗಿಲ್ಲದಿದ್ದರೆ ಈ ಲಿಫ್ಟ್ ಚಾಲನಾ
ಪರವಾನಗಿ ನೀಡಿದ ದಿನಾಂಕದ ಒಂದು ತಿಂಗಳ ಒಳಗಾಗಿ, ಕಟ್ಟಡವು ಇರುವ ಪಟ್ಟಣ ಅಥವಾ ಗ್ರಾಮದಲ್ಲಿ ವಾಸವಾಗಿರುವ ಒಬ್ಬ ಏಜೆಂಟ್ ರನ್ನು ನೇಮಕ
ಮಾಡತಕ್ಕದ್ದು ಹಾಗೂ ಏಜೆಂಟ್ ರ ವಿವರಗಳನ್ನು ಪ್ರಾಧಿಕೃತ ಅಧಿಕಾರಿಗೆ ತಿಳಿಸತಕ್ಕದ್ದು. ನೇಮಕಗೊಂಡ ಏಜೆಂಟ್ ಕರ್ನಾಟಕ ಲಿಫ್ಟ್ ಗಳ, ಎಸ್ಕಲೇಟರ್
ಗಳ ಮತ್ತು ಪ್ಯಾಸೆಂಜರ್ ಕನ್ವೇಯರ್ ಗಳ ಅಧಿನಿಯಮ 2012 ಹಾಗೂ ಅದರಡಿಯಲ್ಲಿ ರಚಿಸಿರುವ ಕರ್ನಾಟಕ ಲಿಫ್ಟ್ ಗಳ, ಎಸ್ಕಲೇಟರ್ ಗಳ ಮತ್ತು
ಪ್ಯಾಸೆಂಜರ್ ಕನ್ವೇಯರ್ ಗಳ ನಿಯಮಗಳು 2015 ರ ನಿಯಮಗಳನ್ನು ಪಾಲಿಸಲು ಬದ್ಧನಾಗಿರತಕ್ಕದ್ದು.

ಈ) ಲಿಫ್ಟ್/ಎಸ್ಕಲೇಟರ್/ ಪ್ಯಾಸೆಂಜರ್ ಕನ್ವೇಯರ್ ಮಾಲೀಕರು, ಲಿಫ್ಟ್ ಗಳ, ಎಸ್ಕಲೇಟರ್ ಗಳ, ಪ್ಯಾಸೆಂಜರ್ ಕನ್ವೇಯರ್ ಗಳ ಮುಖ್ಯ
ತಪಾಸಣಾಧಿಕಾರಿಗಳಿಗೆ ನೋಂದಾಯಿತವಾಗಿರುವ ಲಿಫ್ಟ್ ತಯಾರಕರು/ನಿರ್ವಾಹಕರ ಜೊತೆ ಲಿಫ್ಟ್ ನಿರ್ವಹಣೆಗೆ ಒಪ್ಪಂದ ಮಾಡಿಕೊಳ್ಳತಕ್ಕದ್ದು.

ಉ) ಲಿಫ್ಟ್/ಎಸ್ಕಲೇಟರ್/ಪ್ಯಾಸೆಂಜರ್ ಕನ್ವೇಯರ್ ಚಾಲನೆಗೊಳಿಸಲು ನೀಡಿರುವ ಪರವಾನಗಿಯ ಪ್ರತಿಯನ್ನು ಲಿಫ್ಟ್/ಎಸ್ಕಲೇಟರ್ ಯಂತ್ರದ
ಕೊಠಡಿಯಲ್ಲಿ ಪ್ರದರ್ಶಿಸತಕ್ಕದ್ದು.

ಊ) ಲಿಫ್ಟ್/ಎಸ್ಕಲೇಟರ್/ ಪ್ಯಾಸೆಂಜರ್ ಕನ್ವೇಯರ್ ಕಾರ್ಯಾಚರಣೆ ವೇಳೆ ಪ್ರಾಣಾಂತಿಕ/ಪ್ರಾಣಾಂತಿಕವಲ್ಲದ ಲಿಫ್ಟ್ ಅಪಘಾತಗಳು ಸಂಭವಿಸಿದರೆ,
ಕಟ್ಟಡದ ಮಾಲೀಕರು ಅಥವಾ ಅವರ ಏಜೆಂಟ್ ರವರು, ಅಪಘಾತದ ಬಗ್ಗೆ ಲಿಫ್ಟ್/ಎಸ್ಕಲೇಟರ್/ಪ್ಯಾಸೆಂಜರ್ ಕನ್ವೇಯರ್ ನ ಪ್ರಾಧಿಕೃತ ಅಧಿಕಾರಿಗೆ
ಮತ್ತು ಪೊಲೀಸ್ ಆಯುಕ್ತರಿಗೆ ಹಾಗೂ ಜಿಲ್ಲಾ ದಂಡಾಧಿಕಾರಿಗಳಿಗೆ ನಿಗದಿತ ನಮೂನೆಯಲ್ಲಿ ಪೂರ್ಣ ವಿವರಗಳ ಸಹಿತ ಮಾಹಿತಿಯನ್ನು ನೀಡತಕ್ಕದ್ದು.

ಋ) ಲಿಫ್ಟ್, ಎಸ್ಕಲೇಟರ್ ಗಳ ಮತ್ತು ಪ್ಯಾಸೆಂಜರ್ ಕನ್ವೇಯರ್ ಗಳ ಮುಖ್ಯ ತಪಾಸಣಾಧಿಕಾರಿಯ ಲಿಖಿತ ಪೂರ್ವ ಅನುಮತಿಯ ಹೊರತು
ಲಿಫ್ಟ್/ಎಸ್ಕಲೇಟರ್/ ಪ್ಯಾಸೆಂಜರ್ ಕನ್ವೇಯರ್ ಸ್ಥಾಪನೆಗೆ ಯಾವುದೇ ಸೇರ್ಪಡೆಗಳನ್ನು ಅಥವಾ ಬದಲಾವಣೆಗಳನ್ನು ಮಾಡತಕ್ಕದ್ದಲ್ಲ.

ಎ) ಸೂಕ್ತ ತರಬೇತಿ ಹೊಂದಿದ ಲಿಫ್ಟ್ ಚಾಲಕರನ್ನು ನೇಮಿಸಿಕೊಳ್ಳತಕ್ಕದ್ದು.

**Note: This is a Digitally Signed Certificate
and Does not require manual signature.**

**Please, Verify authenticity of this certificate
by visiting www.ksei.gov.in and entering
certificate number in Third party verification.**

Digitally Signed by : THEETHIRA NANJAPPA
APPACHU
Chief Electrical Inspector to Government
Bangalore
Signed Date : 28/07/2023



ಮುಖ್ಯ ವಿದ್ಯುತ್ ಪರಿವೀಕ್ಷಕರು
ಲಿಫ್ಟ್/ಎಸ್ಕಲೇಟರ್/ಪ್ಯಾನೆಂಜರ್ ಕನ್ವೇಯರ್ ಗಳ
ಮುಖ್ಯ ತಪಾಸಣಾಧಿಕಾರಿಯವರ ಸಹಿ

ಕರ್ನಾಟಕ ಸರ್ಕಾರ

(ವಿದ್ಯುತ್ ಪರಿವೀಕ್ಷಣಾಲಯ ಇಲಾಖೆ)

ಸಂಖ್ಯೆ :EI000110558761

ಲಿಫ್ಟ್ ಪರವಾನಗಿ ಸಂಖ್ಯೆ : LRL 14299/2022-2023

Date of Issue:28/07/2023

ಮುಖ್ಯ ವಿದ್ಯುತ್ ಪರಿವೀಕ್ಷಕರ ಕಛೇರಿ,
ನಿರ್ಮಾಣ ಭವನ, 2ನೇ ಮಹಡಿ,
ಡಾ|| ರಾಜ್ ಕುಮಾರ್ ರಸ್ತೆ, ರಾಜಾಜಿನಗರ,
ಬೆಂಗಳೂರು-560010

ಲಿಫ್ಟ್ ಚಾಲನಾ ಪರವಾನಗಿ

(ನಮೂನೆ 'ಸಿ'- ಕರ್ನಾಟಕ ಲಿಫ್ಟ್ ಗಳ ನಿಯಮ 4ರ ಉಪ ನಿಯಮ 3 ಅನ್ನು ನೋಡುವುದು)

ಮೆ: ASTER DM HEALTH CARE LIMITED,NO.3&4, SY.NO.76,SADARAMANGALA INDUSTRIAL AREA,OPP ITPL,WHITEFIELD ROAD,K.R.PURAM HOBLI,BENGALURU-560048 BENGALURU EAST BENGALURU

ಇವರಿಗೆ 1 , ASTER DM HEALTH CARE LIMITED,NO.3&4, SY.NO.76,SADARAMANGALA INDUSTRIAL AREA,OPP ITPL,WHITEFIELD ROAD,K.R.PURAM HOBLI,BENGALURU-560048 BANGALORE EAST(IRA) BANGALORE EAST ಇಲ್ಲಿ ಒಂದು (1) ಸಂಖ್ಯೆಯ ಲಿಫ್ಟ್ ಅನ್ನು ಚಾಲನೆ ಗೊಳಿಸಲು ಅನುಮತಿಯನ್ನು ನೀಡಲಾಗಿದ್ದು, ಅನುಮತಿಯು ಕರ್ನಾಟಕ ಲಿಫ್ಟ್ ಗಳ, ಎಸ್ಕಲೇಟರ್ ಗಳ ಮತ್ತು ಪ್ಯಾಸೆಂಜರ್ ಕನ್ವೇಯರ್ ಗಳ ನಿಯಮಗಳು 2015ರ ಷರತ್ತಿಗೊಳಪಟ್ಟಿರುತ್ತದೆ ಮತ್ತು

ಮೆ: ASTER DM HEALTH CARE LIMITED,NO.3&4, SY.NO.76,SADARAMANGALA INDUSTRIAL AREA,OPP ITPL,WHITEFIELD ROAD,K.R.PURAM HOBLI,BENGALURU-560048 BENGALURU EAST BENGALURU ಇವರ ಮಾಲೀಕತ್ವದಲ್ಲಿರುತ್ತದೆ.

ಯಂತ್ರಗಳ ವಿವರ:		
1	ಲಿಫ್ಟ್ ತಯಾರಿಕೆ ಮತ್ತು ಸಂಖ್ಯೆ	Schindler India Private Limited, 1 No
2	ಲಿಫ್ಟ್ ವಿಧ	HOSPITAL LIFT
3	ಸಾಮರ್ಥ್ಯ	10 Passengers, 680.00 Kg
4	ಬಹುಮಹಡಿ ಕಟ್ಟಡದ ವಿವರ	6 BF+GF+MF+3UF , HOSPITAL
5	ಲಿಫ್ಟ್ ಕಾರು ಮತ್ತು ಲ್ಯಾಂಡಿಂಗ್ ಡೋರ್	Centre Opening Auto DoorCentre Opening Auto Door
6	ಲಿಫ್ಟ್ ಲ್ಯಾಂಡಿಂಗ್ ಗಳ ವಿವರ	6 Landings , 6 BF+GF+MF+3UF
7	ಲಿಫ್ಟ್ ನಿರ್ಧರಿತ ವೇಗ	1.00 m/s
8	ಲಿಫ್ಟ್ ಮೋಟಾರಿನ ವಿವರ	SCHINDLER, 4.60(kW/HP), 439.00 RPM, SL No: 2012-02-19-06

ಲಿಫ್ಟ್ ಚಾಲನಾ ಪರವಾನಗಿ ನವೀಕರಣ

ಕರ್ನಾಟಕ ಲಿಫ್ಟ್ ಗಳ, ಎಸ್ಕಲೇಟರ್ ಗಳ ಮತ್ತು ಪ್ಯಾಸೆಂಜರ್ ಕನ್ವೇಯರ್ ಗಳ ನಿಯಮ 2015 ರ ನಿಯಮ 5 ರ ಉಪ ನಿಯಮ 3ನ್ನು ನೋಡುವುದು

ಚಾಲನಾ ಪರವಾನಗಿ ನವೀಕರಣ			ಚಾಲನಾ ಪರವಾನಗಿ ನವೀಕರಣಶುಲ್ಕದ ವಿವರ		
ಕ್ರಮ ಸಂಖ್ಯೆ	ರಿಂದ	ರವರೆಗೆ	ಶುಲ್ಕ	ಚಲನ್ / ರಸೀದಿ ಸಂಖ್ಯೆ	ದಿನಾಂಕ
1	28/07/2023	27/07/2028	2500/-	EL07230043000034 78 (out of Rs.7525)	07/07/2023

Remarks:

NIL. NIL



Digitally Signed by : THEETHIRA NANJAPPA
APPACHU
Chief Electrical Inspector to Government
Bangalore
Signed Date : 28/07/2023

ಇವರಿಗೆ : NO.3&4, SY.NO.76,SADARAMANGALA INDUSTRIAL AREA,OPP ITPL,WHITEFIELD ROAD,K.R.PURAM
HOBLI,BENGALURU-560048 BENGALURU EAST BENGALURU,NO.3&4, SY.NO.76,SADARAMANGALA INDUSTRIAL
AREA,OPP ITPL,WHITEFIELD ROAD,K.R.PURAM HOBLI,BENGALURU-560048 BENGALURU EAST BENGALURU

ಪ್ರತಿಯನ್ನು

1. ಅಪರ ಮುಖ್ಯ ವಿದ್ಯುತ್ ಪರಿವೀಕ್ಷಕರು, ಬೆಂ.ಉ, ಬೆಂ.ದ, ಮೈಸೂರು, ಮಂಗಳೂರು, ಧಾರವಾಡ, ಕಲಬುರಗಿ

2.Periodic Inspection Details, DCEI Bangalore East Office, DCEI-Bangalore East

3. ಮೆ: **Schindler India Private Limited**

ಸೂಚನೆ :

ಅ) ಈ ಲಿಫ್ಟ್/ಎಸ್ಕಲೇಟರ್/ ಪ್ಯಾಸೆಂಜರ್ ಕನ್ವೇಯರ್ ಗಳನ್ನು ಕರ್ನಾಟಕ ಲಿಫ್ಟ್ ಗಳ,ಎಸ್ಕಲೇಟರ್ ಗಳ ಮತ್ತು ಪ್ಯಾಸೆಂಜರ್ ಕನ್ವೇಯರ್ ಗಳ
ಅಧಿನಿಯಮ 2012 ಹಾಗೂ ಅದರಡಿಯಲ್ಲಿ ರಚಿಸಿರುವ ಕರ್ನಾಟಕ ಲಿಫ್ಟ್ ಗಳ,ಎಸ್ಕಲೇಟರ್ ಗಳ ಮತ್ತು ಪ್ಯಾಸೆಂಜರ್ ಕನ್ವೇಯರ್ ಗಳ ನಿಯಮಗಳು
2015 ರ ನಿಯಮಗಳ ಅನುಸಾರ ನಿರ್ವಹಿಸತಕ್ಕದ್ದು.

ಆ) ನಿಯಮ 5ರ ಅನುಸಾರ ಈ ಲಿಫ್ಟ್ ಚಾಲನಾ ಪರವಾನಗಿಯನ್ನು ನವೀಕರಿಸಲು ಲಿಫ್ಟ್/ಎಸ್ಕಲೇಟರ್/ ಪ್ಯಾಸೆಂಜರ್ ಕನ್ವೇಯರ್ ಮಾಲೀಕರು
ಮಾನ್ಯತಾ ಅವಧಿ ಮುಗಿಯುವ 3 ತಿಂಗಳ ಮುಂಚಿತವಾಗಿ ನವೀಕರಣ ಶುಲ್ಕ ಪಾವತಿ ಮಾಡಿದ ಚಲನ್ ಸಹಿತ ಅರ್ಜಿಯನ್ನು ಸಂಬಂಧಪಟ್ಟ ಲಿಫ್ಟ್
ತಪಾಸಣಾಧಿಕಾರಿಗಳಿಗೆ ನೀಡತಕ್ಕದ್ದು.

ಇ) ಲಿಫ್ಟ್/ಎಸ್ಕಲೇಟರ್/ ಪ್ಯಾಸೆಂಜರ್ ಕನ್ವೇಯರ್ ಅಳವಡಿಸಲಾಗಿರುವ ಕಟ್ಟಡದ ಮಾಲೀಕರು ಕಟ್ಟಡದಲ್ಲಿ ವಾಸವಾಗಿಲ್ಲದಿದ್ದರೆ ಈ ಲಿಫ್ಟ್ ಚಾಲನಾ
ಪರವಾನಗಿ ನೀಡಿದ ದಿನಾಂಕದ ಒಂದು ತಿಂಗಳ ಒಳಗಾಗಿ, ಕಟ್ಟಡವು ಇರುವ ಪಟ್ಟಣ ಅಥವಾ ಗ್ರಾಮದಲ್ಲಿ ವಾಸವಾಗಿರುವ ಒಬ್ಬ ಏಜೆಂಟ್ ರನ್ನು ನೇಮಕ
ಮಾಡತಕ್ಕದ್ದು ಹಾಗೂ ಏಜೆಂಟ್ ರ ವಿವರಗಳನ್ನು ಪ್ರಾಧಿಕೃತ ಅಧಿಕಾರಿಗೆ ತಿಳಿಸತಕ್ಕದ್ದು. ನೇಮಕಗೊಂಡ ಏಜೆಂಟ್ ಕರ್ನಾಟಕ ಲಿಫ್ಟ್ ಗಳ, ಎಸ್ಕಲೇಟರ್
ಗಳ ಮತ್ತು ಪ್ಯಾಸೆಂಜರ್ ಕನ್ವೇಯರ್ ಗಳ ಅಧಿನಿಯಮ 2012 ಹಾಗೂ ಅದರಡಿಯಲ್ಲಿ ರಚಿಸಿರುವ ಕರ್ನಾಟಕ ಲಿಫ್ಟ್ ಗಳ, ಎಸ್ಕಲೇಟರ್ ಗಳ ಮತ್ತು
ಪ್ಯಾಸೆಂಜರ್ ಕನ್ವೇಯರ್ ಗಳ ನಿಯಮಗಳು 2015 ರ ನಿಯಮಗಳನ್ನು ಪಾಲಿಸಲು ಬದ್ಧನಾಗಿರತಕ್ಕದ್ದು.

ಈ) ಲಿಫ್ಟ್/ಎಸ್ಕಲೇಟರ್/ ಪ್ಯಾಸೆಂಜರ್ ಕನ್ವೇಯರ್ ಮಾಲೀಕರು, ಲಿಫ್ಟ್ ಗಳ, ಎಸ್ಕಲೇಟರ್ ಗಳ, ಪ್ಯಾಸೆಂಜರ್ ಕನ್ವೇಯರ್ ಗಳ ಮುಖ್ಯ
ತಪಾಸಣಾಧಿಕಾರಿಗಳಿಗೆ ನೋಂದಾಯಿತವಾಗಿರುವ ಲಿಫ್ಟ್ ತಯಾರಕರು/ನಿರ್ವಾಹಕರ ಜೊತೆ ಲಿಫ್ಟ್ ನಿರ್ವಹಣೆಗೆ ಒಪ್ಪಂದ ಮಾಡಿಕೊಳ್ಳತಕ್ಕದ್ದು.

ಉ) ಲಿಫ್ಟ್/ಎಸ್ಕಲೇಟರ್/ಪ್ಯಾಸೆಂಜರ್ ಕನ್ವೇಯರ್ ಚಾಲನೆಗೊಳಿಸಲು ನೀಡಿರುವ ಪರವಾನಗಿಯ ಪ್ರತಿಯನ್ನು ಲಿಫ್ಟ್/ಎಸ್ಕಲೇಟರ್ ಯಂತ್ರದ
ಕೊಠಡಿಯಲ್ಲಿ ಪ್ರದರ್ಶಿಸತಕ್ಕದ್ದು.

ಊ) ಲಿಫ್ಟ್/ಎಸ್ಕಲೇಟರ್/ ಪ್ಯಾಸೆಂಜರ್ ಕನ್ವೇಯರ್ ಕಾರ್ಯಾಚರಣೆ ವೇಳೆ ಪ್ರಾಣಾಂತಿಕ/ಪ್ರಾಣಾಂತಿಕವಲ್ಲದ ಲಿಫ್ಟ್ ಅಪಘಾತಗಳು ಸಂಭವಿಸಿದರೆ,
ಕಟ್ಟಡದ ಮಾಲೀಕರು ಅಥವಾ ಅವರ ಏಜೆಂಟ್ ರವರು, ಅಪಘಾತದ ಬಗ್ಗೆ ಲಿಫ್ಟ್/ಎಸ್ಕಲೇಟರ್/ಪ್ಯಾಸೆಂಜರ್ ಕನ್ವೇಯರ್ ನ ಪ್ರಾಧಿಕೃತ ಅಧಿಕಾರಿಗೆ
ಮತ್ತು ಪೊಲೀಸ್ ಆಯುಕ್ತರಿಗೆ ಹಾಗೂ ಜಿಲ್ಲಾ ದಂಡಾಧಿಕಾರಿಗಳಿಗೆ ನಿಗದಿತ ನಮೂನೆಯಲ್ಲಿ ಪೂರ್ಣ ವಿವರಗಳ ಸಹಿತ ಮಾಹಿತಿಯನ್ನು ನೀಡತಕ್ಕದ್ದು.

ಋ) ಲಿಫ್ಟ್, ಎಸ್ಕಲೇಟರ್ ಗಳ ಮತ್ತು ಪ್ಯಾಸೆಂಜರ್ ಕನ್ವೇಯರ್ ಗಳ ಮುಖ್ಯ ತಪಾಸಣಾಧಿಕಾರಿಯ ಲಿಖಿತ ಪೂರ್ವ ಅನುಮತಿಯ ಹೊರತು
ಲಿಫ್ಟ್/ಎಸ್ಕಲೇಟರ್/ ಪ್ಯಾಸೆಂಜರ್ ಕನ್ವೇಯರ್ ಸ್ಥಾಪನೆಗೆ ಯಾವುದೇ ಸೇರ್ಪಡೆಗಳನ್ನು ಅಥವಾ ಬದಲಾವಣೆಗಳನ್ನು ಮಾಡತಕ್ಕದ್ದಲ್ಲ.

ಎ) ಸೂಕ್ತ ತರಬೇತಿ ಹೊಂದಿದ ಲಿಫ್ಟ್ ಚಾಲಕರನ್ನು ನೇಮಿಸಿಕೊಳ್ಳತಕ್ಕದ್ದು.

**Note: This is a Digitally Signed Certificate
and Does not require manual signature.**

**Please, Verify authenticity of this certificate
by visiting www.ksei.gov.in and entering
certificate number in Third party verification.**

Digitally Signed by : THEETHIRA NANJAPPA
APPACHU
Chief Electrical Inspector to Government
Bangalore
Signed Date : 28/07/2023



ಮುಖ್ಯ ವಿದ್ಯುತ್ ಪರಿವೀಕ್ಷಕರು
ಲಿಫ್ಟ್/ಎಸ್ಕಲೇಟರ್/ಪ್ಯಾನೆಂಜರ್ ಕನ್ವೇಯರ್ ಗಳ
ಮುಖ್ಯ ತಪಾಸಣಾಧಿಕಾರಿಯವರ ಸಹಿ

ಕರ್ನಾಟಕ ಸರ್ಕಾರ
(ವಿದ್ಯುತ್ ಪರಿವೀಕ್ಷಣಾಲಯ)

GSC ಸಂಖ್ಯೆ : EN0010000237946

ಸಂಖ್ಯೆ: **LRL 13504 /2022-2023**

ಉಲ್ಲೇಖ : EI000110547903

Date of Issue:20/06/2023

ಲಿಫ್ಟ್ ಚಾಲನ ಪರವಾನಗಿ

(ನಮೂನೆ 'ಬಿ5'- ಕರ್ನಾಟಕ ಲಿಫ್ಟ್ ಗಳ,ಎಸ್ಕಲೇಟರ್ ಗಳ ಮತ್ತು ಪ್ಯಾಸೆಂಜರ್ ಕನ್ವೇಯರ್ ಗಳ ನಿಯಮ 2015ರ ನಿಯಮ 4ರ ಉಪನಿಯಮ 4ನ್ನು ನೋಡುವುದು)

**NANDINI HOTELS PVT LTD , No 345/1, 13th Main Road, Sadaramangala Industrial Area,
Sadaramangala Village,Bangalore BENGALURU EAST BENGALURU**

ಇವರಿಗೆ Lift-3, , No 345/1 13th Main Road Sadaramangala Industrial Area Sadaramangala Village Bangalore

BANGALORE EAST(IRA) BANGALORE EAST ಇಲ್ಲಿ ಒಂದು (1) ಸಂಖ್ಯೆಯ ಲಿಫ್ಟ್ ಗಳನ್ನು ಚಾಲನೆ ಗೊಳಿಸಲು

ಅನುಮತಿಯನ್ನು ನೀಡಲಾಗಿದ್ದು, ಅನುಮತಿಯು ಕರ್ನಾಟಕ ಲಿಫ್ಟ್ ಗಳ, ಎಸ್ಕಲೇಟರ್ ಗಳ ಮತ್ತು ಪ್ಯಾಸೆಂಜರ್ ಕನ್ವೇಯರ್ ಗಳ ನಿಯಮಗಳು 2015ರ ಷರತ್ತಿಗೊಳಪಟ್ಟಿರುತ್ತದೆ ಮತ್ತು


**NANDINI HOTELS PVT LTD , No 345/1, 13th Main Road, Sadaramangala Industrial Area,
Sadaramangala Village,Bangalore BENGALURU EAST BENGALURU** ಇವರ ಮಾಲೀಕತ್ವದಲ್ಲಿರುತ್ತದೆ.

ಈ ಲಿಫ್ಟ್ ಚಾಲನಾ ಪರವಾನಗಿಯು , ಪರವಾನಗಿ ನೀಡಿದ ದಿನಾಂಕದಿಂದ ಹತ್ತು (10) ವರ್ಷಗಳ ಅವಧಿಗೆ ಮಾನ್ಯವಾಗಿರುತ್ತದೆ ಹಾಗೂ ಕರ್ನಾಟಕ ಲಿಫ್ಟ್ ಗಳ, ಎಸ್ಕಲೇಟರ್ ಗಳ ಮತ್ತು ಪ್ಯಾಸೆಂಜರ್ ಕನ್ವೇಯರ್ ಗಳ ನಿಯಮ 2015ರ ನಿಬಂಧನೆಗಳಿಗೆ ಒಳಪಟ್ಟಿರುತ್ತದೆ.

ಲಿಫ್ಟ್ ಪರಿವೀಕ್ಷಣಾ ಶುಲ್ಕ 2500.00/- ರೂ.ಗಳನ್ನು ಖಜಾನೆ-2, ಬೆಂಗಳೂರುಇಲ್ಲಿ ದಿನಾಂಕ: 07/06/2023 ರಂದು ಚಲನ್ ಸಂಖ್ಯೆ: EL0623004300003217 (Out of 7525Rs. /-) ರಲ್ಲಿ ಸಂದಾಯವಾಗಿದೆ.

ಯಂತ್ರಗಳ ವಿವರ

- | | |
|--------------------------------------|--|
| 1. ಲಿಫ್ಟ್ ತಯಾರಿಕೆ ಮತ್ತು ಸಂಖ್ಯೆ | : OTIS Elevator Company India Limited |
| 2. ಲಿಫ್ಟ್ ವಿಧ | : PASSENGER |
| 3. ಸಾಮರ್ಥ್ಯ | : 24 passengers,
1632 ಕೆ . ಜೆ |
| 4. ಬಹುಮಹಡಿ ಕಟ್ಟಡದ ವಿವರ | : BF+GF+4UF , COMMERCIAL |
| 5. ಲಿಫ್ಟ್ ಕಾರು ಮತ್ತು ಲ್ಯಾಂಡಿಂಗ್ ಡೋರ್ | : S.S. Automatic Telescopic Opening DoorS.S. Automatic Telescopic Opening Door |
| 6. ಲಿಫ್ಟ್ ಲ್ಯಾಂಡಿಂಗ್ ಗಳ ವಿವರ | : 6
Landings (BF+GF+4UF) |
| 7. ಲಿಫ್ಟ್ ನಿರ್ಧರಿತ ವೇಗ | : 1.75 m/s |
| 8. ಲಿಫ್ಟ್ ಮೋಟಾರಿನ ವಿವರ | : OTIS, 17.80(kW/HP), 566.00 RPM, SL No: MH062794 |



**Digitally Signed by : THEETHIRA NANJAPPA
APPACHU
Chief Electrical Inspector to Government
[INCHARGE]
Bangalore
Signed Date : 20/06/2023**

ಸರ್ಕಾರದ ಮುಖ್ಯ ವಿದ್ಯುತ್ ಪರಿವೀಕ್ಷಕರು

ಹಾಗೂ ಲಿಫ್ಟ್ ಗಳ ,ಎಸ್ಕಲೇಟರ್ ಗಳ ಮತ್ತು ಪ್ಯಾಸೆಂಜರ್ ಕನ್ವೇಯರ್ ಗಳ

ಮುಖ್ಯ ತಪಾಸಣಾಧಿಕಾರಿ ,ಕರ್ನಾಟಕ ಸರ್ಕಾರ

ಲಿಫ್ಟ್ ಚಾಲನ ಪರವಾನಗಿ ನವೀಕರಣ
(ನಿಯಮ 5ರ ಉಪನಿಯಮ 3ನ್ನು ನೋಡುವುದು)

ಕ್ರ.ಸಂ	ಚಾಲನಾ ಪರವಾನಗಿ ನವೀಕರಣ		ಚಾಲನಾ ಪರವಾನಗಿ ನವೀಕರಣ ಶುಲ್ಕದ ವಿವರ			ಮುಖ್ಯ ವಿದ್ಯುತ್ ಪರಿವೀಕ್ಷಕರ ಹಾಗೂ ಲಿಫ್ಟ್ ಗಳ, ಎಸ್ಕಲೇಟರ್ ಗಳ ಮತ್ತು ಪ್ಯಾಸೇಂಜರ್ ಕನ್ವೇಯರ್ ಗಳ ಮುಖ್ಯ ತಪಾಸಣಾಧಿಕಾರಿ ರವರ ಸಹಿ
	ರಿಂದ	ರವರೆಗೆ	ಶುಲ್ಕ	ಚಲನ್ /ರಶೀದಿ ಸಂಖ್ಯೆ	ದಿನಾಂಕ	

ಇವರಿಗೆ **NANDINI HOTELS PVT LTD No 345/1, 13th Main Road, Sadaramangala Industrial Area, Sadaramangala Village,Bangalore BENGALURU EAST BENGALURU**

ಪ್ರತಿಯನ್ನು

1.ಅಪರ ಮುಖ್ಯ ವಿದ್ಯುತ್ ಪರಿವೀಕ್ಷಕರು, ಬೆಂ.ಉ, ಬೆಂ.ದ, ಮಂಗಳೂರು, ಮೈಸೂರು, ಧಾರವಾಡ, ಕಲಬುರಗಿ

2.OTIS Elevator Company India Limited ಕಂಪನಿಗೆ

ಸೂಚನೆ

ಅ)ಈ ಲಿಫ್ಟ್ ಗಳನ್ನು ಕರ್ನಾಟಕ ಲಿಫ್ಟ್ ಗಳ,ಎಸ್ಕಲೇಟರ್ ಗಳ ಮತ್ತು ಪ್ಯಾಸೇಂಜರ್ ಕನ್ವೇಯರ್ ಗಳ ಆಧಿನಿಯಮ 2012 ಹಾಗೂ ಅದರಡಿಯಲ್ಲಿ ರಚಿಸಿರುವ ಕರ್ನಾಟಕ ಲಿಫ್ಟ್ ಗಳ,ಎಸ್ಕಲೇಟರ್ ಗಳ ಮತ್ತು ಪ್ಯಾಸೇಂಜರ್ ಕನ್ವೇಯರ್ ಗಳ ನಿಯಮಗಳು 2015 ರ ನಿಯಮಗಳ ಅನುಸಾರ ನಿರ್ವಹಿಸತಕ್ಕದ್ದು.

ಆ)ನಿಯಮ 5ರ ಅನುಸಾರ ಈ ಲಿಫ್ಟ್ ಚಾಲನಾ ಪರವಾನಗಿಯನ್ನು ನವೀಕರಿಸಲು ಲಿಫ್ಟ್ ಮಾಲೀಕರು ಮಾನ್ಯತಾ ಅವಧಿ ಮುಗಿಯುವ 3 ತಿಂಗಳ ಮುಂಚಿತವಾಗಿ ನವೀಕರಣ ಶುಲ್ಕ ಪಾವತಿ ಮಾಡಿದ ಚಲನ್ ಸಹಿತ ಅರ್ಜಿಯನ್ನು ಸಂಬಂಧಪಟ್ಟ ಲಿಫ್ಟ್ ತಪಾಸಣಾಧಿಕಾರಿಗಳಿಗೆ ನೀಡತಕ್ಕದ್ದು.

ಇ)ಲಿಫ್ಟ್ ಅಳವಡಿಸಲಾಗಿರುವ ಕಟ್ಟಡದ ಮಾಲೀಕರು ಕಟ್ಟಡದಲ್ಲಿ ವಾಸವಾಗಿಲ್ಲದಿದ್ದರೆ ಈ ಲಿಫ್ಟ್ ಚಾಲನಾ ಪರವಾನಗಿ ನೀಡಿದ ದಿನಾಂಕದ ಒಂದು ತಿಂಗಳ ಒಳಗಾಗಿ, ಕಟ್ಟಡವು ಇರುವ ಪಟ್ಟಣ ಅಥವಾ ಗ್ರಾಮದಲ್ಲಿ ವಾಸವಾಗಿರುವ ಒಬ್ಬ ಏಜೆಂಟ್ ರನ್ನು ನೇಮಕ ಮಾಡತಕ್ಕದ್ದು ಹಾಗೂ ಏಜೆಂಟ್ ನ ವಿವರಗಳನ್ನು ಪ್ರಾಧಿಕೃತ ಅಧಿಕಾರಿಗೆ ತಿಳಿಸತಕ್ಕದ್ದು. ನೇಮಕಗೊಂಡ ಏಜೆಂಟ್ ಕರ್ನಾಟಕ ಲಿಫ್ಟ್ ಗಳ, ಎಸ್ಕಲೇಟರ್ ಗಳ ಮತ್ತು ಪ್ಯಾಸೇಂಜರ್ ಕನ್ವೇಯರ್ ಗಳ ಆಧಿನಿಯಮ 2012 ಹಾಗೂ ಅದರಡಿಯಲ್ಲಿ ರಚಿಸಿರುವ ಕರ್ನಾಟಕ ಲಿಫ್ಟ್ ಗಳ, ಎಸ್ಕಲೇಟರ್ ಗಳ ಮತ್ತು ಪ್ಯಾಸೇಂಜರ್ ಕನ್ವೇಯರ್ ಗಳ ನಿಯಮಗಳು 2015 ರ ನಿಯಮಗಳನ್ನು ಪಾಲಿಸಲು ಬದ್ಧನಾಗಿರತಕ್ಕದ್ದು.

ಈ)ಲಿಫ್ಟ್ ಮಾಲೀಕರು, ಲಿಫ್ಟ್ ಗಳ, ಎಸ್ಕಲೇಟರ್ ಗಳ, ಪ್ಯಾಸೇಂಜರ್ ಕನ್ವೇಯರ್ ಗಳ ಮುಖ್ಯ ತಪಾಸಣಾಧಿಕಾರಿಗಳಿಗೆ ನೋಂದಾಯಿತವಾಗಿರುವ ಲಿಫ್ಟ್ ತಯಾರಕರು/ನಿರ್ವಾಹಕರ ಜೊತೆ ಲಿಫ್ಟ್ ನಿರ್ವಹಣೆಗೆ ಒಪ್ಪಂದ ಮಾಡಿಕೊಳ್ಳತಕ್ಕದ್ದು.

ಉ)ಲಿಫ್ಟ್ ಚಾಲನೆಗೊಳಿಸಲು ನೀಡಿರುವ ಪರವಾನಗಿಯ ಪ್ರತಿಯನ್ನು ಲಿಫ್ಟ್ ಯಂತ್ರದ ಕೊಠಡಿಯಲ್ಲಿ ಪ್ರದರ್ಶಿಸತಕ್ಕದ್ದು.

ಊ)ಲಿಫ್ಟ್ ಕಾರ್ಯಚರಣೆ ವೇಳೆ ಪ್ರಾಣಾಂತಿಕ/ಪ್ರಾಣಾಂತಿಕವಲ್ಲದ ಲಿಫ್ಟ್ ಅಪಘಾತಗಳು ಸಂಭವಿಸಿದರೆ, ಕಟ್ಟಡದ ಮಾಲೀಕರು ಅಥವಾ ಆವರ ಏಜೆಂಟ್ ರವರು, ಅಪಘಾತದ ಬಗ್ಗೆ ಲಿಫ್ಟ್/ಎಸ್ಕಲೇಟರ್/ಪ್ಯಾಸೇಂಜರ್ ಕನ್ವೇಯರ್ ನ ಪ್ರಾಧಿಕೃತ ಅಧಿಕಾರಿಗೆ ಮತ್ತು ಪೊಲೀಸ್ ಆಯುಕ್ತರಿಗೆ ಹಾಗೂ ಜಿಲ್ಲಾ ದಂಡಾಧಿಕಾರಿಗಳಿಗೆ ನಿಗದಿತ ನಮೂನೆಯಲ್ಲಿ ಪೂರ್ಣ ವಿವರಗಳ ಸಹಿತ ಮಾಹಿತಿಯನ್ನು ನೀಡತಕ್ಕದ್ದು.

ಋ)ಲಿಫ್ಟ್, ಎಸ್ಕಲೇಟರ್ ಗಳ ಮತ್ತು ಪ್ಯಾಸೇಂಜರ್ ಕನ್ವೇಯರ್ ಗಳ ಮುಖ್ಯ ತಪಾಸಣಾಧಿಕಾರಿಯ ಲಿಖಿತ ಪೂರ್ವ ಅನುಮತಿಯ ಹೊರತು ಲಿಫ್ಟ್ ಸ್ಥಾಪನೆಗೆ ಯಾವುದೇ ಸೇರ್ಪಡೆಗಳನ್ನು ಅಥವಾ ಬದಲಾವಣೆಗಳನ್ನು ಮಾಡತಕ್ಕದ್ದಲ್ಲ.

ಎ)ಸೂಕ್ತ ತರಬೇತಿ ಹೊಂದಿದ ಲಿಫ್ಟ್ ಚಾಲಕರನ್ನು ನೇಮಿಸಿಕೊಳ್ಳತಕ್ಕದ್ದು.

Note: This is a Digitally Signed Certificate and Does not require manual signature.

Please, Verify authenticity of this certificate by visiting www.ksei.gov.in and entering certificate number in Third party verification.



**Digitally Signed by : THEETHIRA NANJAPPA
APPACHU
Chief Electrical Inspector to Government
[INCHARGE]
Bangalore
Signed Date : 20/06/2023**

ಕರ್ನಾಟಕ ಸರ್ಕಾರ
(ವಿದ್ಯುತ್ ಪರಿವೀಕ್ಷಣಾಲಯ)

GSC ಸಂಖ್ಯೆ : EN0010000237946

ಸಂಖ್ಯೆ: **LRL 13505 /2022-2023**

ಉಲ್ಲೇಖ : EI000110547903

Date of Issue:20/06/2023

ಲಿಫ್ಟ್ ಚಾಲನ ಪರವಾನಗಿ

(ನಮೂನೆ 'ಬಿ5'- ಕರ್ನಾಟಕ ಲಿಫ್ಟ್ ಗಳ,ಎಸ್ಕಲೇಟರ್ ಗಳ ಮತ್ತು ಪ್ಯಾಸೆಂಜರ್ ಕನ್ವೇಯರ್ ಗಳ ನಿಯಮ 2015ರ ನಿಯಮ 4ರ ಉಪನಿಯಮ 4ನ್ನು ನೋಡುವುದು)

NANDINI HOTELS PVT LTD , No 345/1, 13th Main Road, Sadaramangala Industrial Area, Sadaramangala Village,Bangalore BENGALURU EAST BENGALURU

ಇವರಿಗೆ Lift-2, , No 345/1 13th Main Road Sadaramangala Industrial Area Sadaramangala Village Bangalore

BANGALORE EAST(IRA) BANGALORE EAST ಇಲ್ಲಿ ಒಂದು (1) ಸಂಖ್ಯೆಯ ಲಿಫ್ಟ್ ಗಳನ್ನು ಚಾಲನೆ ಗೊಳಿಸಲು

ಅನುಮತಿಯನ್ನು ನೀಡಲಾಗಿದ್ದು, ಅನುಮತಿಯು ಕರ್ನಾಟಕ ಲಿಫ್ಟ್ ಗಳ, ಎಸ್ಕಲೇಟರ್ ಗಳ ಮತ್ತು ಪ್ಯಾಸೆಂಜರ್ ಕನ್ವೇಯರ್ ಗಳ ನಿಯಮಗಳು 2015ರ ಷರತ್ತಿಗೊಳಪಟ್ಟಿರುತ್ತದೆ ಮತ್ತು

NANDINI HOTELS PVT LTD , No 345/1, 13th Main Road, Sadaramangala Industrial Area, Sadaramangala Village,Bangalore BENGALURU EAST BENGALURU ಇವರ ಮಾಲೀಕತ್ವದಲ್ಲಿರುತ್ತದೆ.

ಈ ಲಿಫ್ಟ್ ಚಾಲನಾ ಪರವಾನಗಿಯು , ಪರವಾನಗಿ ನೀಡಿದ ದಿನಾಂಕದಿಂದ ಹತ್ತು (10) ವರ್ಷಗಳ ಅವಧಿಗೆ ಮಾನ್ಯವಾಗಿರುತ್ತದೆ ಹಾಗೂ ಕರ್ನಾಟಕ ಲಿಫ್ಟ್ ಗಳ, ಎಸ್ಕಲೇಟರ್ ಗಳ ಮತ್ತು ಪ್ಯಾಸೆಂಜರ್ ಕನ್ವೇಯರ್ ಗಳ ನಿಯಮ 2015ರ ನಿಬಂಧನೆಗಳಿಗೆ ಒಳಪಟ್ಟಿರುತ್ತದೆ.

ಲಿಫ್ಟ್ ಪರಿವೀಕ್ಷಣಾ ಶುಲ್ಕ 2500.00/- ರೂ.ಗಳನ್ನು ಖಜಾನೆ-2, ಬೆಂಗಳೂರುಇಲ್ಲಿ ದಿನಾಂಕ: 07/06/2023 ರಂದು ಚೆಲನ್ ಸಂಖ್ಯೆ: EL0623004300003217 (Out of 7525Rs. /-) ರಲ್ಲಿ ಸಂದಾಯವಾಗಿದೆ.

ಯಂತ್ರಗಳ ವಿವರ

- | | |
|--------------------------------------|---|
| 1. ಲಿಫ್ಟ್ ತಯಾರಿಕೆ ಮತ್ತು ಸಂಖ್ಯೆ | : OTIS Elevator Company India Limited |
| 2. ಲಿಫ್ಟ್ ವಿಧ | : PASSENGER |
| 3. ಸಾಮರ್ಥ್ಯ | : 24 passengers,
1632 ಕೆ . ಜೆ |
| 4. ಬಹುಮಹಡಿ ಕಟ್ಟಡದ ವಿವರ | : BF+GF+5UF , COMMERCIAL |
| 5. ಲಿಫ್ಟ್ ಕಾರು ಮತ್ತು ಲ್ಯಾಂಡಿಂಗ್ ಡೋರ್ | : S,S Automatic centre opening door,S,S Automatic centre opening door |
| 6. ಲಿಫ್ಟ್ ಲ್ಯಾಂಡಿಂಗ್ ಗಳ ವಿವರ | : 7
Landings (BF+GF+5UF) |
| 7. ಲಿಫ್ಟ್ ನಿರ್ಧರಿತ ವೇಗ | : 1.75 m/s |
| 8. ಲಿಫ್ಟ್ ಮೋಟಾರಿನ ವಿವರ | : OTIS, 17.80(kW/HP), 566.00 RPM, SL No: MH068923 |



Digitally Signed by : THEETHIRA NANJAPPA APPACHU
Chief Electrical Inspector to Government
[INCHARGE]
Bangalore
Signed Date : 20/06/2023

ಸರ್ಕಾರದ ಮುಖ್ಯ ವಿದ್ಯುತ್ ಪರಿವೀಕ್ಷಕರು

ಹಾಗೂ ಲಿಫ್ಟ್ ಗಳ ,ಎಸ್ಕಲೇಟರ್ ಗಳ ಮತ್ತು ಪ್ಯಾಸೆಂಜರ್ ಕನ್ವೇಯರ್ ಗಳ

ಮುಖ್ಯ ತಪಾಸಣಾಧಿಕಾರಿ ,ಕರ್ನಾಟಕ ಸರ್ಕಾರ

ಲಿಫ್ಟ್ ಚಾಲನ ಪರವಾನಗಿ ನವೀಕರಣ
(ನಿಯಮ 5ರ ಉಪನಿಯಮ 3ನ್ನು ನೋಡುವುದು)

ಕ್ರ.ಸಂ	ಚಾಲನಾ ಪರವಾನಗಿ ನವೀಕರಣ		ಚಾಲನಾ ಪರವಾನಗಿ ನವೀಕರಣ ಶುಲ್ಕದ ವಿವರ			ಮುಖ್ಯ ವಿದ್ಯುತ್ ಪರಿವೀಕ್ಷಕರ ಹಾಗೂ ಲಿಫ್ಟ್ ಗಳ, ಎಸ್ಕಲೇಟರ್ ಗಳ ಮತ್ತು ಪ್ಯಾಸೆಂಜರ್ ಕನ್ವೇಯರ್ ಗಳ ಮುಖ್ಯ ತಪಾಸಣಾಧಿಕಾರಿ ರವರ ಸಹಿ
	ರಿಂದ	ರವರೆಗೆ	ಶುಲ್ಕ	ಚಲನ್ /ರಶೀದಿ ಸಂಖ್ಯೆ	ದಿನಾಂಕ	

ಇವರಿಗೆ NANDINI HOTELS PVT LTD No 345/1, 13th Main Road, Sadaramangala Industrial Area, Sadaramangala Village,Bangalore BENGALURU EAST BENGALURU

ಪ್ರತಿಯನ್ನು

1.ಅಪರ ಮುಖ್ಯ ವಿದ್ಯುತ್ ಪರಿವೀಕ್ಷಕರು, ಬೆಂ.ಉ, ಬೆಂ.ದ, ಮಂಗಳೂರು, ಮೈಸೂರು, ಧಾರವಾಡ, ಕಲಬುರಗಿ

2.OTIS Elevator Company India Limited ಕಂಪನಿಗೆ

ಸೂಚನೆ

ಅ)ಈ ಲಿಫ್ಟ್ ಗಳನ್ನು ಕರ್ನಾಟಕ ಲಿಫ್ಟ್ ಗಳ,ಎಸ್ಕಲೇಟರ್ ಗಳ ಮತ್ತು ಪ್ಯಾಸೆಂಜರ್ ಕನ್ವೇಯರ್ ಗಳ ಆಧಿನಿಯಮ 2012 ಹಾಗೂ ಅದರಡಿಯಲ್ಲಿ ರಚಿಸಿರುವ ಕರ್ನಾಟಕ ಲಿಫ್ಟ್ ಗಳ,ಎಸ್ಕಲೇಟರ್ ಗಳ ಮತ್ತು ಪ್ಯಾಸೆಂಜರ್ ಕನ್ವೇಯರ್ ಗಳ ನಿಯಮಗಳು 2015 ರ ನಿಯಮಗಳ ಅನುಸಾರ ನಿರ್ವಹಿಸತಕ್ಕದ್ದು.

ಆ)ನಿಯಮ 5ರ ಅನುಸಾರ ಈ ಲಿಫ್ಟ್ ಚಾಲನಾ ಪರವಾನಗಿಯನ್ನು ನವೀಕರಿಸಲು ಲಿಫ್ಟ್ ಮಾಲೀಕರು ಮಾನ್ಯತಾ ಅವಧಿ ಮುಗಿಯುವ 3 ತಿಂಗಳ ಮುಂಚಿತವಾಗಿ ನವೀಕರಣ ಶುಲ್ಕ ಪಾವತಿ ಮಾಡಿದ ಚಲನ್ ಸಹಿತ ಅರ್ಜಿಯನ್ನು ಸಂಬಂಧಪಟ್ಟ ಲಿಫ್ಟ್ ತಪಾಸಣಾಧಿಕಾರಿಗಳಿಗೆ ನೀಡತಕ್ಕದ್ದು.

ಇ)ಲಿಫ್ಟ್ ಅಳವಡಿಸಲಾಗಿರುವ ಕಟ್ಟಡದ ಮಾಲೀಕರು ಕಟ್ಟಡದಲ್ಲಿ ವಾಸವಾಗಿಲ್ಲದಿದ್ದರೆ ಈ ಲಿಫ್ಟ್ ಚಾಲನಾ ಪರವಾನಗಿ ನೀಡಿದ ದಿನಾಂಕದ ಒಂದು ತಿಂಗಳ ಒಳಗಾಗಿ, ಕಟ್ಟಡವು ಇರುವ ಪಟ್ಟಣ ಅಥವಾ ಗ್ರಾಮದಲ್ಲಿ ವಾಸವಾಗಿರುವ ಒಬ್ಬ ಏಜೆಂಟ್ ರನ್ನು ನೇಮಕ ಮಾಡತಕ್ಕದ್ದು ಹಾಗೂ ಏಜೆಂಟ್ ನ ವಿವರಗಳನ್ನು ಪ್ರಾಧಿಕೃತ ಅಧಿಕಾರಿಗೆ ತಿಳಿಸತಕ್ಕದ್ದು. ನೇಮಕಗೊಂಡ ಏಜೆಂಟ್ ಕರ್ನಾಟಕ ಲಿಫ್ಟ್ ಗಳ, ಎಸ್ಕಲೇಟರ್ ಗಳ ಮತ್ತು ಪ್ಯಾಸೆಂಜರ್ ಕನ್ವೇಯರ್ ಗಳ ಆಧಿನಿಯಮ 2012 ಹಾಗೂ ಅದರಡಿಯಲ್ಲಿ ರಚಿಸಿರುವ ಕರ್ನಾಟಕ ಲಿಫ್ಟ್ ಗಳ, ಎಸ್ಕಲೇಟರ್ ಗಳ ಮತ್ತು ಪ್ಯಾಸೆಂಜರ್ ಕನ್ವೇಯರ್ ಗಳ ನಿಯಮಗಳು 2015 ರ ನಿಯಮಗಳನ್ನು ಪಾಲಿಸಲು ಬದ್ಧನಾಗಿರತಕ್ಕದ್ದು.

ಈ)ಲಿಫ್ಟ್ ಮಾಲೀಕರು, ಲಿಫ್ಟ್ ಗಳ, ಎಸ್ಕಲೇಟರ್ ಗಳ, ಪ್ಯಾಸೆಂಜರ್ ಕನ್ವೇಯರ್ ಗಳ ಮುಖ್ಯ ತಪಾಸಣಾಧಿಕಾರಿಗಳಿಗೆ ನೋಂದಾಯಿತವಾಗಿರುವ ಲಿಫ್ಟ್ ತಯಾರಕರು/ನಿರ್ವಾಹಕರ ಜೊತೆ ಲಿಫ್ಟ್ ನಿರ್ವಹಣೆಗೆ ಒಪ್ಪಂದ ಮಾಡಿಕೊಳ್ಳತಕ್ಕದ್ದು.

ಉ)ಲಿಫ್ಟ್ ಚಾಲನೆಗೊಳಿಸಲು ನೀಡಿರುವ ಪರವಾನಗಿಯ ಪ್ರತಿಯನ್ನು ಲಿಫ್ಟ್ ಯಂತ್ರದ ಕೊಠಡಿಯಲ್ಲಿ ಪ್ರದರ್ಶಿಸತಕ್ಕದ್ದು.

ಊ)ಲಿಫ್ಟ್ ಕಾರ್ಯಚರಣೆ ವೇಳೆ ಪ್ರಾಣಾಂತಿಕ/ಪ್ರಾಣಾಂತಿಕವಲ್ಲದ ಲಿಫ್ಟ್ ಅಪಘಾತಗಳು ಸಂಭವಿಸಿದರೆ, ಕಟ್ಟಡದ ಮಾಲೀಕರು ಅಥವಾ ಅವರ ಏಜೆಂಟ್ ರವರು, ಅಪಘಾತದ ಬಗ್ಗೆ ಲಿಫ್ಟ್/ಎಸ್ಕಲೇಟರ್/ಪ್ಯಾಸೆಂಜರ್ ಕನ್ವೇಯರ್ ನ ಪ್ರಾಧಿಕೃತ ಅಧಿಕಾರಿಗೆ ಮತ್ತು ಪೊಲೀಸ್ ಆಯುಕ್ತರಿಗೆ ಹಾಗೂ ಜಿಲ್ಲಾ ದಂಡಾಧಿಕಾರಿಗಳಿಗೆ ನಿಗದಿತ ನಮೂನೆಯಲ್ಲಿ ಪೂರ್ಣ ವಿವರಗಳ ಸಹಿತ ಮಾಹಿತಿಯನ್ನು ನೀಡತಕ್ಕದ್ದು.

ಋ)ಲಿಫ್ಟ್, ಎಸ್ಕಲೇಟರ್ ಗಳ ಮತ್ತು ಪ್ಯಾಸೆಂಜರ್ ಕನ್ವೇಯರ್ ಗಳ ಮುಖ್ಯ ತಪಾಸಣಾಧಿಕಾರಿಯ ಲಿಖಿತ ಪೂರ್ವ ಅನುಮತಿಯ ಹೊರತು ಲಿಫ್ಟ್ ಸ್ಥಾಪನೆಗೆ ಯಾವುದೇ ಸೇರ್ಪಡೆಗಳನ್ನು ಅಥವಾ ಬದಲಾವಣೆಗಳನ್ನು ಮಾಡತಕ್ಕದ್ದಲ್ಲ.

ಎ)ಸೂಕ್ತ ತರಬೇತಿ ಹೊಂದಿದ ಲಿಫ್ಟ್ ಚಾಲಕರನ್ನು ನೇಮಿಸಿಕೊಳ್ಳತಕ್ಕದ್ದು.

Note: This is a Digitally Signed Certificate and Does not require manual signature.

Please, Verify authenticity of this certificate by visiting www.ksei.gov.in and entering certificate number in Third party verification.



Digitally Signed by : THEETHIRA NANJAPPA APPACHU
Chief Electrical Inspector to Government [INCHARGE]
Bangalore
Signed Date : 20/06/2023

ಕರ್ನಾಟಕ ಸರ್ಕಾರ
(ವಿದ್ಯುತ್ ಪರಿವೀಕ್ಷಣಾಲಯ)

GSC ಸಂಖ್ಯೆ : EN0010000237946

ಸಂಖ್ಯೆ: **LRL 13506 /2022-2023**

ಉಲ್ಲೇಖ : EI000110547903

Date of Issue:20/06/2023

ಲಿಫ್ಟ್ ಚಾಲನ ಪರವಾನಗಿ

(ನಮೂನೆ 'ಬಿ5'- ಕರ್ನಾಟಕ ಲಿಫ್ಟ್ ಗಳ,ಎಸ್ಕಲೇಟರ್ ಗಳ ಮತ್ತು ಪ್ಯಾಸೆಂಜರ್ ಕನ್ವೇಯರ್ ಗಳ ನಿಯಮ 2015ರ ನಿಯಮ 4ರ ಉಪನಿಯಮ 4ನ್ನು ನೋಡುವುದು)

**NANDINI HOTELS PVT LTD , No 345/1, 13th Main Road, Sadaramangala Industrial Area,
Sadaramangala Village,Bangalore BENGALURU EAST BENGALURU**

ಇವರಿಗೆ Lift-1 , No 3451 13th Main Road Sadaramangala Industrial Area Sadaramangala Village Bangalore
BANGALORE EAST(IRA) BANGALORE EAST ಇಲ್ಲಿ ಒಂದು (1) ಸಂಖ್ಯೆಯ ಲಿಫ್ಟ್ ಗಳನ್ನು ಚಾಲನೆ ಗೊಳಿಸಲು
ಅನುಮತಿಯನ್ನು ನೀಡಲಾಗಿದ್ದು, ಅನುಮತಿಯು ಕರ್ನಾಟಕ ಲಿಫ್ಟ್ ಗಳ, ಎಸ್ಕಲೇಟರ್ ಗಳ ಮತ್ತು ಪ್ಯಾಸೆಂಜರ್ ಕನ್ವೇಯರ್ ಗಳ
ನಿಯಮಗಳು 2015ರ ಷರತ್ತಿಗೊಳಪಟ್ಟಿರುತ್ತದೆ ಮತ್ತು

**NANDINI HOTELS PVT LTD , No 345/1, 13th Main Road, Sadaramangala Industrial Area,
Sadaramangala Village,Bangalore BENGALURU EAST BENGALURU** ಇವರ ಮಾಲೀಕತ್ವದಲ್ಲಿರುತ್ತದೆ.

ಈ ಲಿಫ್ಟ್ ಚಾಲನಾ ಪರವಾನಗಿಯು , ಪರವಾನಗಿ ನೀಡಿದ ದಿನಾಂಕದಿಂದ ಹತ್ತು (10) ವರ್ಷಗಳ ಅವಧಿಗೆ ಮಾನ್ಯವಾಗಿರುತ್ತದೆ
ಹಾಗೂ ಕರ್ನಾಟಕ ಲಿಫ್ಟ್ ಗಳ, ಎಸ್ಕಲೇಟರ್ ಗಳ ಮತ್ತು ಪ್ಯಾಸೆಂಜರ್ ಕನ್ವೇಯರ್ ಗಳ ನಿಯಮ 2015ರ ನಿಬಂಧನೆಗಳಿಗೆ
ಒಳಪಟ್ಟಿರುತ್ತದೆ.

ಲಿಫ್ಟ್ ಪರಿವೀಕ್ಷಣಾ ಶುಲ್ಕ 2500.00/- ರೂ.ಗಳನ್ನು ಖಜಾನೆ-2, ಬೆಂಗಳೂರುಇಲ್ಲಿ ದಿನಾಂಕ: 07/06/2023 ರಂದು ಚಲನ್
ಸಂಖ್ಯೆ: EL0623004300003217 (Out of 7525Rs. /-) ರಲ್ಲಿ ಸಂದಾಯವಾಗಿದೆ.

ಯಂತ್ರಗಳ ವಿವರ

- | | |
|--------------------------------------|---|
| 1. ಲಿಫ್ಟ್ ತಯಾರಿಕೆ ಮತ್ತು ಸಂಖ್ಯೆ | : OTIS Elevator Company India Limited |
| 2. ಲಿಫ್ಟ್ ವಿಧ | : PASSENGER |
| 3. ಸಾಮರ್ಥ್ಯ | : 24 passengers,
1632 ಕೆ . ಜೆ. |
| 4. ಬಹುಮಹಡಿ ಕಟ್ಟಡದ ವಿವರ | : BF+GF+4UF , COMMERCIAL |
| 5. ಲಿಫ್ಟ್ ಕಾರು ಮತ್ತು ಲ್ಯಾಂಡಿಂಗ್ ಡೋರ್ | : S,S Automatic centre opening door,S,S Automatic centre opening door |
| 6. ಲಿಫ್ಟ್ ಲ್ಯಾಂಡಿಂಗ್ ಗಳ ವಿವರ | : 6
Landings (BF+GF+4UF) |
| 7. ಲಿಫ್ಟ್ ನಿರ್ಧರಿತ ವೇಗ | : 1.75 m/s |
| 8. ಲಿಫ್ಟ್ ಮೋಟಾರಿನ ವಿವರ | : OTIS, 17.80(kW/HP), 566.00 RPM, SL No: MH067638 |



**Digitally Signed by : THEETHIRA NANJAPPA
APPACHU
Chief Electrical Inspector to Government
[INCHARGE]
Bangalore
Signed Date : 20/06/2023**

ಸರ್ಕಾರದ ಮುಖ್ಯ ವಿದ್ಯುತ್ ಪರಿವೀಕ್ಷಕರು
ಹಾಗೂ ಲಿಫ್ಟ್ ಗಳ ,ಎಸ್ಕಲೇಟರ್ ಗಳ ಮತ್ತು ಪ್ಯಾಸೆಂಜರ್ ಕನ್ವೇಯರ್ ಗಳ
ಮುಖ್ಯ ತಪಾಸಣಾಧಿಕಾರಿ ,ಕರ್ನಾಟಕ ಸರ್ಕಾರ

ಲಿಫ್ಟ್ ಚಾಲನ ಪರವಾನಗಿ ನವೀಕರಣ
(ನಿಯಮ 5ರ ಉಪನಿಯಮ 3ನ್ನು ನೋಡುವುದು)

ಕ್ರ.ಸಂ	ಚಾಲನಾ ಪರವಾನಗಿ ನವೀಕರಣ		ಚಾಲನಾ ಪರವಾನಗಿ ನವೀಕರಣ ಶುಲ್ಕದ ವಿವರ			ಮುಖ್ಯ ವಿದ್ಯುತ್ ಪರಿವೀಕ್ಷಕರ ಹಾಗೂ ಲಿಫ್ಟ್ ಗಳ, ಎಸ್ಕಲೇಟರ್ ಗಳ ಮತ್ತು ಪ್ಯಾಸೆಂಜರ್ ಕನ್ವೇಯರ್ ಗಳ ಮುಖ್ಯ ತಪಾಸಣಾಧಿಕಾರಿ ರವರ ಸಹಿ
	ರಿಂದ	ರವರೆಗೆ	ಶುಲ್ಕ	ಚಲನ್ /ರಶೀದಿ ಸಂಖ್ಯೆ	ದಿನಾಂಕ	

ಇವರಿಗೆ **NANDINI HOTELS PVT LTD No 345/1, 13th Main Road, Sadaramangala Industrial Area, Sadaramangala Village,Bangalore BENGALURU EAST BENGALURU**

ಪ್ರತಿಯನ್ನು

1.ಅಪರ ಮುಖ್ಯ ವಿದ್ಯುತ್ ಪರಿವೀಕ್ಷಕರು, ಬೆಂ.ಉ, ಬೆಂ.ದ, ಮಂಗಳೂರು, ಮೈಸೂರು, ಧಾರವಾಡ, ಕಲಬುರಗಿ

2.OTIS Elevator Company India Limited ಕಂಪನಿಗೆ

ಸೂಚನೆ

ಅ)ಈ ಲಿಫ್ಟ್ ಗಳನ್ನು ಕರ್ನಾಟಕ ಲಿಫ್ಟ್ ಗಳ,ಎಸ್ಕಲೇಟರ್ ಗಳ ಮತ್ತು ಪ್ಯಾಸೆಂಜರ್ ಕನ್ವೇಯರ್ ಗಳ ಅಧಿನಿಯಮ 2012 ಹಾಗೂ ಅದರಡಿಯಲ್ಲಿ ರಚಿಸಿರುವ ಕರ್ನಾಟಕ ಲಿಫ್ಟ್ ಗಳ,ಎಸ್ಕಲೇಟರ್ ಗಳ ಮತ್ತು ಪ್ಯಾಸೆಂಜರ್ ಕನ್ವೇಯರ್ ಗಳ ನಿಯಮಗಳು 2015 ರ ನಿಯಮಗಳ ಅನುಸಾರ ನಿರ್ವಹಿಸತಕ್ಕದ್ದು.

ಆ)ನಿಯಮ 5ರ ಅನುಸಾರ ಈ ಲಿಫ್ಟ್ ಚಾಲನಾ ಪರವಾನಗಿಯನ್ನು ನವೀಕರಿಸಲು ಲಿಫ್ಟ್ ಮಾಲೀಕರು ಮಾನ್ಯತಾ ಅವಧಿ ಮುಗಿಯುವ 3 ತಿಂಗಳ ಮುಂಚಿತವಾಗಿ ನವೀಕರಣ ಶುಲ್ಕ ಪಾವತಿ ಮಾಡಿದ ಚಲನ್ ಸಹಿತ ಅರ್ಜಿಯನ್ನು ಸಂಬಂಧಪಟ್ಟ ಲಿಫ್ಟ್ ತಪಾಸಣಾಧಿಕಾರಿಗಳಿಗೆ ನೀಡತಕ್ಕದ್ದು.

ಇ)ಲಿಫ್ಟ್ ಅಳವಡಿಸಲಾಗಿರುವ ಕಟ್ಟಡದ ಮಾಲೀಕರು ಕಟ್ಟಡದಲ್ಲಿ ವಾಸವಾಗಿಲ್ಲದಿದ್ದರೆ ಈ ಲಿಫ್ಟ್ ಚಾಲನಾ ಪರವಾನಗಿ ನೀಡಿದ ದಿನಾಂಕದ ಒಂದು ತಿಂಗಳ ಒಳಗಾಗಿ, ಕಟ್ಟಡವು ಇರುವ ಪಟ್ಟಣ ಅಥವಾ ಗ್ರಾಮದಲ್ಲಿ ವಾಸವಾಗಿರುವ ಒಬ್ಬ ಏಜೆಂಟ್ ರನ್ನು ನೇಮಕ ಮಾಡತಕ್ಕದ್ದು ಹಾಗೂ ಏಜೆಂಟ್ ನ ವಿವರಗಳನ್ನು ಪ್ರಾಧಿಕೃತ ಅಧಿಕಾರಿಗೆ ತಿಳಿಸತಕ್ಕದ್ದು. ನೇಮಕಗೊಂಡ ಏಜೆಂಟ್ ಕರ್ನಾಟಕ ಲಿಫ್ಟ್ ಗಳ, ಎಸ್ಕಲೇಟರ್ ಗಳ ಮತ್ತು ಪ್ಯಾಸೆಂಜರ್ ಕನ್ವೇಯರ್ ಗಳ ಅಧಿನಿಯಮ 2012 ಹಾಗೂ ಅದರಡಿಯಲ್ಲಿ ರಚಿಸಿರುವ ಕರ್ನಾಟಕ ಲಿಫ್ಟ್ ಗಳ, ಎಸ್ಕಲೇಟರ್ ಗಳ ಮತ್ತು ಪ್ಯಾಸೆಂಜರ್ ಕನ್ವೇಯರ್ ಗಳ ನಿಯಮಗಳು 2015 ರ ನಿಯಮಗಳನ್ನು ಪಾಲಿಸಲು ಬದ್ಧನಾಗಿರತಕ್ಕದ್ದು.

ಈ)ಲಿಫ್ಟ್ ಮಾಲೀಕರು, ಲಿಫ್ಟ್ ಗಳ, ಎಸ್ಕಲೇಟರ್ ಗಳ, ಪ್ಯಾಸೆಂಜರ್ ಕನ್ವೇಯರ್ ಗಳ ಮುಖ್ಯ ತಪಾಸಣಾಧಿಕಾರಿಗಳಿಗೆ ನೋಂದಾಯಿತವಾಗಿರುವ ಲಿಫ್ಟ್ ತಯಾರಕರು/ನಿರ್ವಾಹಕರ ಜೊತೆ ಲಿಫ್ಟ್ ನಿರ್ವಹಣೆಗೆ ಒಪ್ಪಂದ ಮಾಡಿಕೊಳ್ಳತಕ್ಕದ್ದು.

ಉ)ಲಿಫ್ಟ್ ಚಾಲನೆಗೊಳಿಸಲು ನೀಡಿರುವ ಪರವಾನಗಿಯ ಪ್ರತಿಯನ್ನು ಲಿಫ್ಟ್ ಯಂತ್ರದ ಕೊಠಡಿಯಲ್ಲಿ ಪ್ರದರ್ಶಿಸತಕ್ಕದ್ದು.

ಊ)ಲಿಫ್ಟ್ ಕಾರ್ಯಚರಣೆ ವೇಳೆ ಪ್ರಾಣಾಂತಿಕ/ಪ್ರಾಣಾಂತಿಕವಲ್ಲದ ಲಿಫ್ಟ್ ಅಪಘಾತಗಳು ಸಂಭವಿಸಿದರೆ, ಕಟ್ಟಡದ ಮಾಲೀಕರು ಅಥವಾ ಅವರ ಏಜೆಂಟ್ ರವರು, ಅಪಘಾತದ ಬಗ್ಗೆ ಲಿಫ್ಟ್/ಎಸ್ಕಲೇಟರ್/ಪ್ಯಾಸೆಂಜರ್ ಕನ್ವೇಯರ್ ನ ಪ್ರಾಧಿಕೃತ ಅಧಿಕಾರಿಗೆ ಮತ್ತು ಪೊಲೀಸ್ ಆಯುಕ್ತರಿಗೆ ಹಾಗೂ ಜಿಲ್ಲಾ ದಂಡಾಧಿಕಾರಿಗಳಿಗೆ ನಿಗದಿತ ನಮೂನೆಯಲ್ಲಿ ಪೂರ್ಣ ವಿವರಗಳ ಸಹಿತ ಮಾಹಿತಿಯನ್ನು ನೀಡತಕ್ಕದ್ದು.

ಋ)ಲಿಫ್ಟ್, ಎಸ್ಕಲೇಟರ್ ಗಳ ಮತ್ತು ಪ್ಯಾಸೆಂಜರ್ ಕನ್ವೇಯರ್ ಗಳ ಮುಖ್ಯ ತಪಾಸಣಾಧಿಕಾರಿಯ ಲಿಖಿತ ಪೂರ್ವ ಅನುಮತಿಯ ಹೊರತು ಲಿಫ್ಟ್ ಸ್ಥಾಪನೆಗೆ ಯಾವುದೇ ಸೇರ್ಪಡೆಗಳನ್ನು ಅಥವಾ ಬದಲಾವಣೆಗಳನ್ನು ಮಾಡತಕ್ಕದ್ದಲ್ಲ.

ನ)ಸೂಕ್ತ ತರಬೇತಿ ಹೊಂದಿದ ಲಿಫ್ಟ್ ಚಾಲಕರನ್ನು ನೇಮಿಸಿಕೊಳ್ಳತಕ್ಕದ್ದು.

Note: This is a Digitally Signed Certificate and Does not require manual signature.

Please, Verify authenticity of this certificate by visiting www.ksei.gov.in and entering certificate number in Third party verification.

Digitally Signed by : THEETHIRA NANJAPPA APPACHU
Chief Electrical Inspector to Government [INCHARGE]
Bangalore
Signed Date : 20/06/2023

ಕರ್ನಾಟಕ ಸರ್ಕಾರ
(ವಿದ್ಯುತ್ ಪರಿವೀಕ್ಷಣಾಲಯ)

GSC ಸಂಖ್ಯೆ : EN0010000259693

ಸಂಖ್ಯೆ: LRL 17337 /2023-2024

ಉಲ್ಲೇಖ : EI000110604868

Date of Issue:17/11/2023

ಲಿಫ್ಟ್ ಚಾಲನ ಪರವಾನಗಿ

(ನಮೂನೆ 'ಬಿ5'- ಕರ್ನಾಟಕ ಲಿಫ್ಟ್ ಗಳ,ಎಸ್ಕಲೇಟರ್ ಗಳ ಮತ್ತು ಪ್ರಾಸೆಂಜರ್ ಕನ್ವೇಯರ್ ಗಳ ನಿಯಮ 2015ರ ನಿಯಮ 4ರ ಉಪನಿಯಮ 4ನ್ನು ನೋಡುವುದು)

NANDINI HOTELS PVT LTD , No 345/1, 13th Main Road, Sadaramangala Industrial Area,
Sadaramangala Village,Bangalore BENGALURU EAST BENGALURU

ಇವರಿಗೆ Lift-2, , No 345/1, 13th Main Road, Sadaramangala Industrial Area, Sadaramangala Village, Bangalore
BANGALORE NORTH(IRA) BANGALORE NORTH ಇಲ್ಲಿ ಒಂದು (1) ಸಂಖ್ಯೆಯ ಲಿಫ್ಟ್ ಗಳನ್ನು ಚಾಲನೆ ಗೊಳಿಸಲು
ಅನುಮತಿಯನ್ನು ನೀಡಲಾಗಿದ್ದು, ಅನುಮತಿಯು ಕರ್ನಾಟಕ ಲಿಫ್ಟ್ ಗಳ, ಎಸ್ಕಲೇಟರ್ ಗಳ ಮತ್ತು ಪ್ರಾಸೆಂಜರ್ ಕನ್ವೇಯರ್ ಗಳ
ನಿಯಮಗಳು 2015ರ ಷರತ್ತಿಗೊಳಪಟ್ಟಿರುತ್ತದೆ ಮತ್ತು


NANDINI HOTELS PVT LTD , No 345/1, 13th Main Road, Sadaramangala Industrial Area,
Sadaramangala Village,Bangalore BENGALURU EAST BENGALURU ಇವರ ಮಾಲೀಕತ್ವದಲ್ಲಿರುತ್ತದೆ.

ಈ ಲಿಫ್ಟ್ ಚಾಲನಾ ಪರವಾನಗಿಯು , ಪರವಾನಗಿ ನೀಡಿದ ದಿನಾಂಕದಿಂದ ಹತ್ತು (10) ವರ್ಷಗಳ ಅವಧಿಗೆ ಮಾನ್ಯವಾಗಿರುತ್ತದೆ
ಹಾಗೂ ಕರ್ನಾಟಕ ಲಿಫ್ಟ್ ಗಳ, ಎಸ್ಕಲೇಟರ್ ಗಳ ಮತ್ತು ಪ್ರಾಸೆಂಜರ್ ಕನ್ವೇಯರ್ ಗಳ ನಿಯಮ 2015ರ ನಿಬಂಧನೆಗಳಿಗೆ
ಒಳಪಟ್ಟಿರುತ್ತದೆ.

ಲಿಫ್ಟ್ ಪರಿವೀಕ್ಷಣಾ ಶುಲ್ಕ 2500.00/- ರೂ.ಗಳನ್ನು ಖಜಾನೆ-2, ಬೆಂಗಳೂರುಇಲ್ಲಿ ದಿನಾಂಕ: 09/11/2023 ರಂದು ಚಲನ್
ಸಂಖ್ಯೆ: EL1123004300004772 (Out of 5025Rs. /-) ರಲ್ಲಿ ಸಂದಾಯವಾಗಿದೆ.

ಯಂತ್ರಗಳ ವಿವರ

- | | |
|--------------------------------------|--|
| 1. ಲಿಫ್ಟ್ ತಯಾರಿಕೆ ಮತ್ತು ಸಂಖ್ಯೆ | : OTIS Elevator Company India Limited |
| 2. ಲಿಫ್ಟ್ ವಿಧ | : PASSENGER |
| 3. ಸಾಮರ್ಥ್ಯ | : 24 passengers,
1632 ಕೆ . ಜೆ. |
| 4. ಬಹುಮಹಡಿ ಕಟ್ಟಡದ ವಿವರ | : BF+GF+4UF , HOSPITAL |
| 5. ಲಿಫ್ಟ್ ಕಾರು ಮತ್ತು ಲ್ಯಾಂಡಿಂಗ್ ಡೋರ್ | : S.S Automatic centre opening doorS.S Automatic centre opening door |
| 6. ಲಿಫ್ಟ್ ಲ್ಯಾಂಡಿಂಗ್ ಗಳ ವಿವರ | : 6
Landings (BF+GF+4UF) |
| 7. ಲಿಫ್ಟ್ ನಿರ್ಧರಿತ ವೇಗ | : 1.75 m/s |
| 8. ಲಿಫ್ಟ್ ಮೋಟಾರಿನ ವಿವರ | : OTIS, 17.80(kW/HP), 566.00 RPM, SL No: MH081452 |



Digitally Signed by : THEETHIRA NANJAPPA APPACHU
Chief Electrical Inspector to Government
Bangalore

Signed Date : 17/11/2023

ಸರ್ಕಾರದ ಮುಖ್ಯ ವಿದ್ಯುತ್ ಪರಿವೀಕ್ಷಕರು

ಹಾಗೂ ಲಿಫ್ಟ್ ಗಳ ,ಎಸ್ಕಲೇಟರ್ ಗಳ ಮತ್ತು ಪ್ರಾಸೆಂಜರ್ ಕನ್ವೇಯರ್ ಗಳ
ಮುಖ್ಯ ತಪಾಸಣಾಧಿಕಾರಿ ,ಕರ್ನಾಟಕ ಸರ್ಕಾರ

ಲಿಫ್ಟ್ ಚಾಲನ ಪರವಾನಗಿ ನವೀಕರಣ
(ನಿಯಮ 5ರ ಉಪನಿಯಮ 3ನ್ನು ನೋಡುವುದು)

ಕ್ರ.ಸಂ	ಚಾಲನಾ ಪರವಾನಗಿ ನವೀಕರಣ		ಚಾಲನಾ ಪರವಾನಗಿ ನವೀಕರಣ ಶುಲ್ಕದ ವಿವರ			ಮುಖ್ಯ ವಿದ್ಯುತ್ ಪರಿವೀಕ್ಷಕರ ಹಾಗೂ ಲಿಫ್ಟ್ ಗಳ, ಎನ್ಸಲೇಟರ್ ಗಳ ಮತ್ತು ಪ್ಯಾಸೆಂಜರ್ ಕನ್ವೇಯರ್ ಗಳ ಮುಖ್ಯ ತಪಾಸಣಾಧಿಕಾರಿ ರವರ ಸಹಿ
	ರಿಂದ	ರವರೆಗೆ	ಶುಲ್ಕ	ಚಲನ್ /ರಶೀದಿ ಸಂಖ್ಯೆ	ದಿನಾಂಕ	

ಇವರಿಗೆ **NANDINI HOTELS PVT LTD No 345/1, 13th Main Road, Sadaramangala Industrial Area, Sadaramangala Village, Bangalore BENGALURU EAST BENGALURU**

ಪ್ರತಿಯನ್ನು

1.ಅಪರ ಮುಖ್ಯ ವಿದ್ಯುತ್ ಪರಿವೀಕ್ಷಕರು, ಬೆಂ.ಉ, ಬೆಂ.ದ, ಮಂಗಳೂರು, ಮೈಸೂರು, ಧಾರವಾಡ, ಕಲಬುರಗಿ

2.OTIS Elevator Company India Limited ಕಂಪನಿಗೆ

ಸೂಚನೆ

ಅ)ಈ ಲಿಫ್ಟ್ ಗಳನ್ನು ಕರ್ನಾಟಕ ಲಿಫ್ಟ್ ಗಳ,ಎಸ್ಕಲೇಟರ್ ಗಳ ಮತ್ತು ಪ್ಯಾಸೆಂಜರ್ ಕನ್ವೇಯರ್ ಗಳ ಆಧಿನಿಯಮ 2012 ಹಾಗೂ ಅದರಡಿಯಲ್ಲಿ ರಚಿಸಿರುವ ಕರ್ನಾಟಕ ಲಿಫ್ಟ್ ಗಳ,ಎಸ್ಕಲೇಟರ್ ಗಳ ಮತ್ತು ಪ್ಯಾಸೆಂಜರ್ ಕನ್ವೇಯರ್ ಗಳ ನಿಯಮಗಳು 2015 ರ ನಿಯಮಗಳ ಅನುಸಾರ ನಿರ್ವಹಿಸತಕ್ಕದ್ದು.

ಆ)ನಿಯಮ 5ರ ಅನುಸಾರ ಈ ಲಿಫ್ಟ್ ಚಾಲನಾ ಪರವಾನಗಿಯನ್ನು ನವೀಕರಿಸಲು ಲಿಫ್ಟ್ ಮಾಲೀಕರು ಮಾನ್ಯತಾ ಅವಧಿ ಮುಗಿಯುವ 3 ತಿಂಗಳ ಮುಂಚಿತವಾಗಿ ನವೀಕರಣ ಶುಲ್ಕ ಪಾವತಿ ಮಾಡಿದ ಚಲನ್ ಸಹಿತ ಅರ್ಜಿಯನ್ನು ಸಂಬಂಧಪಟ್ಟ ಲಿಫ್ಟ್ ತಪಾಸಣಾಧಿಕಾರಿಗಳಿಗೆ ನೀಡತಕ್ಕದ್ದು.

ಇ)ಲಿಫ್ಟ್ ಅಳವಡಿಸಲಾಗಿರುವ ಕಟ್ಟಡದ ಮಾಲೀಕರು ಕಟ್ಟಡದಲ್ಲಿ ವಾಸವಾಗಿಲ್ಲದಿದ್ದರೆ ಈ ಲಿಫ್ಟ್ ಚಾಲನಾ ಪರವಾನಗಿ ನೀಡಿದ ದಿನಾಂಕದ ಒಂದು ತಿಂಗಳ ಒಳಗಾಗಿ, ಕಟ್ಟಡವು ಇರುವ ಪಟ್ಟಣ ಅಥವಾ ಗ್ರಾಮದಲ್ಲಿ ವಾಸವಾಗಿರುವ ಒಬ್ಬ ಏಜೆಂಟ್ ರನ್ನು ನೇಮಕ ಮಾಡತಕ್ಕದ್ದು ಹಾಗೂ ಏಜೆಂಟ್ ನ ವಿವರಗಳನ್ನು ಪ್ರಾಧಿಕೃತ ಅಧಿಕಾರಿಗೆ ತಿಳಿಸತಕ್ಕದ್ದು. ನೇಮಕಗೊಂಡ ಏಜೆಂಟ್ ಕರ್ನಾಟಕ ಲಿಫ್ಟ್ ಗಳ, ಎಸ್ಕಲೇಟರ್ ಗಳ ಮತ್ತು ಪ್ಯಾಸೆಂಜರ್ ಕನ್ವೇಯರ್ ಗಳ ಆಧಿನಿಯಮ 2012 ಹಾಗೂ ಅದರಡಿಯಲ್ಲಿ ರಚಿಸಿರುವ ಕರ್ನಾಟಕ ಲಿಫ್ಟ್ ಗಳ, ಎಸ್ಕಲೇಟರ್ ಗಳ ಮತ್ತು ಪ್ಯಾಸೆಂಜರ್ ಕನ್ವೇಯರ್ ಗಳ ನಿಯಮಗಳು 2015 ರ ನಿಯಮಗಳನ್ನು ಪಾಲಿಸಲು ಬದ್ಧನಾಗಿರತಕ್ಕದ್ದು.


ಈ)ಲಿಫ್ಟ್ ಮಾಲೀಕರು, ಲಿಫ್ಟ್ ಗಳ, ಎಸ್ಕಲೇಟರ್ ಗಳ, ಪ್ಯಾಸೆಂಜರ್ ಕನ್ವೇಯರ್ ಗಳ ಮುಖ್ಯ ತಪಾಸಣಾಧಿಕಾರಿಗಳಿಗೆ ನೋಂದಾಯಿತವಾಗಿರುವ ಲಿಫ್ಟ್ ತಯಾರಕರು/ನಿರ್ವಾಹಕರು ಜೊತೆ ಲಿಫ್ಟ್ ನಿರ್ವಹಣೆಗೆ ಒಪ್ಪಂದ ಮಾಡಿಕೊಳ್ಳತಕ್ಕದ್ದು.

ಉ)ಲಿಫ್ಟ್ ಚಾಲನೆಗೊಳಿಸಲು ನೀಡಿರುವ ಪರವಾನಗಿಯ ಪ್ರತಿಯನ್ನು ಲಿಫ್ಟ್ ಯಂತ್ರದ ಕೊಠಡಿಯಲ್ಲಿ ಪ್ರದರ್ಶಿಸತಕ್ಕದ್ದು.

ಊ)ಲಿಫ್ಟ್ ಕಾರ್ಯಚರಣೆ ವೇಳೆ ಪ್ರಾಣಾಂತಿಕ/ಪ್ರಾಣಾಂತಿಕವಲ್ಲದ ಲಿಫ್ಟ್ ಅಪಘಾತಗಳು ಸಂಭವಿಸಿದರೆ, ಕಟ್ಟಡದ ಮಾಲೀಕರು ಅಥವಾ ಆವರ ಏಜೆಂಟ್ ರವರು, ಅಪಘಾತದ ಬಗ್ಗೆ ಲಿಫ್ಟ್/ಎಸ್ಕಲೇಟರ್/ಪ್ಯಾಸೆಂಜರ್ ಕನ್ವೇಯರ್ ನ ಪ್ರಾಧಿಕೃತ ಅಧಿಕಾರಿಗೆ ಮತ್ತು ಪೊಲೀಸ್ ಆಯುಕ್ತರಿಗೆ ಹಾಗೂ ಜಿಲ್ಲಾ ದಂಡಾಧಿಕಾರಿಗಳಿಗೆ ನಿಗದಿತ ನಮೂನೆಯಲ್ಲಿ ಪೂರ್ಣ ವಿವರಗಳ ಸಹಿತ ಮಾಹಿತಿಯನ್ನು ನೀಡತಕ್ಕದ್ದು.

ಋ)ಲಿಫ್ಟ್, ಎಸ್ಕಲೇಟರ್ ಗಳ ಮತ್ತು ಪ್ಯಾಸೆಂಜರ್ ಕನ್ವೇಯರ್ ಗಳ ಮುಖ್ಯ ತಪಾಸಣಾಧಿಕಾರಿಯ ಲಿಖಿತ ಪೂರ್ವ ಅನುಮತಿಯ ಹೊರತು ಲಿಫ್ಟ್ ಸ್ಥಾಪನೆಗೆ ಯಾವುದೇ ಸೇವೆಗಳನ್ನು ಅಥವಾ ಬದಲಾವಣೆಗಳನ್ನು ಮಾಡತಕ್ಕದ್ದಲ್ಲ.

ಎ)ಸೂಕ್ತ ತರಬೇತಿ ಹೊಂದಿದ ಲಿಫ್ಟ್ ಚಾಲಕರನ್ನು ನೇಮಿಸಿಕೊಳ್ಳತಕ್ಕದ್ದು.



Note: This is a Digitally Signed Certificate and Does not require manual signature.

Please, Verify authenticity of this certificate by visiting www.ksei.gov.in and entering certificate number in Third party verification.

Digitally Signed by : THEETHIRA NANJAPPA APPACHU
Chief Electrical Inspector to Government
Bangalore
Signed Date : 17/11/2023

ಕರ್ನಾಟಕ ಸರ್ಕಾರ
(ವಿದ್ಯುತ್ ಪರಿವೀಕ್ಷಣಾಲಯ)

GSC ಸಂಖ್ಯೆ : EN0010000259693

ಸಂಖ್ಯೆ: **LRL 17336 /2023-2024**

ಉಲ್ಲೇಖ : EI000110604868

Date of Issue:17/11/2023

ಲಿಫ್ಟ್ ಚಾಲನೆ ಪರವಾನಗಿ

(ನಮೂನೆ 'ಬಿ5'- ಕರ್ನಾಟಕ ಲಿಫ್ಟ್ ಗಳ,ಎಸ್ಕಲೇಟರ್ ಗಳ ಮತ್ತು ಪ್ರಾಸೆಂಜರ್ ಕನ್ವೇಯರ್ ಗಳ ನಿಯಮ 2015ರ ನಿಯಮ 4ರ ಉಪನಿಯಮ 4ನ್ನು ನೋಡುವುದು)

NANDINI HOTELS PVT LTD , No 345/1, 13th Main Road, Sadaramangala Industrial Area,
Sadaramangala Village,Bangalore BENGALURU EAST BENGALURU

ಇವರಿಗೆ Lift-1, , No 345/1, 13th Main Road, Sadaramangala Industrial Area, Sadaramangala Village, Bangalore
BANGALORE NORTH(IRA) BANGALORE NORTH ಇಲ್ಲಿ ಒಂದು (1) ಸಂಖ್ಯೆಯ ಲಿಫ್ಟ್ ಗಳನ್ನು ಚಾಲನೆ ಗೊಳಿಸಲು
ಅನುಮತಿಯನ್ನು ನೀಡಲಾಗಿದ್ದು, ಅನುಮತಿಯು ಕರ್ನಾಟಕ ಲಿಫ್ಟ್ ಗಳ, ಎಸ್ಕಲೇಟರ್ ಗಳ ಮತ್ತು ಪ್ರಾಸೆಂಜರ್ ಕನ್ವೇಯರ್ ಗಳ
ನಿಯಮಗಳು 2015ರ ಷರತ್ತಿಗೊಳಪಟ್ಟಿರುತ್ತದೆ ಮತ್ತು


NANDINI HOTELS PVT LTD , No 345/1, 13th Main Road, Sadaramangala Industrial Area,
Sadaramangala Village,Bangalore BENGALURU EAST BENGALURU ಇವರ ಮಾಲೀಕತ್ವದಲ್ಲಿರುತ್ತದೆ.

ಈ ಲಿಫ್ಟ್ ಚಾಲನಾ ಪರವಾನಗಿಯು , ಪರವಾನಗಿ ನೀಡಿದ ದಿನಾಂಕದಿಂದ ಹತ್ತು (10) ವರ್ಷಗಳ ಅವಧಿಗೆ ಮಾನ್ಯವಾಗಿರುತ್ತದೆ
ಹಾಗೂ ಕರ್ನಾಟಕ ಲಿಫ್ಟ್ ಗಳ, ಎಸ್ಕಲೇಟರ್ ಗಳ ಮತ್ತು ಪ್ರಾಸೆಂಜರ್ ಕನ್ವೇಯರ್ ಗಳ ನಿಯಮ 2015ರ ನಿಬಂಧನೆಗಳಿಗೆ
ಒಳಪಟ್ಟಿರುತ್ತದೆ.

ಲಿಫ್ಟ್ ಪರಿವೀಕ್ಷಣಾ ಶುಲ್ಕ 2500.00/- ರೂ.ಗಳನ್ನು ಖಜಾನೆ-2, ಬೆಂಗಳೂರುಇಲ್ಲಿ ದಿನಾಂಕ: 09/11/2023 ರಂದು ಚಲನ್
ಸಂಖ್ಯೆ: EL1123004300004772 (Out of 5025Rs. /-) ರಲ್ಲಿ ಸಂದಾಯವಾಗಿದೆ.

ಯಂತ್ರಗಳ ವಿವರ

- | | |
|--------------------------------------|--|
| 1. ಲಿಫ್ಟ್ ತಯಾರಿಕೆ ಮತ್ತು ಸಂಖ್ಯೆ | : OTIS Elevator Company India Limited |
| 2. ಲಿಫ್ಟ್ ವಿಧ | : PASSENGER |
| 3. ಸಾಮರ್ಥ್ಯ | : 24 passengers,
1632 ಕೆ . ಜೆ. |
| 4. ಬಹುಮಹಡಿ ಕಟ್ಟಡದ ವಿವರ | : BF+GF+4UF , HOSPITAL |
| 5. ಲಿಫ್ಟ್ ಕಾರು ಮತ್ತು ಲ್ಯಾಂಡಿಂಗ್ ಡೋರ್ | : S.S Automatic centre opening doorS.S Automatic centre opening door |
| 6. ಲಿಫ್ಟ್ ಲ್ಯಾಂಡಿಂಗ್ ಗಳ ವಿವರ | : 6
Landings (BF+GF+4UF) |
| 7. ಲಿಫ್ಟ್ ನಿರ್ಧರಿತ ವೇಗ | : 1.75 m/s |
| 8. ಲಿಫ್ಟ್ ಮೋಟಾರಿನ ವಿವರ | : OTIS, 17.80(kW/HP), 566.00 RPM, SL No: MH081750 |



Digitally Signed by : THEETHIRA NANJAPPA APPACHU
Chief Electrical Inspector to Government
Bangalore

Signed Date : 17/11/2023

ಸರ್ಕಾರದ ಮುಖ್ಯ ವಿದ್ಯುತ್ ಪರಿವೀಕ್ಷಕರು

ಹಾಗೂ ಲಿಫ್ಟ್ ಗಳ ,ಎಸ್ಕಲೇಟರ್ ಗಳ ಮತ್ತು ಪ್ರಾಸೆಂಜರ್ ಕನ್ವೇಯರ್ ಗಳ
ಮುಖ್ಯ ತಪಾಸಣಾಧಿಕಾರಿ ,ಕರ್ನಾಟಕ ಸರ್ಕಾರ

ಲಿಫ್ಟ್ ಚಾಲನ ಪರವಾನಗಿ ನವೀಕರಣ
(ನಿಯಮ 5ರ ಉಪನಿಯಮ 3ನ್ನು ನೋಡುವುದು)

ಕ್ರ.ಸಂ	ಚಾಲನಾ ಪರವಾನಗಿ ನವೀಕರಣ		ಚಾಲನಾ ಪರವಾನಗಿ ನವೀಕರಣ ಶುಲ್ಕದ ವಿವರ			ಮುಖ್ಯ ವಿದ್ಯುತ್ ಪರಿವೀಕ್ಷಕರ ಹಾಗೂ ಲಿಫ್ಟ್ ಗಳ, ಎಸ್ಕಲೇಟರ್ ಗಳ ಮತ್ತು ಪ್ಯಾಸೆಂಜರ್ ಕನ್ವೇಯರ್ ಗಳ ಮುಖ್ಯ ತಪಾಸಣಾಧಿಕಾರಿ ರವರ ಸಹಿ
	ರಿಂದ	ರವರೆಗೆ	ಶುಲ್ಕ	ಚಲನ್ /ರಶೀದಿ ಸಂಖ್ಯೆ	ದಿನಾಂಕ	

ಇವರಿಗೆ NANDINI HOTELS PVT LTD No 345/1, 13th Main Road, Sadaramangala Industrial Area, Sadaramangala Village,Bangalore BENGALURU EAST BENGALURU

ಪ್ರತಿಯನ್ನು

1.ಅಪರ ಮುಖ್ಯ ವಿದ್ಯುತ್ ಪರಿವೀಕ್ಷಕರು, ಬೆಂ.ಉ, ಬೆಂ.ದ, ಮಂಗಳೂರು, ಮೈಸೂರು, ಧಾರವಾಡ, ಕಲಬುರಗಿ

2.OTIS Elevator Company India Limited ಕಂಪನಿಗೆ

ಸೂಚನೆ

ಅ)ಈ ಲಿಫ್ಟ್ ಗಳನ್ನು ಕರ್ನಾಟಕ ಲಿಫ್ಟ್ ಗಳ,ಎಸ್ಕಲೇಟರ್ ಗಳ ಮತ್ತು ಪ್ಯಾಸೆಂಜರ್ ಕನ್ವೇಯರ್ ಗಳ ಆಧಿನಿಯಮ 2012 ಹಾಗೂ ಅದರಡಿಯಲ್ಲಿ ರಚಿಸಿರುವ ಕರ್ನಾಟಕ ಲಿಫ್ಟ್ ಗಳ,ಎಸ್ಕಲೇಟರ್ ಗಳ ಮತ್ತು ಪ್ಯಾಸೆಂಜರ್ ಕನ್ವೇಯರ್ ಗಳ ನಿಯಮಗಳು 2015 ರ ನಿಯಮಗಳ ಅನುಸಾರ ನಿರ್ವಹಿಸತಕ್ಕದ್ದು.

ಆ)ನಿಯಮ 5ರ ಅನುಸಾರ ಈ ಲಿಫ್ಟ್ ಚಾಲನಾ ಪರವಾನಗಿಯನ್ನು ನವೀಕರಿಸಲು ಲಿಫ್ಟ್ ಮಾಲೀಕರು ಮಾನ್ಯತಾ ಅವಧಿ ಮುಗಿಯುವ 3 ತಿಂಗಳ ಮುಂಚಿತವಾಗಿ ನವೀಕರಣ ಶುಲ್ಕ ಪಾವತಿ ಮಾಡಿದ ಚಲನ್ ಸಹಿತ ಅರ್ಜಿಯನ್ನು ಸಂಬಂಧಪಟ್ಟ ಲಿಫ್ಟ್ ತಪಾಸಣಾಧಿಕಾರಿಗಳಿಗೆ ನೀಡತಕ್ಕದ್ದು.

ಇ)ಲಿಫ್ಟ್ ಅಳವಡಿಸಲಾಗಿರುವ ಕಟ್ಟಡದ ಮಾಲೀಕರು ಕಟ್ಟಡದಲ್ಲಿ ವಾಸವಾಗಿಲ್ಲದಿದ್ದರೆ ಈ ಲಿಫ್ಟ್ ಚಾಲನಾ ಪರವಾನಗಿ ನೀಡಿದ ದಿನಾಂಕದ ಒಂದು ತಿಂಗಳ ಒಳಗಾಗಿ, ಕಟ್ಟಡವು ಇರುವ ಪಟ್ಟಣ ಅಥವಾ ಗ್ರಾಮದಲ್ಲಿ ವಾಸವಾಗಿರುವ ಒಬ್ಬ ಏಜೆಂಟ್ ರನ್ನು ನೇಮಕ ಮಾಡತಕ್ಕದ್ದು ಹಾಗೂ ಏಜೆಂಟ್ ನ ವಿವರಗಳನ್ನು ಪ್ರಾಧಿಕೃತ ಅಧಿಕಾರಿಗೆ ತಿಳಿಸತಕ್ಕದ್ದು. ನೇಮಕಗೊಂಡ ಏಜೆಂಟ್ ಕರ್ನಾಟಕ ಲಿಫ್ಟ್ ಗಳ, ಎಸ್ಕಲೇಟರ್ ಗಳ ಮತ್ತು ಪ್ಯಾಸೆಂಜರ್ ಕನ್ವೇಯರ್ ಗಳ ಆಧಿನಿಯಮ 2012 ಹಾಗೂ ಅದರಡಿಯಲ್ಲಿ ರಚಿಸಿರುವ ಕರ್ನಾಟಕ ಲಿಫ್ಟ್ ಗಳ, ಎಸ್ಕಲೇಟರ್ ಗಳ ಮತ್ತು ಪ್ಯಾಸೆಂಜರ್ ಕನ್ವೇಯರ್ ಗಳ ನಿಯಮಗಳು 2015 ರ ನಿಯಮಗಳನ್ನು ಪಾಲಿಸಲು ಬದ್ಧನಾಗಿರತಕ್ಕದ್ದು.


ಈ)ಲಿಫ್ಟ್ ಮಾಲೀಕರು, ಲಿಫ್ಟ್ ಗಳ, ಎಸ್ಕಲೇಟರ್ ಗಳ, ಪ್ಯಾಸೆಂಜರ್ ಕನ್ವೇಯರ್ ಗಳ ಮುಖ್ಯ ತಪಾಸಣಾಧಿಕಾರಿಗಳಿಗೆ ನೋಂದಾಯಿತವಾಗಿರುವ ಲಿಫ್ಟ್ ತಯಾರಕರು/ನಿರ್ವಾಹಕರ ಜೊತೆ ಲಿಫ್ಟ್ ನಿರ್ವಹಣೆಗೆ ಒಪ್ಪಂದ ಮಾಡಿಕೊಳ್ಳತಕ್ಕದ್ದು.

ಉ)ಲಿಫ್ಟ್ ಚಾಲನೆಗೊಳಿಸಲು ನೀಡಿರುವ ಪರವಾನಗಿಯ ಪ್ರತಿಯನ್ನು ಲಿಫ್ಟ್ ಯಂತ್ರದ ಕೊಠಡಿಯಲ್ಲಿ ಪ್ರದರ್ಶಿಸತಕ್ಕದ್ದು.

ಊ)ಲಿಫ್ಟ್ ಕಾರ್ಯಚರಣೆ ವೇಳೆ ಪ್ರಾಣಾಂತಿಕ/ಪ್ರಾಣಾಂತಿಕವಲ್ಲದ ಲಿಫ್ಟ್ ಅಪಘಾತಗಳು ಸಂಭವಿಸಿದರೆ, ಕಟ್ಟಡದ ಮಾಲೀಕರು ಅಥವಾ ಆವರ ಏಜೆಂಟ್ ರವರು, ಅಪಘಾತದ ಬಗ್ಗೆ ಲಿಫ್ಟ್/ಎಸ್ಕಲೇಟರ್/ಪ್ಯಾಸೆಂಜರ್ ಕನ್ವೇಯರ್ ನ ಪ್ರಾಧಿಕೃತ ಅಧಿಕಾರಿಗೆ ಮತ್ತು ಪೊಲೀಸ್ ಆಯುಕ್ತರಿಗೆ ಹಾಗೂ ಜಿಲ್ಲಾ ದಂಡಾಧಿಕಾರಿಗಳಿಗೆ ನಿಗದಿತ ನಮೂನೆಯಲ್ಲಿ ಪೂರ್ಣ ವಿವರಗಳ ಸಹಿತ ಮಾಹಿತಿಯನ್ನು ನೀಡತಕ್ಕದ್ದು.

ಋ)ಲಿಫ್ಟ್, ಎಸ್ಕಲೇಟರ್ ಗಳ ಮತ್ತು ಪ್ಯಾಸೆಂಜರ್ ಕನ್ವೇಯರ್ ಗಳ ಮುಖ್ಯ ತಪಾಸಣಾಧಿಕಾರಿಯ ಲಿಖಿತ ಪೂರ್ವ ಅನುಮತಿಯ ಹೊರತು ಲಿಫ್ಟ್ ಸ್ಥಾಪನೆಗೆ ಯಾವುದೇ ಸೇರ್ಪಡೆಗಳನ್ನು ಅಥವಾ ಬದಲಾವಣೆಗಳನ್ನು ಮಾಡತಕ್ಕದ್ದಲ್ಲ.

ಎ)ಸೂಕ್ತ ತರಬೇತಿ ಹೊಂದಿದ ಲಿಫ್ಟ್ ಚಾಲಕರನ್ನು ನೇಮಿಸಿಕೊಳ್ಳತಕ್ಕದ್ದು.



Note: This is a Digitally Signed Certificate and Does not require manual signature.

Please, Verify authenticity of this certificate by visiting www.ksei.gov.in and entering certificate number in Third party verification.

Digitally Signed by : THEETHIRA NANJAPPA APPACHU
Chief Electrical Inspector to Government
Bangalore
Signed Date : 17/11/2023

24-01-2023

TO WHOMSOEVER IT MAY CONCERN

This is to certify that the structural design for the proposed hospital building at No 3 & 4 Sadramangala Industrial area Whitefield road Bangalore for M/S Nandihini hotels Pvt Ltd has been done by the under signed.

The building is designed for Basement, Basement, Ground and 4 upper floors And the Second floor Slab has been designed to take MRI loads.

The structural design for the foundation and super structure confirms to all relevant Indian Standards.

Certified that the design is done for the Dead and Live loads as well as for Wind load as per IS:875 and Seismic loads (Zone II) as per IS:1893.


GUNASHEEL KARANATH.K
(Structural Consultant)
(BCC/BL-3.6/E/4356/18-19)



Karnataka State Pollution Control Board
Parisara Bhavana, No.49, Church Street, Bengaluru-560001

Tele : 080-25589112/3,
25581383/388

Fax: 080-25586321

Email id: ho@kspcb.gov.in

Consent For Operation(CFO-Air,Water) - (CfO-Expand)

As per the provisions of
The Water (Prevention & Control of Pollution) Act, 1974
&
The Air (Prevention & Control of Pollution) Act, 1981

To

Aster Hospital , Plot No.3 & 4, Sadaramangala Industrial area, whitefield

for the Facility located at,

**Aster Hospital ,Plot No. 3 & 4 ,Plot No.3 & 4, Sadaramangala Industrial area,
whitefield**

Bangalore Urban

Consent Order No	PCBID	INW ID	Industry Colour/Scale	Date of Issue
AW-339458	99322	192696	RED/LARGE	05/09/2023

**This Consent is granted for the Products/ Activity/Service name indicated
in the annexure along with the terms & conditions attached to this order**

Validity through: 05/09/2023 to 30/06/2028



ISO 9001:2015 & 14001:2015 Certified

Combined Consent Order No: AW-339458

PCB ID: 99322

GSC No : PBOXG0000182696

Date: 05/09/2023

Combined consent for discharge of effluents under the Water (Prevention and Control of Pollution) Act , 1974 and emission under the Air (Prevention and Control of Pollution)Act , 1981

Ref: 1. Application filed by the applicant/organization on 11/08/2023
2. Inspection of the Industry/organization/by RO, on 06/08/2023
3. Proceedings of the ECM dated 31/08/2023 , held on 29/08/2023

Consent is hereby granted to the Occupier under Section 25(4) of the Water (Prevention & Control of Pollution) Act, 1974 (herein referred to as the Water Act) & Section 21 of Air (Prevention & Control of Pollution) Act, 1981, (herein referred to as the Air Act) and the Rules and Orders made there under and authorized the Occupier to operate /carryout industry/activity & to make discharge of the effluents & emissions confirming to the stipulated standards from the premises mentioned below and subject to the terms and conditions as detailed in the Schedule Annexed to this order.

Location:

Name of the Industry: Aster Hospital
Address: Plot No. 3 & 4, Plot No.3 & 4, Sadaramangala Industrial area, whitefield
Industrial Area: Kadugodi-Sadaramangala I.A, Sadaramangala Industrial Area,
Taluk: BBMP- W- 83, District: Bangalore Urban

CONDITIONS:**a) Discharge of effluents under the Water Act:**

Sr	Water Code	WC(KLD)	WWG(KLD)	Remark
1	Domestic Purpose	91.250	88.500	(Expansion) Sewage shall be treated in proposed STP of capacity 175 KLD (165 KLD STP + 10 KLD Liquid biomedical waste treatment tank) & treated sewage shall be used for secondary purposes for toilet flushing, landscaping & HVAC purpose.
2	Domestic Purpose	63.750	51.000	(Existing) Sewage shall be treated in proposed STP of capacity 175 KLD (165 KLD STP + 10 KLD Liquid biomedical waste treatment tank) & treated sewage shall be used for secondary purposes for toilet flushing, landscaping & HVAC purpose.
3	Others	5.000	4.500	(Expansion) Lab washing effluents shall be fine screened & shall be disinfection process with sodium hypochlorite and then shall be taken to STP for further treatment.
4	Others	5.000	4.500	(Existing) Lab washing effluents shall be fine screened & shall be disinfection process with sodium hypochlorite and then shall be taken to STP for further treatment.

b) Discharge of Air emissions under the Air Act from the following stacks etc.

Sl. No.	Description of chimney/outlet	Limits specified refer schedule
The details of Sources, control equipments and its specification, type of fuel, constituents to be controlled in emissions etc. are detailed in Annexure-II.		

The consent for operation is granted considering the following activities/Products;

Sr	Product Name	Applied Qty	Unit
1	hospital with 148 beds	148.0000	Number
2	hospital with 294 beds (additional 146 beds)	294.0000	Number of Beds

Validity through : 05/09/202 to 30/06/2028
3

To,

Aster Hospital

Plot No.2, Sadaramangala Industrial area,
off Whitefield Main road, opp. ITPL, W

COPY TO:

The Environmental Officer, KSPCB, Regional Office Bengaluru Mahadevapura for information and necessary action.

2. Master Register.
3. Case file.

Consent Fee paid : Rs. 474000

SCHEDULE**TERMS AND CONDITIONS****A. TREATMENT AND DISPOSAL OF EFFLUENTS UNDER THE WATER ACT.**

1. The discharge from the premises of the occupier shall pass through the terminal manhole/manholes where from the Board shall be free to collect samples in accordance with the provisions of the Act/Rules made there under.
- 2(a). The sewage/domestic effluent shall be treated in septic tank and with soak pit. No overflow from the soak pit is allowed. The septic tank and soak pit shall be as per IS 2470 Part-I & Part-II.
- 2(b). The treated sewage effluent discharged shall conform to the standards specified in Annexure-I.
- 3(a). The trade effluent generated in the industry shall be treated in the ETP and treated effluent shall confirm to the standards stipulated by the Board in Annexure-I
- 3(b). The trade effluent shall be handed over to CETP and maintain logbook of effluent generated & sent every day.

4. The applicant shall install flow measuring/recording devices to record the discharge quantity and maintain the record.
5. The applicant shall not change or alter either the quality or the quantity or the place of discharge or temperature or the point of discharge without the previous consent/ permission of the Board.
6. The applicant shall not allow the discharge from the other premises to mix with the discharge from his premises. Storm water shall not be allowed to mix with the effluents on the upstream of the terminal manhole where the flow measuring devices are installed.
7. The daily quantity of domestic effluent and trade effluent from the industry shall not exceed the limits as indicated in this consent order:
8. The applicant shall discharge the effluents only to the place mentioned in the Consent order and discharge of treated/untreated outside the premises is not permitted.

B. EMISSIONS:

1. The discharge of emissions from the premises of the applicant shall pass through the air pollution control equipment and discharged through stacks/chimneys mentioned in **Annexure-II** where from the Board shall be free to collect the samples at any time in accordance with the provisions of the Act and Rules made there under. The tolerance limits of the constituents forming the emissions in each of the stacks shall not exceed the limits laid down in Annexure-II.
2. The applicant shall provide port holes for sampling of emission, access platforms for carrying out stack sampling, electrical points and all other necessary arrangements including ladder as indicated in Annexure-II.
3. The applicant shall upgrade/modify/replace the control equipment with prior permission of the Board.

C. MONITORING & REPORTING:

1. The applicant shall get the samples of effluents & emissions collected and get them analyzed once a month/either by in house monitoring laboratory or through EP approved laboratories for the parameters as Indicated in Annexure I & II.
2. The applicant shall maintain log books to reflect the working condition of pollution control systems and also self monitoring results and keep it open for inspection.

D. SOLID WASTE (OTHER THAN HAZARDOUS WASTE) DISPOSAL:

1. The applicant shall segregate solid waste from Hazardous Waste, Municipal Solid Waste and store it properly till treatment/disposal without causing pollution to the surrounding Environment.
2. The solid waste generated shall be handled & disposed by scientific method without causing eye sore to the general public and to the surrounding environment.

E. NOISE POLLUTION CONTROL:

The applicant shall ensure that the ambient noise levels within its premises during construction and during operational period shall not exceed w.r.t Area/Zone as per Noise Pollution (Regulation and Control) Rules, 2000 as mentioned below:-

- a) In Industrial Area 75 dB(A) Leq during day time and 70 dB(A) Leq during night time.
- b) In Commercial Area 65 dB(A) Leq during day time and 55 dB(A) Leq during night time.
- c) In Residential Area 55 dB(A) Leq during day time and 45 dB(A) Leq during night time.
- d) In Silence Zone 50 dB(A) Leq during day time and 40 dB(A) Leq during night time.

Note: - * Day time shall mean 6 am to 10 pm and Night time shall mean 10 pm to 6 am.

- * dB(A) Leq denotes the time weighted average of the level of sound in decibels on scale A which is relatable to human hearing.
- * A “decibel” is a unit in which noise is measured.
- * “A”, in dB(A) Leq, denotes the frequency weighting in the measurement of noise and corresponds to frequency response characteristics of the human ear.
- * Leq: It is an energy mean of the noise level over a specified period.

F. HAZARDOUS AND OTHER WASTES (MANAGEMENT & TRANSBOUNDARY MOVEMENT) Rules 2016:

The applicant shall comply with the provisions of the Hazardous and other Wastes (Management & Transboundary Movement) Rules 2016.

G. GENERAL CONDITIONS:

1. The applicant shall obtain prior permission from the competent authority for drawing of water from Surface/Ground water source and submit a copy of the same to the Board.
2. The applicant shall not allow the discharge from the other premises to mix with the discharge from his premises.
3. The applicant shall promptly comply with all orders and instructions issued by the Board from time to time or any other officers of the Board duly authorized in this behalf.
4. The applicant shall set-up Environmental Cell comprising of qualified and competent personnel for complying with the conditions specified.
5. The Board reserves the right to review, impose additional conditions, revoke, change or alter terms and conditions of this consent.
6. The applicant shall forthwith keep the Board informed of any accidental discharge of emissions/effluents into the atmosphere in excess of the standards laid down by the Board. The applicant shall also take corrective steps to mitigate the impact.
7. The applicant shall provide alternate power supply sufficient to operate all Pollution control equipments.

8. The entire premises shall always be kept clean. The effluent holding area, inspection chambers, outlets, flow points should be made easily approachable.
9. The applicant shall display the consent granted in a prominent place for perusal of the inspecting officers of the Board.
10. The applicant his heirs, legal representatives or assignee shall have no claims whatsoever to the continuation or renewal of this consent after expiry of the validity of consent.
11. The applicant shall make an application for consent for subsequent period at least 120 days before expiry of this consent.
12. The applicant shall develop and maintain adequate green belt all around the periphery.
13. The applicant shall provide rain water harvesting system and shall provide proper storm water management system.
14. This consent is issued without prejudice to any Court Cases pending in any Hon'ble Court
15. The applicant shall furnish the Environmental statement for every financial year ending with 31st March in Form-V as per Environment (Protection) Rules, 1986. The statement shall be furnished before the end of September.
16. The applicant shall display flow diagram of the pollution control system near the pollution control system/s

NOTE:

The Conditions A(2(a) & 3(b)) mentioned in the schedule are not applicable.

Additional Conditions:

1) This CFO(Expansion) is issued after prior approval of Chairman & MS for the period upto 30.06.2028 with conditions, for operating the hospital with bed strength of 294. 2) Shall conduct Environmental audit and submit Environmental statement within 30th September every year. 3) Shall not mix and dispose the Bio Medical waste(BMW) with any other Waste, collect the BMW in different color coding bins and shall be handed over to CBMTF, maintain the records on daily basis 4) Shall submit the annual report in Form IV every year before 30th June. 5) Applicant shall submit quarterly monitoring report and submit half yearly consent condition compliance report. 6) Awareness campaign through digital display system at the reception areas w.r.t environment. 7) There shall not be any complaint against the unit, in such cases action will be taken to withdraw the CFO. 8)The Occupier of the hospital shall comply with all the conditions prescribed in the Annexure.

Chimney No.	Chimney attached to	Capacity/ KVA Rating	Minimum chimney height to be provided above ground level (in Mts)	Constituents to be controlled in the emission	Tolerance limits mg/NM3	Fuel	Air pollution Control equipment to be installed, in addition to chimney height as per col.(4)	Date of which air pollution control equipments shall be provided to achieve the stipulated tolerance limits and chimney heights conforming to stipulated heights.
1	D.G. Sets	1010 KVA DG set	30	PM,SO ₂ ,NO _x ,CO, NMHC	75,0,710,150,100	DIE	AEC,NDR	At all times
2	D.G. Sets	1010 KVA DG set	30	PM,SO ₂ ,NO _x ,CO, NMHC	75,0,710,150,100	DIE	AEC	At all times
3	D.G. Sets	500 KVA DG Set - 4.5 M ARL	7	PM,SO ₂ ,NO _x ,CO, NMHC	0,0,0,0,0	DIE	AEC	At all times
4	D.G. Sets	500 KVA DG Set - 4.5 M ARL	7	PM,SO ₂ ,NO _x ,CO, NMHC	0,0,0,0,0	DIE	AEC	At all times

Note:

AEC,ND R : Accoustic Enclosures

AEC : Accoustic Enclosures

Note:

1. The Noise levels within the premises shall not exceed 75 dB (A) leq during day time and 70 dB(A) leq during night time respectively.
2. The DG set shall be provided with acoustic measures as per SI.No.94 in Schedule-I of Environment (Protection)Rules.
3. There shall be no smell or odour nuisance from the industry.

LOCATION OF SAMPLING PORTHOLES, PLATFORMS, ELECTRICAL OUTLET.

1. Location of Portholes and approach platform:

Portholes shall be provided for all chimneys, stacks and other sources of emission. These shall serve as the sampling points. The sampling point should be located at a distance equal to atleast eight times the stack or duct diameters downstream and two diameters upstream from source of low disturbance such as a Bend, Expansion, Construction Valve, Fitting or Visible Flame for rectangular stacks, the equivalent diameter can be calculated from the following equation.

$$\text{Equivalent Diameter} = \frac{2 (\text{Length} \times \text{Width})}{(\text{Length} + \text{Width})}$$

2. The diameter of the sampling port should not be less than 100 mm dia". Arrangements should be made so that the porthole is closed firmly during the non sampling period
3. An easily accessible platform to accommodate 3 to 4 persons to conveniently monitor the stack emission from the portholes shall be provided. Arrangements for an Electric Outlet Point of 230 V 15 A with suitable switch control and 3 Pin Point shall be provided at the Porthole location.
4. The ladder shall be provided with adequate safety features so as to approach the monitoring location with ease.

For and on behalf of the
Karnataka State Pollution Control Board

Signature Not Verified
Digitally signed by
Date: 2023.09.06 12:39:46
+05:30



BANGALORE ELECTRICITY SUPPLY COMPANY LTD.

(Wholly owned by Government of Karnataka undertaking)

No. EEE / AEE / MT / JEE / RMU(S) (N)/23-24/121

Office of the
Executive Engineer (Elec)

M.T. Division, BMASZ
23, 3rd Floor, Bescom Building
24th Main, 17th Cross, HSR Layout
2nd Sector, Bangalore - 560 102.

To,
The Assistant. Executive Engineer (Elec.,)
Sub-Division
BESCOM, Bangalore

Date 06/05/2023

Sir,

Sub : Pre-Commission Test of RMU Installed at (M+20D+1VL) DAS, RMU for APIS.

to an extent of 1500KVA. Supply information was provided
Hd. No. 3451, 13th Main Road, Salarangula.
Ref: Whitefield Bangalore
Ref: AEE (E12) / AEE / 2022-23/125 & 4/15/2023

With reference to the above, I write to state the per-commission test of RMU (S) is conducted on 06/05/2023
the above said location, the details of test results are follows.

Sl. No.	RMU Details	Make	Remarks
1.	OD (In comer) 20D	ABB Hd. Mfg- 2021 Type : 400V+12kV I: 630A V: 12kV Sl. No. 1V4N 040122.001164	Tested Good /
2.	VL (Out going) 1VL	Type : 400V I: 630A V: 12kV Sl. No. —	Tested Good /
3.	CT VL CPR-200/11	Make : Vidyalakshmi Type : Ratio : 400-200-100/1 Class : 5P10 Sl. No. ① 52247 ② 52246 ③ 52245	—
4.	Relay (ELR) (Protection)	Make : CSS CSSPR-V2	—

- The Ratio & Polarity test are conducted for each CT & found to be OK.
- Mechanical operation for all the breaks is tested and found to be OK.
- ~~Insulation resistance is measured with 5 KV megger & Results found to be satisfactory.~~
- The cable termination has to be done with a single run 3 core cable for each module. The cable entries have to sealed properly & the installation has to be serviced as per the corporate norms.
- The testing fee Rs. 4080 X 1 = Rs. 4080/- paid on 8/5/2023 Receipt No. 857402864077/283 at 2023

Sub Division E12

6. Thru 4 DAS. RMU

Yours Faithfully,

Asst. Executive Engineer (Elec)
The Assistant Executive Engineer (Elec)
RMU Sub-Dn. North
MT Division, BMASZ
BESCOM Bangalore

Copy to

- The Executive Engineer (Elec) Whitefield Division, BESCOM, BMASZ, Bangalore
- The Executive Engineer (Elec), MT Division, BESCOM, BMASZ, Bangalore
- M.F.

No.: EEE/AEE/HTR/WF/MT/BMAZ/

To,

The Assistant Executive Engineer (Ele.)

E12 C, O & M Sub-Division

BMAZ, BESCOM, Bengaluru

Office of the Executive Engineer (Ele.),

MT Division, BMAZ (South),

537, VSR Sabhangana, Bhavani Nagar,
Gavipuram, Basavanagudi, Bengaluru - 19.

Tel : 080-26605067

Date: 05.05.2023

Sir/Madam,

Sub : Pre-Commission Test Report of HT / EHT Installation of O&M Unit: EPIP

Ref : 1) Your request letter No.: AEE(e) / E12 / AECT / 22-23 / 125 dt: 04.05.23

The Pre-Commission test conducted on HT / EHT metering cubicle on 05.04.23 of HT/EHT

installation as requested vide above ref. and following details for your further needful.

1. Details of HT / EHT Installation :

TOD: Yes / No ABT: Yes / No

Name and Address of the Consumer	M/s Nandini Hotels (P) Ltd. No: 345/1, 13th Main Road, Sadolamangla I. A. Whitefield, B'lore.
Sanctioned Contract Demand in kVA	1500 kVA
Tariff Sanctioned as per Power Sanction Letter	HT 2C2
Connected Current Transformer Ratio (CCTR)	75/1A
Connected Potential Transformer Ratio (CPTR)	11kV/√3 / 110V/√3
MC (in No. & Words)	X X 7 5 0 0 (Seven Thousand Five Hundred only)

2. Supply Voltage & Type: 220/-66 / 11 kV & O-H / GOS / RMU / LBS (Make: AB13 30MVA)

Switch
Gear

3. Meggar Values with 5 kV and 500 V Meggar:

a) HT to LT (5 kV Meggar): - 2900 - M Ohms

b) HT to Ground (5 kV Meggar): - 2700 - M Ohms

c) LT to Ground (500 V Meggar): - 300 - M Ohms

4. Ratio Test Results (at field):

Particulars	Connected Ratio	Primary Injected	Secondary Measured
Current Transformer	75/1A	50 Amps	0.667 Amps
Potential Transformer	11kV/√3 / 110V/√3	-241- Volts	-2.41- Volts

5. Installed Equipment Details :

Particulars	CURRENT TRANSFORMER	POTENTIAL TRANSFORMER	METERING CUBICAL DETAILS	
			Make	Sl. No.
Make	Padmas	Padmas	Omega Switchgear	OMEGA-23-03-2348
Type	Indoor / Outdoor	Indoor / Outdoor	TRANSFORMER DETAILS	
Class	0.2	0.2	Make	Classic Technologies
Insulation	15/38/95	15/38/95	Capacity	1x2250kVA
Burden	2.5VA	2.5VA	Vector Group	Dyn11
Ratio Exist.	75/1A	11kV/√3 / 110V/√3	Voltage Ratings	11kV / 433V
Ratio Connt.	75/1A	11kV/√3 / 110V/√3	Current Ratings	104.98 / 2666.82 A
Sl. No.	R Ø	M/CT 017732	Sl. No.:	CTPL 2000 2023 030669
	Y Ø	M/CT 017733	MODEM & SIM CARD DETAILS	
		M/PT 015800	Modem Make & Sl. No.: A 100215 171 20277 02250	
		M/PT 015802		

8. SEALS DETAILS

9. INITIAL READINGS:

Whether display parameters of ETV meter are as per BESCOM requirement : YES / NO

10. Observations : The P.C. test results found within permissible limits. The time may be changed after getting approval from concerned authority by duly following "NORMS". After charging our office shall inform to further needful.



Bangalore Electricity Supply Company Limited

(Wholly Owned by Govt. of Karnataka Under taking)

No: EE/WFD/AEE/AE(T)/23-24/276

Ph No. : 8277893919

Email : eewf.work@gmail.com

Office of the

Executive Engineer (Ele),

Whitefield Division

BESCOM, Bangalore-560 066.

Date:- 05-05-2023

To

The Assistant Executive Engineer (Ele)

C, O & M, BESCOM,

E12 Sub Division,

Mahadevapura, Bangalore-560048.

Sir,

Sub: submission of sanctioned Estimate file for arranging power supply to an extent of **1500 KVA on HT(c) tariff for hospital purpose** in favor of **M/s.NANDINI HOTELS PVT LTD** at No 345/1, 13th Main Road, Sadaramangala Industrial area, Whitefield, Bangalore-560066 in **EPIP O & M unit** of E-12 sub division under self-execution.

Ref: 1. AEE/E12SD/AET/2023-24/119 dated 04-05-2023.

2. Work order No: E-12/ F-302 / 2348530 Dated: 15-04-2023.

With reference to the above cited subject, I am here with enclosing the subject file pertaining to E12 sub division submitted for arranging power supply to an extent of **1500 KVA on HT(c) tariff for hospital purpose** in favor of **M/s.NANDINI HOTELS PVT LTD** at No 345/1, 13th Main Road, Sadaramangala Industrial area, Whitefield, Bangalore-560066 in **EPIP O & M unit** of E-12 sub division under self-execution.

You are requested to take further needful action duly observing the company formalities as per KERC regulations for arranging power supply.

Yours faithfully,

Executive Engineer (Ele)

Whitefield Division

BESCOM, Bangalore-560 066.



Bangalore Electricity Supply Company Limited

(Wholly Owned by Govt. of Karnataka Under taking)

No: EE/WFD/AEE/AE(T)/23-24/276

Ph No. : 8277893919

Email : eewf.work@gmail.com

Office of the

Executive Engineer (Ele),

Whitefield Division

BESCOM, Bangalore-560 066.

Date:- 05-05-2023

OFFICIAL MEMORANDUM

Sub: Accounting of assets taken over by BESCOM in connection with self-execution works for arranging power supply to an extent of **1500 KVA on HT(c) tariff for hospital purpose** in favor of **M/s.NANDINI HOTELS PVT LTD** at No 345/1, 13th Main Road, Sadaramangala Industrial area, Whitefield, Bangalore-560066- in **EPIP O & M** unit of E-12 sub division under self-execution

PREAMBLE:

1. Power sanction to the above proposal is conveyed by vide letter No: **CEE/BMAZ-N/SEE(O)/AE-2/22-23/5650-53 Dated: 23-03-2023.**
2. Consumer has paid the following supervision charges and deposits; Supervision charges **Rs 1,55,269 /-** vide **Rt.No.837402847052 dated 28-03-2023.** E12 sub division..
3. Arranging power supply to M S Building is carried out by the Class-1 LEC and the Electric fitness certificate is issued by the Electrical Inspectorate vide letter No: **ACEI/BN//280/2023-24 Ack No: EI000110533503 dated: 29-04-2023.**
4. The consumer has submitted an undertaking on **Rs. 200/-** stamp paper to stand guarantee for the line materials, equipment's, and the quality of work for one year, from the date of commissioning. The consumer should give an undertaking to the effect that he will abide by the above conditions.
5. **Work order No: E-12/ F-302 / 2348530 Dated: 15-04-2023.**
6. The Asst. Exe. Engineer (Ele.), E12 sub division has furnished the inventory report of the assets to be created for the above said installation, bills under taking etc., vide letter No.**AEE (ELE)/E12SD/AET/2023-24/119 dated 04-05-2023.**

Order

Approval is hereby accorded to take over the extended works and account the assets actually executed in the self-execution works for arranging power supply to an extent of **1500 KVA on HT(c) tariff for hospital purpose** in favor of **M/s.NANDINI HOTELS PVT LTD** at No 345/1, 13th Main Road, Sadaramangala Industrial area, Whitefield, Bangalore-560066- in **EPIP O & M** unit of E-12 sub division under self-execution

Executive Engineer (Ele)

Whitefield Division

BESCOM, Bangalore-560 066.

Copy to:

1. Asst. Exe.Engineer, E12 sub division, Whitefield, Bangalore.
2. Accounts officer, Whitefield Division, Bangalore.
3. MF.



Bangalore Electricity Supply Company Limited

(Wholly Owned by Govt. of Karnataka Under taking)

EEE/WF/AEE(O)/AET/23-24/ 144-45

Encl:

TO

M/s.NANDINI HOTELS PVT LTD

No 345/1, 13th Main Road, Sadaramangala Industrial area,
Whitefield, Bangalore-560066.

Sir,

Office of the

Executive Engineer (Ele)

Whitefield Division, BESCOM.,

Whitefield, Bangalore-66.

24/4/23

Sub: Arranging Power supply to an extent of 1500 KVA on HT(C) tariff for hospital purpose, at above mentioned address.

Ref: 1. Power Sanction No: CEE/BMAZ-N/SEE(O)/AE-2/22-23/5650-53 Dated: 23-03-2023.
2. Power Sanction No: SEE/BEC/EE(O)/AEE(O)/22-23/14915-16 Dated: 20-03-2023
2. Payment Certificate No : AEE(ELE)/E12SD/AAO/SA/22-23/2163 Dated : 30-03-2023.

With reference to the above, approval is hereby accorded to execute the work of the above, subjected to the following conditions.

1. You shall carryout the work as per sanctioned estimate vide self-execution certificate no. E12-F-302 dated. 15-04-2023 (W.O.2348530) through Licensed Electrical Contractor having class-I License.
2. The materials used shall confirm to corporate specifications before execution of work.
3. You shall use all standard materials in accordance with relevant ISI/BESCOM specification.
4. The entire distribution system with the concerned equipment will be taken over by the corporation after completion of work and certified by Asst. Exe. Engineer (EI), BESCOM, O&M E12 sub division.
5. You should give an INDEMNITY BOND on Rs. 100/- STAMP PAPER to Asst. Exe. Engineer (EI), BESCOM, E12 sub division, that you will stand guarantee for a period of 12 months for the materials used by you as well as for the quality of works carried out by you, from the date of taking over of the lines and equipment's by corporation. Any failure within the guarantee period will be replaced by you "FREE OF COST"
6. Proof for having purchased the materials used for execution of the work from the reputed firm will be verified wherever necessary.
7. The Materials shall be purchased from BESCOM approved vendors and have to be got inspected by the TA&QC staff whenever necessary, as per General Manager (TA&QC) letter no. BESCOM/GM(TA&QC)/ BC-35/11-12/ Cys-26 dated. 27.06.11. Inspection charges of Rs. 5000/- per inspection in case of inspection of materials at factory premises in Karnataka, Outside Karnataka, charges such as transportation, boarding and lodging charges etc. has to be borne by prospective consumers
8. For further details, you may contact the Asst. Exe. Engineer (EI), BESCOM, O&M E12 sub division.
9. The self-exccution work shall be completed within 90days of issue of this certificate and avail service, otherwise the application will be treated as cancelled.
10. The Applicant shall furnish the Occupancy Certificate from Competent Authority, Before Commencement of Supply as per Clause No.9.07/4,New of C.O.S of Electricity of distribution Licenses in the state of Karnataka (Sixth Amendment)2017.

Yours faithfully,

Executive Engineer (EI),

BESCOM, Whitefield Division, Bangalore.

Copy to the Asst. Exe. Engineer (EI), E12 sub division, BESCOM, and to intimate the consumer as per with regard to availing service as per "Conditions of supply of electricity of distribution licenses in the state of Karnataka" & collect inspection charges as per Cys-26/ 27.06.11

Copy to the Accounts Officer, Whitefield Division, BESCOM., Bangalore for needful action along with sanctioned estimate



**GOVERNMENT OF KARNATAKA
(Electrical Inspectorate)**

Lr. No

Date : 08/05/2023

Ack No : EI000110537524

GSC No :

O/o Additional Chief Electrical Inspector,
Bengalore North,
No. 2/3 & 4, Aragini Building, 1st Floor,
Dr. Rajkumar Road, Rajajinagar, Bangalore10
Phone No :080-23420022

To

MS. NANDHINI HOTELS PVT LTD
NO – 354/1, 13th MAIN ROAD, SADARAMANGALA, INDUSTRIAL AREA, SADARAMANGALA VILLAGE,
BENGALURU, BENGALURU(District), BENGALURU EAST(Taluk)
Karnataka, India-560067

Sir,

Sub : Approval of electrical installation pertaining to 2X1010KVA 415V DG sets in an existing HTMSB installation **MS. NANDHINI HOTELS PVT LTD NO – 354/1,, 13th MAIN ROAD,, SADARAMANGALA, INDUSTRIAL AREA,, SADARAMANGALA VILLAGE, BANGALORE EAST(District), BANGALORE EAST(IRA)(Taluk) - 560067**

Drawing Ref No : EI000110535678

Ref : 1.Existing HT MSB Approval Ack No:
2. Drg Ack No:EI000110535678

With reference to the above, approval is hereby granted for energizing the electrical installation at [**MS. NANDHINI HOTELS PVT LTD with NO – 354/1,, 13th MAIN ROAD,, SADARAMANGALA, INDUSTRIAL AREA,, SADARAMANGALA VILLAGE, BANGALORE EAST, BANGALORE EAST(IRA) - 560067**] under Regulation No. [32] of Central Electricity Authority (Measures relating to Safety and Electric Supply) Regulation, 2010 as per details enclosed.
This approval is strictly subject to your full compliance with the relevant provisions of the Central Electricity Authority (Measures relating to Safety and Electric Supply) Regulation, 2010 (as amended to date) in every respect.

Note :

Conditions :

1. As per Regulation No: 46(5) and 46(6) required records shall be maintained.
2. As per Regulation No: 46(7) the installation shall be maintained and operated in a condition free from danger.
3. As per Regulation No: 3 designated person(s) shall operate and carryout the work on electrical lines and apparatus.

Inspection fee of **Rs. 11,400/- (IN WORDS) Eleven Thousand Four Hundred only** paid vide K2 Challan Ref. No: **EL0523004300002079** dated **06/05/2023**

Details of Equipments :

CG. No: DG1:BE-6840, DG2:BE-6841

Engine :Make:Cummins India Limited,1500RPM, 1180BHP, DG1-25481237, DG2-SI.No:25480856, .

Alternator :Make:Stamford, 1010KVA, 1405.1A, 1500RPM, SI.No:DG1-N23A020770, DG1-SI.No:N23A010308,

CTs: Make:Kalpa, 10VA, cl:1.0, 1600/5A, DG1-SI.No:80282/22, 80281/22, 80280/22.

DG2-SI.No:80263/22, 80264/22, 80265/22.

EMs: Make: Elemeasure, smart-3E, 3P4W, DG1-SI.No:ECC5141294, IR:00000400.00, MF: Direct Reading.

DG2-SI.No:CCC5112961, IR:00000400.00, MF: Direct Reading.

CONDITIONS :

1. This approval is subject to condition of compliance of Central Electricity Authority (Measures Relating to Safety Electric Supply) Regulations, 2010, framed under the Electricity Act 2003 and also The Karnataka Electricity (Taxation on consumption or sale) Act, 1959 and the Karnataka Electricity (Taxation on consumption or sale) Rules 2014.
2. This approval is subject to condition of clause (a) of sub-section (2) of Section 3 of the Karnataka Electricity (Taxation on consumption or Sale) Act, 1959, (Karnataka Act 14 of 1959), prescribed tax per unit shall be remitted as electricity tax on captive consumption of electricity generated by the Captive power generating plant.
3. Monthly tax returns shall be filed in Forms 'G' and same shall be sent to jurisdictional DEI's Office, under intimation to the undersigned.
4. This approval shall be displayed at the generator room or in the control room.
5. Log book detailing/ showing day-to-day generation of energy and fuel consumption shall be maintained.
6. The energy meter shall be got calibrated once in a year and CTs shall be got tested once in three years respectively and Calibration and Test Certificates shall be sent to jurisdictional DEI's Office, under intimation to the undersigned.
Calibration & Test may done by the KPTCL or any other approved agencies.
7. The set shall always be kept open for inspection of Electrical Inspectorate authorities.
8. Any change in the generator machineries shall be intimated to this office and fresh approval shall be obtained.
9. Shifting of generator machineries shall be intimated and prior approval of the undersigned shall be obtained.
10. Necessary clearance shall be obtained from KSPCB.
11. It shall be the responsibility of the owner of all installations to maintain and operate the installation in a condition free from danger and as recommended by the manufacturer or by the relevant codes of practice of the Bureau of Indian Standards.



Digitally Signed by : KONAPALLI NAGARAJ
Additional Chief

Electrical Inspector
Bangalore North

Signed Date :08/05/2023

Note: This is a Digitally Signed Certificate and Does not require manual signature.

Please, Verify authenticity of this certificate by visiting www.ksei.gov.in and entering certificate number in Third party verification.



Office of the Chief Fire Officer, Bengaluru-East Zone
Karnataka Fire & Emergency Services
No. 04, Commissariat Road, Bengaluru-560 025.



No. 576/CFO/Bng-East/RFSCR/2023

Dated: 11-07-2023.

ANNEXURE-C

"C1 Hospitals and Sanatoria"
Group C, Institutional Buildings

To,
The Authorised Signatory,
M/s. Nandhini Hotels Pvt. Ltd.,
No.114/2, Lalbugh Fort Road,
Minerva Circle,
Bengaluru.

Sir,

Sub : Issue of "Renewal Fire Safety Compliance report" with respect to fire prevention, firefighting and evacuation measures maintained at "M/s. Aster Hospital, Sy No.3 & 4, Sadaramangala Industrial Area, Whitefield Road, Bengaluru" - reg.


Ref : 1) Head Office FSCC No: 4502/KSFES/GBC(2)/06/019-20 dt:08-03-2021.
2) Your request letter Dated: 30-06-2023.
3) Inspection report No.46/DFO/AFS/2023 Dt:07-07-2023.

With reference to the above cited subject, as per reference (1) a conditional Fire Safety Compliance Certificate was issued to the premises of "M/s. Aster Hospital, Sy No.3 & 4, Sadaramangala Industrial Area, Whitefield Road, Bengaluru" with a condition to fulfill the recommendations and compliance the same.

With reference cited (2) above, the management of "M/s. Aster Hospital" had requested for the Fire Safety compliance report from our department. In this regard the District Fire Officer, Anjanapura Fire Station, Bengaluru has re-inspected on 07-07-2023 and submitted the report to issue Renewal Fire Safety Compliance report.

Under the above circumstance the Karnataka Fire & Emergency Services Department is issuing the "Renewal Fire Safety Compliance Report" to "M/s. Aster Hospital, Sy No.3 & 4, Sadaramangala Industrial Area, Whitefield Road, Bengaluru". subject to proper maintenance of fire fighting installations in good working conditions. "This report is valid for only two years from the date of issue and is renewable without fail".

Yours faithfully,


Chief Fire Officer
Bengaluru East Zone
Bengaluru

Copy to 1) The DGP & DG, KSFES, Bengaluru
- for your kind information sir.
2) District Fire Officer, Anjanapura Fire Station,
Bengaluru.

**Office of the Director
General of Police**

Commandant General, Home
Guards & Director of Civil Defence
and Director General Karnataka
State Fire & Emergency Services
No. 1, Annaswamy Mudaliar Road
Bangalore - 560 042



Phone : 25570733
: 22971501
Fax : 22971512

KARNATAKA STATE FIRE & EMERGENCY SERVICES

CLEARANCE CERTIFICATE

ಹಸ್ತಚಾಲಿತ ಫೈಲ್ ಸಂಖ್ಯೆ: KSFES/GBC(1)/383

27/06/2023

ಡಾಕುಮೆಂಟ್ ಸಂಖ್ಯೆ: KSFES/CC/351/2023

ಗೆ,

The Chief Executive Officer Executive Member,
KIADB,
4th & 5th Floor,
Khanija Bhavan,
Race Course Road,
Bangalore - 560 001.

ಮಾನ್ಯರೇ,

ವಿಷಯ: Plot No. 2, 3 & 4, Sadaramangala Industrial Area, Off ITPL Main Road, Whitefield, Bangalore East, BANGALORE - 560066 ರಲ್ಲಿ ನಿರ್ಮಿಸಿರುವ ಬಹುಮಹಡಿ Hospital ಕಟ್ಟಡಗಳಿಗೆ ಸ್ವಾಧೀನತೆ ಪಡೆಯಲು ಕ್ಲಿಯರೆನ್ಸ್ ಪತ್ರ ನೀಡುವ ಬಗ್ಗೆ.

ಉಲ್ಲೇಖ : 1) ಅಗ್ನಿಶಾಮಕ ಮತ್ತು ತುರ್ತು ಸೇವಾ ಇಲಾಖೆಯ ನಿರಾಕ್ಷೇಪಣಾ ಪತ್ರ ಸಂ. ಡಾಕುಮೆಂಟ್ ಸಂಖ್ಯೆ KSFES/GBC(1)/383 ದಿನಾಂಕ 13/03/2020.
2) M/s. ASTER DM HEALTHCARE LTD and Plot No. 2, 3 & 4, Sadaramangala Industrial Area, Off ITPL Main Road, Whitefield, Bangalore East, BANGALORE - 560066 ರವರ ಪತ್ರ ದಿನಾಂಕ 24/05/2023

ಬೆಂಗಳೂರು ಪೂರ್ವ, ವೈಟ್ಫೀಲ್ಡ್ ರಸ್ತೆ, ಸಾದರಮಂಗಲ ಕೈಗಾರಿಕ ಪ್ರದೇಶ, ಪ್ಲಾಟ್ ಸಂ.03 & 04 ರಲ್ಲಿ 20.95 ಮೀಟರ್ ಎತ್ತರದ ತಳಹದಿ, ನೆಲಹದಿ ಮತ್ತು 05 ಮೇಲಂತಸ್ತುಗಳನ್ನು ಹೊಂದಿರುವ ಬಹುಮಹಡಿ ಆಸ್ಪತ್ರೆ ಕಟ್ಟಡವನ್ನು ನಿರ್ಮಿಸಲು ಅಗ್ನಿಶಾಮಕ ಮತ್ತು ತುರ್ತು ಸೇವಾ ಇಲಾಖೆಯಿಂದ ದಿನಾಂಕ 12-03-2020 ರಂದು ನಿರಾಕ್ಷೇಪಣಾ ಪತ್ರ ನೀಡಲಾಗಿದೆ.

ಪ್ರಸ್ತುತ ಕಟ್ಟಡದ ನಿರ್ಮಾಪಕರಾದ M/s. ASTER DM HEALTHCARE LTD ರವರು ತಮ್ಮ ಉಲ್ಲೇಖಿತ ಪತ್ರದಲ್ಲಿ ಸದರಿ ಕಟ್ಟಡಗಳ ಪೈಕಿ ನಿರ್ಮಾಣ ಹಾಗೂ ಅಗ್ನಿಶಾಮಕ ಉಪಕರಣಗಳ ಅಳವಡಿಕೆ ಕಾರ್ಯ ಮುಗಿದಿದ್ದು, ಅದರ ಸ್ವಾಧೀನತೆಯನ್ನು ಪಡೆಯಲು ಅಗ್ನಿಶಾಮಕ ಮತ್ತು ತುರ್ತು ಸೇವಾ ಇಲಾಖೆಯ ಕ್ಲಿಯರೆನ್ಸ್ ಪತ್ರ ನೀಡುವಂತೆ ಕೋರಿರುತ್ತಾರೆ.

ಕಟ್ಟಡ ನಿರ್ಮಾಪಕರ ಕೋರಿಕೆಯಂತೆ, ಅಗ್ನಿಶಾಮಕ ಮತ್ತು ತುರ್ತು ಸೇವೆಗಳ ಅಧಿಕಾರಿಗಳು ದಿನಾಂಕ 08-06-2023 ರಂದು ಬೆಂಗಳೂರು ಪೂರ್ವ, ವೈಟ್ಫೀಲ್ಡ್ ರಸ್ತೆ, ಸಾದರಮಂಗಲ ಕೈಗಾರಿಕ ಪ್ರದೇಶ, ಪ್ಲಾಟ್ ಸಂ.03 & 04 ರಲ್ಲಿ ನಿರ್ಮಿಸಿರುವ ಬಹುಮಹಡಿ ಆಸ್ಪತ್ರೆ ಕಟ್ಟಡವನ್ನು ನಿರೀಕ್ಷಣೆ ಮಾಡಿ, ಕಟ್ಟಡ ನಿರ್ಮಾಪಕರು ಅಗ್ನಿಶಾಮಕ ಮತ್ತು ತುರ್ತು ಸೇವಾ ಇಲಾಖೆಯು ನೀಡಿರುವ ನಿರಾಕ್ಷೇಪಣಾ ಪತ್ರದಂತೆ, ಅಗ್ನಿರಕ್ಷಣೆ ಮತ್ತು ನಿಯಂತ್ರಣ, ಅಗ್ನಿನಂದಿಸುವ ಉಪಕರಣಗಳ ಅಳವಡಿಕೆ ಹಾಗೂ ರಕ್ಷಣಾ ಕ್ರಮಗಳನ್ನು ಬಹುಮಹಡಿ ಕಚೇರಿ ಕಟ್ಟಡದಲ್ಲಿ ಪೂರ್ಣವಾಗಿ ಅನುಷ್ಠಾನಗೊಳಿಸಿರುವುದಾಗಿ ತಿಳಿಸಿರುತ್ತಾರೆ.

ಆದ್ದರಿಂದ ಬೆಂಗಳೂರು ಪೂರ್ವ, ವೈಟ್‌ಹಿಲ್ಸ್ ರಸ್ತೆ, ಸಾದರಮಂಗಲ ಕೈಗಾರಿಕ ಪ್ರದೇಶ, ಪ್ಲಾಟ್ ಸಂ.03 & 04 ರಲ್ಲಿ ನಿರ್ಮಿಸಿರುವ 20.95 ಮೀಟರ್ ಎತ್ತರದ ತಳಹಂತ, ನೆಲಹಂತ ಮತ್ತು 05 ಮೇಲಂತಸ್ತುಗಳನ್ನು ಹೊಂದಿರುವ ಬಹುಮಹಡಿ ಆಸ್ಪತ್ರೆ ಕಟ್ಟಡಕ್ಕೆ ಸ್ವಾಧೀನತೆ ಪಡೆಯಲು ಅಗ್ನಿಶಾಮಕ ಮತ್ತು ತುರ್ತು ಸೇವಾ ಇಲಾಖೆಯ ನಿರಾಕ್ಷೇಪಣಾ ಪತ್ರ ಸಂಖ್ಯೆ ಜಿಬಿ(1)383/2021 ದಿನಾಂಕ 12-03-2020 ರಲ್ಲಿ ತಿಳಿಸಿರುವಂತೆ, ಅಗ್ನಿರಕ್ಷಣೆ ಮತ್ತು ನಿಯಂತ್ರಣ ಹಾಗೂ ಅಗ್ನಿನಂದಿಸುವ ಉಪಕರಣಗಳ ಅಳವಡಿಕೆ ಹಾಗೂ ರಕ್ಷಣಾ ಕ್ರಮಗಳನ್ನು ಕಟ್ಟುನಿಟ್ಟಾಗಿ ಪಾಲಿಸಬೇಕೆಂದು, ಹಾಗೂ ಅಗ್ನಿಶಮನ ಉಪಕರಣಗಳನ್ನು ಸುಸ್ಥಿತಿಯಲ್ಲಿಡಬೇಕೆಂಬ ಷರತ್ತಿನ ಮೇಲೆ ಸ್ವಾಧೀನತಾ ಪ್ರಮಾಣ ಪತ್ರ ನೀಡಲು ಅಗ್ನಿಶಾಮಕ ಮತ್ತು ತುರ್ತು ಸೇವಾ ಇಲಾಖೆಯ ಯಾವ ಆಕ್ಷೇಪಣೆ ಇಲ್ಲವೆಂದು ತಿಳಿಸಿದೆ.

ಕಟ್ಟಡ ನಿರ್ಮಾಪಕರು ದಿನಾಂಕ 06/02/2023 ರಂದು ಒಪ್ಪಿರುವಂತೆ ಸಲ್ಲಿಸಿರುವ ಮುಚ್ಚಳಿಕೆ ಪತ್ರದಂತೆ ಕಟ್ಟಡದಲ್ಲಿನ ಶೇಕಡಾ 40 ರಷ್ಟು ಸಿಬ್ಬಂದಿ/ನೌಕರರಿಗೆ ಅಗ್ನಿರಕ್ಷಣೆ ಮತ್ತು ನಿಯಂತ್ರಣ ಕ್ರಮಗಳ ಬಗ್ಗೆ, ಬೆಂಗಳೂರಿನ ಆರ್.ಎ.ಮಂಡ್ಯೂರ್ ಅಗ್ನಿಶಾಮಕ ಮತ್ತು ತುರ್ತು ಸೇವೆಗಳ ಆಕಾಡೆಮಿಯಲ್ಲಿ ಸೂಕ್ತ ತರಬೇತಿಯನ್ನು 6 ತಿಂಗಳೊಳಗೆ ಪಡೆಯಲು ವ್ಯವಸ್ಥಿಸಬೇಕೆಂಬ ಷರತ್ತಿಗೊಳಪಟ್ಟಿದೆ.

ಅಲ್ಲದೆ ಸದರಿ ಕಟ್ಟಡಗಳ ಅವರಣದ ಯಾವುದೇ ಭಾಗದಲ್ಲಿ ಎಲೆಕ್ಟ್ರಿಕ್ ಅಥವಾ ಹೆಚ್‌ಎಸ್‌ಸಿ ಇತ್ಯಾದಿಗಳನ್ನು ಶೇಖರಣೆ ಮಾಡಲು ಉದ್ದೇಶಿಸಿದ್ದಲ್ಲಿ ಸಕ್ಷಮ ಪ್ರಾಧಿಕಾರದಿಂದ ಅನುಮತಿಯನ್ನು ಪಡೆಯತಕ್ಕದ್ದು.

ಈ ಕ್ಲಿಯರೆನ್ಸ್ ಪತ್ರವು ಸರ್ಕಾರಿ ಆದೇಶ ಸಂ. ಬಿಇ 33 ಕೆಆರ್ 2011 ದಿನಾಂಕ 07/07/2011 ರಂತೆ, ಈ ದಿನಾಂಕದಿಂದ ಮುಂದಿನ 2 ವರ್ಷಗಳವರೆಗೆ ಜಾರಿಯಲ್ಲಿರುತ್ತದೆ. ತದನಂತರ ಈ ಕ್ಲಿಯರೆನ್ಸ್ ಪತ್ರವನ್ನು ದಿನಾಂಕ 27/06/2025 ರೊಳಗೆ ನವೀಕರಿಸುವಂತೆ ತಿಳಿಸಲಾಗಿದೆ.

ಒಂದು ವೇಳೆ ಯಾವುದೇ ಸಂದರ್ಭದಲ್ಲಿ ಕಟ್ಟಡದಲ್ಲಿ ಇಲಾಖಾ ಶಿಫಾರಸ್ಸಿನನ್ವಯ ಅಳವಡಿಸಿರುವ ಅಗ್ನಿನಿವಾರಣೆ ಹಾಗೂ ಅಗ್ನಿಶಮನದ ಉಪಕರಣಗಳು ಸುಸ್ಥಿತಿಯಲ್ಲಿ ಇಲ್ಲದೇ ಇರುವುದು ಕಂಡು ಬಂದರೆ ಅಥವಾ ರಕ್ಷಣಾ ಕ್ರಮಗಳನ್ನು ಕಟ್ಟುನಿಟ್ಟಾಗಿ ಪಾಲಿಸದಿದ್ದರೆ ಅಥವಾ ಕಾನೂನಿನನ್ವಯ ಬಿಟ್ಟಿರುವ ತೆರೆದ ಪ್ರದೇಶದಲ್ಲಿ ಅಥವಾ ಕಟ್ಟಡದಲ್ಲಿ ಯಾವುದೇ ಹೆಚ್ಚುವರಿ ನಿರ್ಮಾಣ ಮಾಡಿದರೆ, ಅಥವಾ ಯಾವುದೇ ರೀತಿ ಖಾಯಂ/ತಾತ್ಕಾಲಿಕ ಅಡಚಣೆಗಳನ್ನುಂಟು ಮಾಡಿದರೆ ಹಾಗೂ ಮೇಲೆ ವಿವರಿಸಲಾದ ಬಾಕಿ ಉಳಿದಿರುವ ಶಿಫಾರಸ್ಸುಗಳನ್ನು ಮುಚ್ಚಳಿಕೆ ಪತ್ರದಲ್ಲಿ ಒಪ್ಪಿಕೊಂಡಂತೆ ಅಳವಡಿಸದಿದ್ದರೆ, ಈ ಕ್ಲಿಯರೆನ್ಸ್ ಪತ್ರ ಅನೂರ್ಜಿತ ಗೊಳ್ಳುವುದು ಹಾಗೂ ಕಾನೂನಿನ ಚೌಕಟ್ಟಿನಲ್ಲಿ ಮುಂದಿನ ಕ್ರಮ ಕೈಗೊಳ್ಳಲಾಗುವುದು.




Director of Fire & Emergency Services, Karnataka

ತಮ್ಮ ವಿಶ್ವಾಸಿ,

ಪೊಲೀಸ್ ಮಹಾ ನಿರ್ದೇಶಕರು
ಹಾಗೂ ಮಹಾ ನಿರ್ದೇಶಕರು
ಕರ್ನಾಟಕ ಅಗ್ನಿಶಾಮಕ ಮತ್ತು
ತುರ್ತು ಸೇವೆಗಳು.

ಪ್ರತಿ:

1) ಮೆ: ಆಸ್ಟೆರ್ ಡಿಎಂ ಹೆಲ್ತ್ಕೇರ್ ಲಿಮಿಟೆಡ್, ನಂ.1785, ಸರ್ಜರಪುರ ರಸ್ತೆ, ಸೆಕ್ಟರ್-1, ಹೆಚ್‌ಎಂಎಸ್‌ಆರ್ ಬಡಾವಣೆ, ವಾರ್ಡ್ ನಂ.174, ಅಗ್ರ ಎಕ್ಸ್‌ಪ್ರೆಸ್‌ವೆನ್, ಬೆಂಗಳೂರು-560102 2) ಉಪ ನಿರ್ದೇಶಕರು (ತಾಂತ್ರಿಕ), ಅಗ್ನಿಶಾಮಕ ಮತ್ತು ತುರ್ತು ಸೇವೆಗಳು.



M/s. Aster DM Healthcare Limited (GSTIN : 29AACCD7912K1ZD), No.1785, Sarjapura Road, Sector-1, HSR Layout Ward No.174, Agra Extension, Bangalore-5600102 having its Hospital at in the name of Aster Hospital (A unit of Aster DM healthcare Ltd) having its place of business at Plot No.3 & 4, Sadaramangala Industrial Area, off Whitefield Main Road, opposite ITPL, Whitefield, Bengaluru, Karnataka 560066, Karnataka, India, Hereinafter referred to as "Aster Hospital", represented by its CEO - Cluster Karnataka, Dr PRASHANTH N is hereby agreed and come to the Agreement on this 30th Day of March month year 2025 with effect from 1st Day of APRIL month year 2025 as detailed below:

1. "AAIS", with Consent from Karnataka State Pollution Control Board is Operating a Common Treatment Facility for Managing Bio-Medical Waste in the State of Karnataka at Sy.No.145/2, Gullahalli Village, Sulibele Hobli, Hoskote Taluk, Bangalore Rural - 562122. The facility has a State of Art Autoclave System along with the Shredder and Incinerator.
2. "Aster Hospital", its Bio-Medical Waste, properly packed in color-coded bags as per Pollution Control Board regulations for treatment and final disposal to "AAIS". The waste should be given at one single point by "Aster Hospital", has at given time of "AAIS" vehicle.
3. "AAIS" will charge a price of **Rs.8/- (Rupees Eight) per Bed per Day** (Excluding Statutory taxes if any) as agreed for collection, transportation, treatment and final disposal of Bio-Medical Waste. This price is for a period of one year from the date of this agreement and thereafter there will be 10% (Ten percent) escalations in the price for every one year at the existing rate. However, for cost factors beyond control, a suitable revision will be permitted.
4. "Aster Hospital", will not enter into any kind of agreement with any other party or organization for the waste treatment and disposal unless cancellation of this agreement by obtaining NO OBJECTION CERTIFICATE from KSPCB and DHO and BBMP/Local Municipal Authorities.
5. "Aster Hospital" at Plot No. 3 & 4, Sadaramangala Industrial Area, off Whitefield Main Road, opposite ITPL, Whitefield, Bengaluru, Karnataka 560066, Karnataka, India having total 294 beds. The exact number of beds will be taken from the declaration given to the State Authorities. Anu Autoclave & Incin Services shall charge for **200 Beds** per day up to the opening of Block-D. Once Block-D starts its operation, the following are the Beds to be considered for Billing and Fresh Agreement for Block-D shall be made if required:
 - A). Block-A + Block-B + Block-C shall be **225 Beds**.
 - B). Block-D shall be **80 Beds**.
6. "Aster Hospital", assuring that, payment should be made through Electronic Payment Mode on or before 5th of every month. Details for electronic payment: -
A/c Name: **ANU AUTOCLAVE & INCIN SERVICES;**
A/c. No: **00000038600340239;** Type of A/c: **CURRENT ACCOUNT.**
Bank: **STATE BANK OF INDIA;** MICR Code: **560002183.**
Branch: **PREMIER BANKING BRANCH - INDIRANAGAR;** IFSC Code: **SBIN0015035.**



7. "AAIS" will collect Bio-Medical waste regularly and treat the waste as per the regulations. "AAIS" will not collect any waste that is not segregated or not properly packed. "AAIS" will not Collect General Garbage at all.
8. "AAIS" will issue proof of waste which is collected from "Aster Hospital", as per your declaration in the Application Form. This will help the individual hospital for getting compliance with the State Pollution Control Board. "Aster Hospital" can take their Authorization from the State Pollution Control Board by informing the Board that, "AAIS" treats their waste (The same must be mentioned in the Authorization Form).
9. In case "Aster Hospital" finds any irregularities in collection of waste, they can send a note in writing to "AAIS" for immediate action.
10. "AAIS", will maintain their plant in good running condition all the time and ensure continuity of service to "Aster Hospital" as per the agreed terms & Conditions.
11. This MEMORANDUM OF UNDERSTANDING is entered into on the express understanding that, "AAIS" will maintain the logistics to collect, transport and treat the waste at their plant strictly in accordance with the Consent of the Karnataka State Pollution Control Board and it shall be the responsibility to obtain the Consent and keep the same always current.
12. In case of violation of any of the agreed terms & conditions of the MOU by either party, issue of notice may terminate this MOU Three months in advance by either party for terminating their respective obligations.
13. This "MOU" is executed in two counterparts, and each part will be considered as original. All disputes to this understanding are subject to the Jurisdiction of the court in Bangalore only.
14. All disputes to this understanding are subject to the Jurisdiction of the court in Bangalore only.
15. This MOU is effective from **01-04-2025** and is valid for **2 (Two) Years** up to **31.03.2027**.

M/s. Anu Autoclave & Incin. Services.,

M/s. Aster Hospital - (A unit of Aster DM healthcare Ltd).,



Business-Head.




Authorized Signatory.





A TO Z ENVIRO TEST HOUSE LLP

Recognised by MoEF & CC, Certified By : ISO 9001 : 2015, ISO 45001 : 2018 & ISO 14001 : 2015

C-56, KSSIDC Industrial Estate, Veerasandra, Hosur Road, Bangalore-560 100.

Ph.: 080-2960 0330 Mob.: 98456 65241 E-mail : enquiry2022.eth@gmail.com



TEST REPORT

Name & Address of the Customer

M/s. ASTER HOSPITAL WHITEFIELD.
(A Unit of Aster DM Health Care Limited) (A-Block)
Plot No 3 & 4 Sadaramangala Industrial Area, Off.
Whitefield Main Road, Opposite ITPL, Whitefield,
Bengaluru, Karnataka-560 066.

Sample Code	ETH/DEC-24/57-1	Report No	ETH/DEC-24/57-1
Date of Sample Collection	13/12/2024	Date of Sample Receipt	14/12/2024
Analysis Commenced Date	14/12/2024	Analysis Completed Date	17/12/2024
Sampling Location	A Block Ground Floor Entrance Area	Report Issue Date	19/12/2024
Sample Particulars	Ambient Air Quality Monitoring.		

Instrument used

Instrument Name	PM 2.5	PM 10
	PM2.5 / PM10 Sampler-1	Respirable Dust Sampler-1
Make	Ecotech	Ecotech
Model	AAS-127-FC	AAS-217-NL
SI No	19-D-952	21-G-1065
Instrument Calibrated Date	03-12-2024	03-12-2024
Instrument Calibration Due Date	02-12-2025	02-12-2025

AMBIENT AIR QUALITY MONITORING RESULTS

Sl No	Parameters	Unit	Results	Standard as per NAAQM	Test Method
1	Particulate Matter (PM10)	$\mu\text{g}/\text{m}^3$	57.1	100.0 Max	IS 5182 (Part-23) 2006 (RA - 2022)
2	Particulate matter (PM2.5)	$\mu\text{g}/\text{m}^3$	23.5	60.0 Max	IS 5182 (Part-24) 2019
3	Sulphur Dioxide (SO ₂)	$\mu\text{g}/\text{m}^3$	16.8	80.0 Max	IS 5182 (Part-2) 2001 (RA - 2017)
4	Nitrogen Dioxide (NO ₂)	$\mu\text{g}/\text{m}^3$	22.6	80.0 Max	IS 5182 (Part 6)2006 (RA - 2022)
5	Lead as Pb	$\mu\text{g}/\text{m}^3$	BDL	1.0 Max	ETH/TR/IS/SOP/003
6	Ammonia (NH ₃)	$\mu\text{g}/\text{m}^3$	13.8	400.0 Max	IS 5182 (Part 25) 2018
7	Arsenic as As	ng/m^3	BDL	6.0 Max	ETH/TR/IS/SOP/003
8	Nickel as Ni	ng/m^3	BDL	20.0 max	ETH/TR/IS/SOP/003
9	Ozone as O ₃	$\mu\text{g}/\text{m}^3$	9.2	180.0 Max	IS 5182 (Part-9) 1974 (RA - 2019)

Note: BDL: Below Detection Limit

Page 1 of 2



Reviewed & Authorized Signatory

NOTE : 1. The result listed above pertain only to the tested samples and applicable parameters. 2. Samples will be stored for a period of 15 Days unless otherwise specified. 3. This report is not to be reproduced either wholly or in part and can not be used as evidence in the court of law and should not be used in any advertising media without prior written permission. 4. Sampling not done by us unless specified. 5. Total liability of our lab is limited to the Invoice Amount & any disputes arising out of this report are subject to Bangalore Jurisdiction only. 6. Laboratory is not responsible for the authenticity of photocopied test reports. ETH/QR/F&F/069 Issue date 01/03/2024



A TO Z ENVIRO TEST HOUSE LLP

Recognised by MoEF & CC, Certified By : ISO 9001 : 2015, ISO 45001 : 2018 & ISO 14001 : 2015

C-56, KSSIDC Industrial Estate, Veerasandra, Hosur Road, Bangalore-560 100.

Ph.: 080-2960 0330 Mob.: 98456 65241 E-mail : enquiry2022.eth@gmail.com

TEST REPORT

Name & Address of the Customer

: M/s. ASTER HOSPITAL WHITEFIELD.

(A Unit of Aster DM Health Care Limited) (A-Block)

Plot No 3 & 4 Sadaramangala Industrial Area, Off.

Whitefield Main Road, Opposite ITPL, Whitefield,

Bengaluru, Karnataka-560 066.

Sample Code	ETH/DEC-24/57-1	Report No	ETH/DEC-24/57-1
Date of Sample Collection	13/12/2024	Date of Sample Receipt	14/12/2024
Analysis Commenced Date	14/12/2024	Analysis Completed Date	17/12/2024
Sampling Location	A Block Ground Floor Entrance Area	Report Issue Date	19/12/2024
Sample Particulars	Ambient Air Quality Monitoring.		

Instrument used

Instrument Name	PM 2.5	PM 10
	PM2.5 / PM10 Sampler-1	Respirable Dust Sampler-1
Make	Ecotech	Ecotech
Model	AAS-127-FC	AAS-217-NL
SI No	19-D-952	21-G-1065
Instrument Calibrated Date	03-12-2024	03-12-2024
Instrument Calibration Due Date	02-12-2025	02-12-2025

AMBIENT AIR QUALITY MONITORING RESULTS

SI No	Parameters	Unit	Results	Standard as per NAAQM	Test Method
10	Carbon Monoxide as CO	mg/m ³	1.15	4.0 Max	IS 5182 (Part 10) 1999 (RA - 2019)
11	Benzene (C ₆ H ₆)	µg/m ³	Not Detected	5.0 Max	IS 5182 (Part 11) 2006 (RA - 2017)
12	Benzo (a) Pyrene	ng/m ³	Not Detected	1.0 Max	IS 5182 (Part 12) 2004 (RA - 2019)

*****End of the report*****

Page 2 of 2



[Signature] 19/12/24
Reviewed & Authorized Signatory

NOTE : 1. The result listed above pertain only to the tested samples and applicable parameters. 2. Samples will be stored for a period of 15 Days unless otherwise specified. 3. This report is not to be reproduced either wholly or in part and can not be used as evidence in the court of law and should not be used in any advertising media without prior written permission. 4. Sampling not done by us unless specified. 5. Total liability of our lab is limited to the Invoice Amount & any disputes arising out of this report are subject to Bangalore Jurisdiction only. 6. Laboratory is not responsible for the authenticity of photocopied test reports. ETH/QR/F&F/069 Issue date 01/03/2024



A TO Z ENVIRO TEST HOUSE LLP

Recognised by MoEF & CC, Certified By : ISO 9001 : 2015, ISO 45001 : 2018 & ISO 14001 : 2015
C-56, KSSIDC Industrial Estate, Veerasandra, Hosur Road, Bangalore-560 100.
Ph.: 080-2960 0330 Mob.: 98456 65241 E-mail : enquiry2022.eth@gmail.com

TEST REPORT

Name & Address of the Customer : M/s. ASTER HOSPITAL WHITEFIELD.
(A Unit of Aster DM Health Care Limited) (A-Block)
Plot No 3 & 4 Sadaramangala Industrial Area, Off.
Whitefield Main Road, Opposite ITPL, Whitefield,
Bengaluru, Karnataka-560 066.

Sample Code	ETH/DEC-24/57-3	Report No	ETH/DEC-24/57-3
Date of Sample Collection	13/12/2024	Date of Sample Receipt	14/12/2024
Analysis Commenced Date	14/12/2024	Analysis Completed Date	17/12/2024
Sampling Location	A Block 1 st Floor PICU	Report Issue Date	19/12/2024
Sample Particulars	Indoor Air Quality Monitoring.		

Instrument Used:

Instrument Name	Instrument ID	Make	Model	SI No	Instrument Calibrated Date	Instrument Calibration Due Date
Handy Sampler-1	ETH/ AIR/INS/013	Ecotech	IAS-109	19-F-184	03-12-2024	02-12-2025

INDOOR AIR QUALITY MONITORING RESULTS

SI No	Parameters	Unit	Results	Standard Limits	Standard Reference
1	Temperature	°C	24.5	20-26.1	ASHRAE
2	Relative Humidity	%	53	30 - 65	ASHRAE
3	Particulate Matter (PM10)	mg/m ³	8.3	15	OSHA
4	Particulate Matter (PM2.5)	mg/m ³	1.5	5.0	OSHA
5	Sulphur Dioxide as SO ₂	ppm	1.1	5	OSHA
6	Nitrogen Dioxide as NO ₂	ppm	2.3	5	OSHA
7	Carbon Monoxide as CO	ppm	Not Detected	50	OSHA
8	Carbon Dioxide as CO ₂	ppm	605	5000	OSHA
9	Oxygen as O ₂	%	20.9	Min 19.5	OSHA
10	Formaldehyde	ppm	Not Detected	0.75	OSHA
11	Total Volatile Organic Compound	ppm	Not Detected	5.0	OSHA
12	Hydrogen Sulphide	ppm	Not Detected	20	ETH/TR/ AIR/SOP -033
13	Ammonia as NH ₃	ppm	Not Detected	50	ETH/TR/ AIR/SOP -031

Page 1 of 2



[Signature] 19/12/24
Reviewed & Authorized Signatory

NOTE : 1. The result listed above pertain only to the tested samples and applicable parameters. 2. Samples will be stored for a period of 15 Days unless otherwise specified. 3. This report is not to be reproduced either wholly or in part and can not be used as evidence in the court of law and should not be used in any advertising media without prior written permission. 4. Sampling not done by us unless specified. 5. Total liability of our lab is limited to the Invoice Amount & any disputes arising out of this report are subject to Bangalore Jurisdiction only. 6. Laboratory is not responsible for the authenticity of photocopied test reports. ETH/QR/F&F/069 Issue date 01/03/2024



A TO Z ENVIRO TEST HOUSE LLP

Recognised by MoEF & CC, Certified By : ISO 9001 : 2015, ISO 45001 : 2018 & ISO 14001 : 2015

C-56, KSSIDC Industrial Estate, Veerasandra, Hosur Road, Bangalore-560 100.

Ph.: 080-2960 0330 Mob.: 98456 65241 E-mail : enquiry2022.eth@gmail.com

TEST REPORT

Name & Address of the Customer : M/s. ASTER HOSPITAL WHITEFIELD.
(A Unit of Aster DM Health Care Limited) (A-Block)
Plot No 3 & 4 Sadaramangala Industrial Area, Off.
Whitefield Main Road, Opposite ITPL, Whitefield,
Bengaluru, Karnataka-560 066.

Sample Code	ETH/DEC-24/57-3	Report No	ETH/DEC-24/57-3
Date of Sample Collection	13/12/2024	Date of Sample Receipt	14/12/2024
Analysis Commenced Date	14/12/2024	Analysis Completed Date	19/12/2024
Sampling Location	A Block 1 st Floor PICU	Report Issue Date	19/12/2024
Sample Particulars	Indoor Air Quality Monitoring.		

INDOOR AIR QUALITY MONITORING RESULTS

Sl No	Parameters	Unit	Results	Standard Limits	Standard Reference
1	Yeasts	CFU	2	N.S	ETH/TR/MB/SOP-024
2	Fungi molds	CFU	3	N.S	ETH/TR/MB/SOP-024
3	Streptococci spp.	Present/ Absent	Absent	N.S	ETH/TR/MB/SOP-025
4	Staphylococcus aureus	Present/ Absent	Absent	N.S	ETH/TR/MB/SOP-026
5	Bacterial Count	CFU	Absent	N.S	ETH/TR/MB/SOP-027

Note: N.S- Not Specified

*****End of the report*****

Page 2 of 2

Reviewed
yk.



Ql 19/12/24

Reviewed & Authorized Signatory

NOTE : 1. The result listed above pertain only to the tested samples and applicable parameters. 2. Samples will be stored for a period of 15 Days unless otherwise specified. 3. This report is not to be reproduced either wholly or in part and can not be used as evidence in the court of law and should not be used in any advertising media without prior written permission. 4. Sampling not done by us unless specified. 5. Total liability of our lab is limited to the Invoice Amount & any disputes arising out of this report are subject to Bangalore Jurisdiction only. 6. Laboratory is not responsible for the authenticity of photocopied test reports. ETH/QR/F&F/069 Issue date 01/03/2024



A TO Z ENVIRO TEST HOUSE LLP

Recognised by MoEF & CC, Certified By : ISO 9001 : 2015, ISO 45001 : 2018 & ISO 14001 : 2015

C-56, KSSIDC Industrial Estate, Veerasandra, Hosur Road, Bangalore-560 100.

Ph.: 080-2960 0330 Mob.: 98456 65241 E-mail : enquiry2022.eth@gmail.com



TEST REPORT

Name & Address of the Customer

M/s. ASTER HOSPITAL WHITEFIELD.
(A Unit of Aster DM Health Care Limited) (B-Block)
Plot No 3 & 4 Sadaramangala Industrial Area, Off.
Whitefield Main Road, Opposite ITPL, Whitefield,
Bengaluru, Karnataka-560 066.

Sample Code	ETH/DEC-24/58-1	Report No	ETH/DEC-24/58-1
Date of Sample Collection	13/12/2024	Date of Sample Receipt	14/12/2024
Analysis Commenced Date	14/12/2024	Analysis Completed Date	17/12/2024
Sampling Location	B Block Ground Floor Entrance Area	Report Issue Date	19/12/2024
Sample Particulars	Ambient Air Quality Monitoring.		

Instrument Name	PM 2.5	PM 10
	PM2.5 / PM10 Sampler-1	Respirable Dust Sampler-1
Make	Ecotech	Ecotech
Model	AAS-127-FC	AAS-217-NL
SI No	19-D-952	21-G-1065
Instrument Calibrated Date	03-12-2024	03-12-2024
Instrument Calibration Due Date	02-12-2025	02-12-2025

Instrument used

AMBIENT AIR QUALITY MONITORING RESULTS

Sl No	Parameters	Unit	Results	Standard as per NAAQM	Test Method
1	Particulate Matter (PM10)	$\mu\text{g}/\text{m}^3$	56.8	100.0 Max	IS 5182 (Part-23) 2006 (RA - 2022)
2	Particulate matter (PM2.5)	$\mu\text{g}/\text{m}^3$	22.9	60.0 Max	IS 5182 (Part-24) 2019
3	Sulphur Dioxide (SO ₂)	$\mu\text{g}/\text{m}^3$	15.5	80.0 Max	IS 5182 (Part-2) 2001 (RA - 2017)
4	Nitrogen Dioxide (NO ₂)	$\mu\text{g}/\text{m}^3$	22.1	80.0 Max	IS 5182 (Part 6) 2006 (RA - 2022)
5	Lead as Pb	$\mu\text{g}/\text{m}^3$	BDL	1.0 Max	ETH/TR/IS/SOP/003
6	Ammonia (NH ₃)	$\mu\text{g}/\text{m}^3$	12.5	400.0 Max	IS 5182 (Part 25) 2018
7	Arsenic as As	ng/m^3	BDL	6.0 Max	ETH/TR/IS/SOP/003
8	Nickel as Ni	ng/m^3	BDL	20.0 max	ETH/TR/IS/SOP/003
9	Ozone as O ₃	$\mu\text{g}/\text{m}^3$	9.0	180.0 Max	IS 5182 (Part-9) 1974 (RA - 2019)

Note: BDL: Below Detection Limit

Page 1 of 2




Reviewed & Authorized Signatory

NOTE : 1. The result listed above pertain only to the tested samples and applicable parameters. 2. Samples will be stored for a period of 15 Days unless otherwise specified. 3. This report is not to be reproduced either wholly or in part and can not be used as evidence in the court of law and should not be used in any advertising media without prior written permission. 4. Sampling not done by us unless specified. 5. Total liability of our lab is limited to the Invoice Amount & any disputes arising out of this report are subject to Bangalore Jurisdiction only. 6. Laboratory is not responsible for the authenticity of photocopied test reports. ETH/QR/F&F/069 Issue date 01/03/2024



A TO Z ENVIRO TEST HOUSE LLP

Recognised by MoEF & CC, Certified By : ISO 9001 : 2015, ISO 45001 : 2018 & ISO 14001 : 2015

C-56, KSSIDC Industrial Estate, Veerasandra, Hosur Road, Bangalore-560 100.

Ph.: 080-2960 0330 Mob.: 98456 65241 E-mail : enquiry2022.eth@gmail.com

TEST REPORT

Name & Address of the Customer

M/s. ASTER HOSPITAL WHITEFIELD.
(A Unit of Aster DM Health Care Limited) (B-Block)
Plot No 3 & 4 Sadaramangala Industrial Area, Off.
Whitefield Main Road, Opposite ITPL, Whitefield,
Bangaluru, Karnataka-560 066.

Sample Code	ETH/DEC-24/58-1	Report No	ETH/DEC-24/58-1
Date of Sample Collection	13/12/2024	Date of Sample Receipt	14/12/2024
Analysis Commenced Date	14/12/2024	Analysis Completed Date	17/12/2024
Sampling Location	B Block Ground Floor Entrance Area	Report Issue Date	19/12/2024
Sample Particulars	Ambient Air Quality Monitoring.		

Instrument Name	PM 2.5	PM 10
	PM2.5 / PM10 Sampler-1	Respirable Dust Sampler-1
Make	Ecotech	Ecotech
Model	AAS-127-FC	AAS-217-NL
SI No	19-D-952	21-G-1065
Instrument Calibrated Date	03-12-2024	03-12-2024
Instrument Calibration Due Date	02-12-2025	02-12-2025

Instrument used

AMBIENT AIR QUALITY MONITORING RESULTS

Sl No	Parameters	Unit	Results	Standard as per NAAQM	Test Method
10	Carbon Monoxide as CO	mg/m ³	1.15	4.0 Max	IS 5182 (Part 10) 1999 (RA - 2019)
11	Benzene (C ₆ H ₆)	µg/m ³	Not Detected	5.0 Max	IS 5182 (Part 11) 2006 (RA - 2017)
12	Benzo (a) Pyrene	ng/m ³	Not Detected	1.0 Max	IS 5182 (Part 12) 2004 (RA - 2019)

*****End of the report*****

Page 2 of 2



[Signature] 19/12/24
Reviewed & Authorized Signatory

NOTE : 1. The result listed above pertain only to the tested samples and applicable parameters. 2. Samples will be stored for a period of 15 Days unless otherwise specified. 3. This report is not to be reproduced either wholly or in part and can not be used as evidence in the court of law and should not be used in any advertising media without prior written permission. 4. Sampling not done by us unless specified. 5. Total liability of our lab is limited to the Invoice Amount & any disputes arising out of this report are subject to Bangalore Jurisdiction only. 6. Laboratory is not responsible for the authenticity of photocopied test reports. ETH/QR/F&F/069 Issue date 01/03/2024



A TO Z ENVIRO TEST HOUSE LLP

Recognised by MoEF & CC, Certified By : ISO 9001 : 2015, ISO 45001 : 2018 & ISO 14001 : 2015
C-56, KSSIDC Industrial Estate, Veerasandra, Hosur Road, Bangalore-560 100.
Ph.: 080-2960 0330 Mob.: 98456 65241 E-mail : enquiry2022.eth@gmail.com

TEST REPORT

Name & Address of the Customer : M/s. ASTER HOSPITAL WHITEFIELD.
(A Unit of Aster DM Health Care Limited) (B-Block)
Plot No 3 & 4 Sadaramangala Industrial Area, Off.
Whitefield Main Road, Opposite ITPL, Whitefield,
Bengaluru, Karnataka-560 066.

Sample Code	ETH/DEC-24/58-3	Report No	ETH/DEC-24/58-3
Date of Sample Collection	13/12/2024	Date of Sample Receipt	14/12/2024
Analysis Commenced Date	14/12/2024	Analysis Completed Date	17/12/2024
Sampling Location	B Block 3 rd Floor SICU	Report Issue Date	19/12/2024
Sample Particulars	Indoor Air Quality Monitoring.		

Instrument Used:

Instrument Name	Instrument ID	Make	Model	SI No	Instrument Calibrated Date	Instrument Calibration Due Date
Handy Sampler-1	ETH/ AIR/INS/013	Ecotech	IAS-109	19-F-184	03-12-2024	02-12-2025

INDOOR AIR QUALITY MONITORING RESULTS

SI No	Parameters	Unit	Results	Standard Limits	Standard Reference
1	Temperature	°C	24.5	20-26.1	ASHRAE
2	Relative Humidity	%	47	30 - 65	ASHRAE
3	Particulate Matter (PM10)	mg/m ³	7.8	15	OSHA
4	Particulate Matter (PM2.5)	mg/m ³	1.3	5.0	OSHA
5	Sulphur Dioxide as SO ₂	ppm	1.0	5	OSHA
6	Nitrogen Dioxide as NO ₂	ppm	2.3	5	OSHA
7	Carbon Monoxide as CO	ppm	Not Detected	50	OSHA
8	Carbon Dioxide as CO ₂	ppm	435	5000	OSHA
9	Oxygen as O ₂	%	20.9	Min 19.5	OSHA
10	Formaldehyde	ppm	Not Detected	0.75	OSHA
11	Total Volatile Organic Compound	ppm	Not Detected	5.0	OSHA
12	Hydrogen Sulphide	ppm	Not Detected	20	ETH/TR/ AIR/SOP -033
13	Ammonia as NH ₃	ppm	Not Detected	50	ETH/TR/ AIR/SOP -031



Page 1 of 2

[Signature] 19/12/24
Reviewed & Authorized Signatory

NOTE : 1. The result listed above pertain only to the tested samples and applicable parameters. 2. Samples will be stored for a period of 15 Days unless otherwise specified. 3. This report is not to be reproduced either wholly or in part and can not be used as evidence in the court of law and should not be used in any advertising media without prior written permission. 4. Sampling not done by us unless specified. 5. Total liability of our lab is limited to the Invoice Amount & any disputes arising out of this report are subject to Bangalore Jurisdiction only. 6. Laboratory is not responsible for the authenticity of photocopied test reports. ETH/QR/F&F/069 Issue date 01/03/2024



A TO Z ENVIRO TEST HOUSE LLP

Recognised by MoEF & CC, Certified By : ISO 9001 : 2015, ISO 45001 : 2018 & ISO 14001 : 2015

C-56, KSSIDC Industrial Estate, Veerasandra, Hosur Road, Bangalore-560 100.

Ph.: 080-2960 0330 Mob.: 98456 65241 E-mail : enquiry2022.eth@gmail.com

TEST REPORT

Name & Address of the Customer

: M/s. ASTER HOSPITAL WHITEFIELD.
(A Unit of Aster DM Health Care Limited) (B-Block)
Plot No 3 & 4 Sadaramangala Industrial Area, Off.
Whitefield Main Road, Opposite ITPL, Whitefield,
Bengaluru, Karnataka-560 066.

Sample Code	ETH/DEC-24/58-3	Report No	ETH/DEC-24/58-3
Date of Sample Collection	13/12/2024	Date of Sample Receipt	14/12/2024
Analysis Commenced Date	14/12/2024	Analysis Completed Date	19/12/2024
Sampling Location	B Block 1 st Floor SICU	Report Issue Date	19/12/2024
Sample Particulars	Indoor Air Quality Monitoring.		

INDOOR AIR QUALITY MONITORING RESULTS

Sl No	Parameters	Unit	Results	Standard Limits	Standard Reference
1	Yeasts	CFU	2	N.S	ETH/TR/MB/SOP-024
2	Fungi molds	CFU	1	N.S	ETH/TR/MB/SOP-024
3	Streptococci spp.	Present/ Absent	Absent	N.S	ETH/TR/MB/SOP-025
4	Staphylococcus aureus	Present/ Absent	Absent	N.S	ETH/TR/MB/SOP-026
5	Bacterial Count	CFU	Absent	N.S	ETH/TR/MB/SOP-027

Note: N.S- Not Specified

*****End of the report*****

Page 2 of 2



Ravindranth

@ 19/12/24

Reviewed & Authorized Signatory

NOTE : 1. The result listed above pertain only to the tested samples and applicable parameters. 2. Samples will be stored for a period of 15 Days unless otherwise specified. 3. This report is not to be reproduced either wholly or in part and can not be used as evidence in the court of law and should not be used in any advertising media without prior written permission. 4. Sampling not done by us unless specified. 5. Total liability of our lab is limited to the Invoice Amount & any disputes arising out of this report are subject to Bangalore Jurisdiction only. 6. Laboratory is not responsible for the authenticity of photocopied test reports. ETH/QR/F&F/069 Issue date 01/03/2024

**GOVERNMENT OF KARNATAKA
(ELECTRICAL INSPECTORATE)**

NO: DCEI/BE/AEI/DG-286/

/2013-14

3572-75

Office of the
Deputy Chief Electrical Inspector
Bangalore East, No:307, 6th Main 18th Cross,
Malleshwaram, Bangalore.

Dated;

21 MAY 2013

To,
M/s. Nandini Hotel (P) Ltd,
Plot No: 3&4, KIADB, Indl. Area,
Opp to ITPL Sadaramangala,
Bangalore.

Sir,

Sub:-Approval of drawings pertaining to 2x500KVA DG Sets at the above said premises.
Ref: Requisition Letter No: Nil Dt.17-05-2013


Please find enclosed the drawing in duplicate referred to above duly approved after effecting necessary corrections and with observations in a note in RED INK. You may take up the work through a Licensed Electrical Contractor, as per approved drawings and after completing the works contact the undersigned with the following particulars to arrange for inspection.

1. Manufacturer's test Report of Transformer, Circuit breaker HT Cable etc.
2. Completion report of L.E.C for having completed the works as per the approved drawing along with the following details.
 - i) Description of the Motor Equipment indicating serial Number.
 - ii) Rating in HP/KW
 - iii) Feeder Details
 - iv) Voltage Rating.
 - v) Megger test results of the equipment
 - vi) Earth Test results.

The completion report should be signed by the licensed electrical contractor and the electrical supervisor along with the Licence number & validity.

3. Copy of the power sanction letter from BESCOM permitting the installation of HT installation.
4. Megger test results of transformer/CBs/Cables and other connected equipment of the installation.
5. Oil test results of transformer /and oil circuit breaker.
6. Earth test results of all the earth electrodes disconnecting all the earth leads from them.
7. Calibration certificates in original of protective devices, CTs, PTS & Energy Meters etc, as calibrated by the Relay testing and Meter Testing divisions of supplier or any other approved agencies.
8. A list of authorised persons qualified and experienced to operate and maintain the sub-station & the works, list shall be signed by both the employee and employer with permit number and validity.
9. Drawing scrutiny fees of Rs: 600-00 paid vide Rt No: 2031469 Dt: 17-05-2013 at this office is hereby acknowledged.
10. Challan /Receipt for having paid Rs: 3,800/- (Rs: Three Thousand Eight Hundred Only) towards inspection charges under the following Budget Head:- "Non-Plan, 0043, Taxes and duties on Electricity, (2) Fees under the I.E. Rules, 1956" at this office cash counter.

Your's faithfully,


Deputy Chief Electrical Inspector
Bangalore East, Bangalore.
Bangalore East
Bangalore

Copy Submitted to:-

1. The Chief Electrical Inspector to Govt Bangalore for kind information.
- Copy to:
2. The Electrical Inspector Bangalore, East, for information.
3. The Dy. Electrical Inspector, East for information.
4. O/C/M/C



A TO Z ENVIRO TEST HOUSE LLP

Recognised by MoEF & CC, Certified By : ISO 9001 : 2015, ISO 45001 : 2018 & ISO 14001 : 2015

C-56, KSSIDC Industrial Estate, Veerasandra, Hosur Road, Bangalore-560 100.

Ph.: 080-2960 0330 Mob.: 98456 65241 E-mail : enquiry2022.eth@gmail.com



TEST REPORT

Name & Address of the Customer

M/s. ASTER HOSPITAL WHITEFIELD.
(A Unit of Aster DM Health Care Limited) (B-Block)
Plot No 3 & 4 Sadaramangala Industrial Area, Off.
Whitefield Main Road, Opposite ITPL, Whitefield,
Bengaluru, Karnataka-560 066.

Sample Code	ETH/SEP-24/64-1		
Date of Sample Collection	13/09/2024	Date of Sample Receipt	13/09/2024
Analysis Commenced Date	14/09/2024	Analysis Completed Date	16/09/2024
Sampling Location	DG Set-1010 KVA No-2	Report Issue Date	18/09/2024
Sample Particulars	Stack Monitoring.		

Instrument Used:

Instrument Name	Instrument ID	Make	Model	SI No	Instrument Calibrated Date	Instrument Calibration Due Date
Stack Sampler-1	ETH/ AIR/INS/015	Ecotech	ESS-100	19-G-286	07-12-2023	06-12-2024

General Details

Date of Monitoring	13/09/2024
Fuel Used	Diesel
Ambient Temperature °C	30.0
Cross Section Area (m ²)	0.071
Quantity of flue gas discharged into the atmosphere (Nm ³ /Hr)	1271.2
Flue Gas Temperature °C	501.0
Exit Velocity of gas (Mts/Sec)	13.79

STACK MONITORING RESULTS

Parameters	Unit	Result	Limits	Test Method
Particulate matter	mg/Nm ³	45.2	75.0	IS 11255(Part 1)1985 RA 2019
Sulphur Dioxide (SO ₂)	mg/Nm ³	18.3	N.S	IS 11255(Part 2) 1985 RA 2019
Oxides of Nitrogen (NO ₂)	mg/Nm ³	28.9	N.S	IS 11255(Part 7) 2005 RA 2017

Note: 1. N.S: Not Specified,

*****End of the report*****

Page 1 of 2

Reviewed By
18/9/24



Authorized Signatory
18/9/24

NOTE : 1. The result listed above pertain only to the tested samples and applicable parameters. 2. Samples will be stored for a period of 15 Days unless otherwise specified. 3. This report is not to be reproduced either wholly or in part and can not be used as evidence in the court of law and should not be used in any advertising media without prior written permission. 4. Sampling not done by us unless specified. 5. Total liability of our lab is limited to the Invoice Amount & any disputes arising out of this report are subject to Bangalore Jurisdiction only. 6. Laboratory is not responsible for the authenticity of photocopied test reports. ETH/QR/F&F/069 Issue date 01/03/2024



A TO Z ENVIRO TEST HOUSE LLP

Recognised by MoEF & CC, Certified By : ISO 9001 : 2015, ISO 45001 : 2018 & ISO 14001 : 2015

C-56, KSSIDC Industrial Estate, Veerasandra, Hosur Road, Bangalore-560 100.

Ph.: 080-2960 0330 Mob.: 98456 65241 E-mail : enquiry2022.eth@gmail.com

TEST REPORT

Name & Address of the Customer

M/s. ASTER HOSPITAL WHITEFIELD.
(A Unit of Aster DM Health Care Limited) (B-Block)
Plot No 3 & 4 Sadaramangala Industrial Area, Off.
Whitefield Main Road, Opposite ITPL, Whitefield,
Bengaluru, Karnataka-560 066.

Sample Code	ETH/SEP-24/64-1		
Date of Sample Collection	13/09/2024	Date of Sample Receipt	13/09/2024
Analysis Commenced Date	14/09/2024	Analysis Completed Date	16/09/2024
Sampling Location	DG Set-1010 KVA No-2	Report Issue Date	18/09/2024
Sample Particulars	Stack Monitoring.		

Instrument Used:

Instrument Name	Instrument ID	Make	Model	SI No	Instrument Calibrated Date	Instrument Calibration Due Date
Stack Sampler-1	ETH/AIR/INS/015	Ecotech	ESS-100	19-G-286	07-12-2023	06-12-2024

General Details

Date of Monitoring	13/09/2024
Fuel Used	Diesel
Ambient Temperature °C	30.0
Cross Section Area (m ²)	0.071
Quantity of flue gas discharged into the atmosphere (Nm ³ /Hr)	1271.2
Flue Gas Temperature °C	501.0
Exit Velocity of gas (Mts/Sec)	13.79

STACK MONITORING RESULTS

Parameters	Unit	Result	Limits	Test Method
Carbon Monoxide	%	0.03	N.S	IS 13270 1992(RA 2019)
Carbon Dioxide	%	3.01	N.S	Flue Gas Analyzer

Note: 1. N.S: Not Specified,

*****End of the report*****

Page 2 of 2


Reviewed By 18/9/24




Authorized Signatory 18/9/24

NOTE : 1. The result listed above pertain only to the tested samples and applicable parameters. 2. Samples will be stored for a period of 15 Days unless otherwise specified. 3. This report is not to be reproduced either wholly or in part and can not be used as evidence in the court of law and should not be used in any advertising media without prior written permission. 4. Sampling not done by us unless specified. 5. Total liability of our lab is limited to the Invoice Amount & any disputes arising out of this report are subject to Bangalore Jurisdiction only. 6. Laboratory is not responsible for the authenticity of photocopied test reports. ETH/QR/F&F/069 Issue date 01/03/2024



A TO Z ENVIRO TEST HOUSE LLP

Recognised by MoEF & CC, Certified By : ISO 9001 : 2015, ISO 45001 : 2018 & ISO 14001 : 2015
C-56, KSSIDC Industrial Estate, Veerasandra, Hosur Road, Bangalore-560 100.
Ph.: 080-2960 0330 Mob.: 98456 65241 E-mail : enquiry2022.eth@gmail.com



TEST REPORT

Name & Address of the Customer

M/s. ASTER HOSPITAL WHITEFIELD.
(A Unit of Aster DM Health Care Limited) (A-Block)
Plot No 3 & 4 Sadaramangala Industrial Area, Off.
Whitefield Main Road, Opposite ITPL, Whitefield,
Bengaluru, Karnataka-560 066.

Sample Code	ETH/SEP-24/63-1		
Date of Sample Collection	13/09/2024	Date of Sample Receipt	13/09/2024
Analysis Commenced Date	14/09/2024	Analysis Completed Date	16/09/2024
Sampling Location	DG Set-500 KVA No-2	Report Issue Date	17/09/2024
Sample Particulars	Stack Monitoring.		

Instrument Used:

Instrument Name	Instrument ID	Make	Model	SI No	Instrument Calibrated Date	Instrument Calibration Due Date
Stack Sampler-1	ETH/ AIR/ INS/015	Ecotech	ESS-100	19-G-286	07-12-2023	06-12-2024

General Details

Date of Monitoring	13/09/2024
Fuel Used	Diesel
Ambient Temperature °C	30.0
Cross Section Area (m ²)	0.018
Quantity of flue gas discharged into the atmosphere (Nm ³ /Hr)	340.8
Flue Gas Temperature °C	455.0
Exit Velocity of gas (Mts/Sec)	13.91


STACK MONITORING RESULTS

Parameters	Unit	Result	Limits	Test Method
Particulate matter	mg/Nm ³	35.8	150.0	IS 11255(Part 1)1985 RA 2019
Sulphur Dioxide (SO ₂)	mg/Nm ³	17.0	N.S	IS 11255(Part 2) 1985 RA 2019
Oxides of Nitrogen (NO ₂)	mg/Nm ³	25.5	N.S	IS 11255(Part 7) 2005 RA 2017

Note: 1. N.S: Not Specified,

*****End of the report*****

Page 1 of 1


17/9/24
Reviewed By




17/9/24
Authorized Signatory

NOTE : 1. The result listed above pertain only to the tested samples and applicable parameters. 2. Samples will be stored for a period of 15 Days unless otherwise specified. 3. This report is not to be reproduced either wholly or in part and can not be used as evidence in the court of law and should not be used in any advertising media without prior written permission. 4. Sampling not done by us unless specified. 5. Total liability of our lab is limited to the Invoice Amount & any disputes arising out of this report are subject to Bangalore Jurisdiction only. 6. Laboratory is not responsible for the authenticity of photocopied test reports. ETH/QR/F&F/069 Issue date 01/03/2024



A TO Z ENVIRO TEST HOUSE LLP

Recognised by MoEF & CC, Certified By : ISO 9001 : 2015, ISO 45001 : 2018 & ISO 14001 : 2015

C-56, KSSIDC Industrial Estate, Veerasandra, Hosur Road, Bangalore-560 100.

Ph.: 080-2960 0330 Mob.: 98456 65241 E-mail : enquiry2022.eth@gmail.com



TEST REPORT

Name & Address of the Customer

: M/s. ASTER HOSPITAL WHITEFIELD.

(A Unit of Aster DM Health Care Limited) (A-Block)

Plot No 3 & 4 Sadaramangala Industrial Area, Off.

Whitefield Main Road, Opposite ITPL, Whitefield,

Bengaluru, Karnataka-560 066.

Sample Code	ETH/OCT-24/66-1		
Date of Sample Collection	16/10/2024	Date of Sample Receipt	16/10/2024
Analysis Commenced Date	17/10/2024	Analysis Completed Date	18/10/2024
Sampling Location	DG Set-500 KVA No-2	Report Issue Date	19/10/2024
Sample Particulars	Stack Monitoring.		

Instrument Used:

Instrument Name	Instrument ID	Make	Model	SI No	Instrument Calibrated Date	Instrument Calibration Due Date
Stack Sampler-1	ETH/AIR/INS/015	Ecotech	ESS-100	19-G-286	07-12-2023	06-12-2024

General Details

Date of Monitoring	16/10/2024
Fuel Used	Diesel
Ambient Temperature °C	30.0
Cross Section Area (m ²)	0.018
Quantity of flue gas discharged into the atmosphere (Nm ³ /Hr)	342.7
Flue Gas Temperature °C	461.0
Exit Velocity of gas (Mts/Sec)	14.18


STACK MONITORING RESULTS

Parameters	Unit	Result	Limits	Test Method
Particulate matter	mg/Nm ³	36.2	150.0	IS 11255(Part 1)1985 RA 2019
Sulphur Dioxide (SO ₂)	mg/Nm ³	17.5	N.S	IS 11255(Part 2) 1985 RA 2019
Oxides of Nitrogen (NO ₂)	mg/Nm ³	25.9	N.S	IS 11255(Part 7) 2005 RA 2017

Note: 1. N.S: Not Specified,

*****End of the report*****

Page 1 of 1


Reviewed By




Authorized Signatory

NOTE : 1. The result listed above pertain only to the tested samples and applicable parameters. 2. Samples will be stored for a period of 15 Days unless otherwise specified. 3. This report is not to be reproduced either wholly or in part and can not be used as evidence in the court of law and should not be used in any advertising media without prior written permission. 4. Sampling not done by us unless specified. 5. Total liability of our lab is limited to the Invoice Amount & any disputes arising out of this report are subject to Bangalore Jurisdiction only. 6. Laboratory is not responsible for the authenticity of photocopied test reports. ETH/QR/F&F/069 Issue date 01/03/2024



A TO Z ENVIRO TEST HOUSE LLP

Recognised by MoEF & CC, Certified By : ISO 9001 : 2015, ISO 45001 : 2018 & ISO 14001 : 2015

C-56, KSSIDC Industrial Estate, Veerasandra, Hosur Road, Bangalore-560 100.

Ph.: 080-2960 0330 Mob.: 98456 65241 E-mail : enquiry2022.eth@gmail.com

TEST REPORT

Name & Address of the Customer : **M/s. ASTER HOSPITAL WHITEFIELD.**
(A Unit of Aster DM Health Care Limited) (B-Block)
Plot No 3 & 4 Sadaramangala Industrial Area, Off.
Whitefield Main Road, Opposite ITPL, Whitefield,
Bengaluru, Karnataka-560 066.

Sample Code	ETH/OCT-24/67-1		
Date of Sample Collection	16/10/2024	Date of Sample Receipt	16/10/2024
Analysis Commenced Date	17/10/2024	Analysis Completed Date	18/10/2024
Sampling Location	DG Set-1010 KVA No-1	Report Issue Date	21/10/2024
Sample Particulars	Stack Monitoring.		

Instrument Used:

Instrument Name	Instrument ID	Make	Model	SI No	Instrument Calibrated Date	Instrument Calibration Due Date
Stack Sampler-1	ETH/AIR/INS/015	Ecotech	ESS-100	19-G-286	07-12-2023	06-12-2024

General Details

Date of Monitoring	16/10/2024
Fuel Used	Diesel
Ambient Temperature °C	30.0
Cross Section Area (m ²)	0.071
Quantity of flue gas discharged into the atmosphere (Nm ³ /Hr)	1266.1
Flue Gas Temperature °C	511.0
Exit Velocity of gas (Mts/Sec)	13.99

STACK MONITORING RESULTS

Parameters	Unit	Result	Limits	Test Method
Carbon Monoxide	%	0.03	N.S	IS 13270 1992(RA 2019)
Carbon Dioxide	%	3.03	N.S	Flue Gas Analyzer

Note: 1. N.S: Not Specified,

*****End of the report*****

Page 2 of 2



[Signature]
21/10/24
Reviewed & Authorized Signatory

NOTE : 1. The result listed above pertain only to the tested samples and applicable parameters. 2. Samples will be stored for a period of 15 Days unless otherwise specified. 3. This report is not to be reproduced either wholly or in part and can not be used as evidence in the court of law and should not be used in any advertising media without prior written permission. 4. Sampling not done by us unless specified. 5. Total liability of our lab is limited to the Invoice Amount & any disputes arising out of this report are subject to Bangalore Jurisdiction only. 6. Laboratory is not responsible for the authenticity of photocopied test reports. ETH/QR/F&F/069 Issue date 01/03/2024



A TO Z ENVIRO TEST HOUSE LLP

Recognised by MoEF & CC, Certified By : ISO 9001 : 2015, ISO 45001 : 2018 & ISO 14001 : 2015

C-56, KSSIDC Industrial Estate, Veerasandra, Hosur Road, Bangalore-560 100.

Ph.: 080-2960 0330 Mob.: 98456 65241 E-mail : enquiry2022.eth@gmail.com



TEST REPORT

Name & Address of the Customer

M/s. ASTER HOSPITAL WHITEFIELD.
(A Unit of Aster DM Health Care Limited) (B-Block)
Plot No 3 & 4 Sadaramangala Industrial Area, Off.
Whitefield Main Road, Opposite ITPL, Whitefield,
Bengaluru, Karnataka-560 066.

Sample Code	ETH/OCT-24/67-1		
Date of Sample Collection	16/10/2024	Date of Sample Receipt	16/10/2024
Analysis Commenced Date	17/10/2024	Analysis Completed Date	18/10/2024
Sampling Location	DG Set-1010 KVA No-1	Report Issue Date	21/10/2024
Sample Particulars	Stack Monitoring.		

Instrument Used:

Instrument Name	Instrument ID	Make	Model	SI No	Instrument Calibrated Date	Instrument Calibration Due Date
Stack Sampler-1	ETH/AIR/INS/015	Ecotech	ESS-100	19-G-286	07-12-2023	06-12-2024

General Details

Date of Monitoring	16/10/2024
Fuel Used	Diesel
Ambient Temperature °C	30.0
Cross Section Area (m ²)	0.071
Quantity of flue gas discharged into the atmosphere (Nm ³ /Hr)	1266.1
Flue Gas Temperature °C	511.0
Exit Velocity of gas (Mts/Sec)	13.99

STACK MONITORING RESULTS

Parameters	Unit	Result	Limits	Test Method
Particulate matter	mg/Nm ³	44.4	75.0	IS 11255(Part 1)1985 RA 2019
Sulphur Dioxide (SO ₂)	mg/Nm ³	18.7	N.S	IS 11255(Part 2) 1985 RA 2019
Oxides of Nitrogen (NO ₂)	mg/Nm ³	27.3	N.S	IS 11255(Part 7) 2005 RA 2017

Note: 1. N.S: Not Specified,

*****End of the report*****

Page 1 of 2



[Signature]
21/10/24
Reviewed & Authorized Signatory

NOTE : 1. The result listed above pertain only to the tested samples and applicable parameters. 2. Samples will be stored for a period of 15 Days unless otherwise specified. 3. This report is not to be reproduced either wholly or in part and can not be used as evidence in the court of law and should not be used in any advertising media without prior written permission. 4. Sampling not done by us unless specified. 5. Total liability of our lab is limited to the Invoice Amount & any disputes arising out of this report are subject to Bangalore Jurisdiction only. 6. Laboratory is not responsible for the authenticity of photocopied test reports. ETH/QR/F&F/069 Issue date 01/03/2024



A TO Z ENVIRO TEST HOUSE LLP

Recognised by MoEF & CC, Certified By : ISO 9001 : 2015, ISO 45001 : 2018 & ISO 14001 : 2015

C-56, KSSIDC Industrial Estate, Veerasandra, Hosur Road, Bangalore-560 100.

Ph.: 080-2960 0330 Mob.: 98456 65241 E-mail : enquiry2022.eth@gmail.com

TEST REPORT

Name & Address of the Customer

: M/s. ASTER HOSPITAL WHITEFIELD.

(A Unit of Aster DM Health Care Limited) (B-Block)

Plot No 3 & 4 Sadaramangala Industrial Area, Off.

Whitefield Main Road, Opposite ITPL, Whitefield,

Bengaluru, Karnataka-560 066.

Sample Code	ETH/NOV-24/67-1	Report No	ETH/NOV-24/67-1
Date of Sample Collection	15/11/2024	Date of Sample Receipt	15/11/2024
Analysis Commenced Date	15/11/2024	Analysis Completed Date	18/11/2024
Sampling Location	DG Set-1010 KVA No-2	Report Issue Date	19/11/2024
Sample Particulars	Stack Monitoring.		

Instrument Used:

Instrument Name	Instrument ID	Make	Model	SI No	Instrument Calibrated Date	Instrument Calibration Due Date
Stack Sampler-1	ETH/AIR/INS/015	Ecotech	ESS-100	19-G-286	07-12-2023	06-12-2024

General Details

Date of Monitoring	15/11/2024
Fuel Used	Diesel
Ambient Temperature °C	30.0
Cross Section Area (m ²)	0.071
Quantity of flue gas discharged into the atmosphere (Nm ³ /Hr)	1245.6
Flue Gas Temperature °C	537.0
Exit Velocity of gas (Mts/Sec)	14.22

STACK MONITORING RESULTS

Parameters	Unit	Result	Limits	Test Method
Carbon Monoxide	%	0.04	N.S	IS 13270 1992(RA 2019)
Carbon Dioxide	%	3.13	N.S	Flue Gas Analyzer

Note: 1. N.S: Not Specified,

*****End of the report*****

Page 2 of 2

Reviewed By
19/11/24



Authorized Signatory
19/11/24

NOTE : 1. The result listed above pertain only to the tested samples and applicable parameters. 2. Samples will be stored for a period of 15 Days unless otherwise specified. 3. This report is not to be reproduced either wholly or in part and can not be used as evidence in the court of law and should not be used in any advertising media without prior written permission. 4. Sampling not done by us unless specified. 5. Total liability of our lab is limited to the Invoice Amount & any disputes arising out of this report are subject to Bangalore Jurisdiction only. 6. Laboratory is not responsible for the authenticity of photocopied test reports. ETH/QR/F&F/069 Issue date 01/03/2024



A TO Z ENVIRO TEST HOUSE LLP

Recognised by MoEF & CC, Certified By : ISO 9001 : 2015, ISO 45001 : 2018 & ISO 14001 : 2015

C-56, KSSIDC Industrial Estate, Veerasandra, Hosur Road, Bangalore-560 100.

Ph.: 080-2960 0330 Mob.: 98456 65241 E-mail : enquiry2022.eth@gmail.com



TEST REPORT

Name & Address of the Customer

M/s. ASTER HOSPITAL WHITEFIELD.
(A Unit of Aster DM Health Care Limited) (B-Block)
Plot No 3 & 4 Sadaramangala Industrial Area, Off.
Whitefield Main Road, Opposite ITPL, Whitefield,
Bengaluru, Karnataka-560 066.

Sample Code	ETH/NOV-24/67-1	Report No	ETH/NOV-24/67-1
Date of Sample Collection	15/11/2024	Date of Sample Receipt	15/11/2024
Analysis Commenced Date	15/11/2024	Analysis Completed Date	18/11/2024
Sampling Location	DG Set-1010 KVA No-2	Report Issue Date	19/11/2024
Sample Particulars	Stack Monitoring.		

Instrument Used:

Instrument Name	Instrument ID	Make	Model	SI No	Instrument Calibrated Date	Instrument Calibration Due Date
Stack Sampler-1	ETH/AIR/INS/015	Ecotech	ESS-100	19-G-286	07-12-2023	06-12-2024

General Details

Date of Monitoring	15/11/2024
Fuel Used	Diesel
Ambient Temperature °C	30.0
Cross Section Area (m ²)	0.071
Quantity of flue gas discharged into the atmosphere (Nm ³ /Hr)	1245.6
Flue Gas Temperature °C	537.0
Exit Velocity of gas (Mts/Sec)	14.22

STACK MONITORING RESULTS

Parameters	Unit	Result	Limits	Test Method
Particulate matter	mg/Nm ³	42.5	75.0	IS 11255(Part 1)1985 RA 2019
Sulphur Dioxide (SO ₂)	mg/Nm ³	20.3	N.S	IS 11255(Part 2) 1985 RA 2019
Oxides of Nitrogen (NO ₂)	mg/Nm ³	31.7	N.S	IS 11255(Part 7) 2005 RA 2017

Note: 1. N.S: Not Specified,

*****End of the report*****

Page 1 of 2

Reviewed By
19/11/24



Authorized Signatory
19/11/24

NOTE: 1. The result listed above pertain only to the tested samples and applicable parameters. 2. Samples will be stored for a period of 15 Days unless otherwise specified. 3. This report is not to be reproduced either wholly or in part and can not be used as evidence in the court of law and should not be used in any advertising media without prior written permission. 4. Sampling not done by us unless specified. 5. Total liability of our lab is limited to the Invoice Amount & any disputes arising out of this report are subject to Bangalore Jurisdiction only. 6. Laboratory is not responsible for the authenticity of photocopied test reports. ETH/QR/F&F/069 Issue date 01/03/2024



A TO Z ENVIRO TEST HOUSE LLP

Recognised by MoEF & CC, Certified By : ISO 9001 : 2015, ISO 45001 : 2018 & ISO 14001 : 2015

C-56, KSSIDC Industrial Estate, Veerasandra, Hosur Road, Bangalore-560 100.

Ph.: 080-2960 0330 Mob.: 98456 65241 E-mail : enquiry2022.eth@gmail.com



TEST REPORT

Name & Address of the Customer

M/s. ASTER HOSPITAL WHITEFIELD.
(A Unit of Aster DM Health Care Limited) (A-Block)
Plot No 3 & 4 Sadaramangala Industrial Area, Off.
Whitefield Main Road, Opposite ITPL, Whitefield,
Bengaluru, Karnataka-560 066.

Sample Code	ETH/NOV-24/66-1	Report No	ETH/NOV-24/66-1
Date of Sample Collection	15/11/2024	Date of Sample Receipt	15/11/2024
Analysis Commenced Date	15/11/2024	Analysis Completed Date	18/11/2024
Sampling Location	DG Set-500 KVA No-2	Report Issue Date	20/11/2024
Sample Particulars	Stack Monitoring.		

Instrument Used:

Instrument Name	Instrument ID	Make	Model	SI No	Instrument Calibrated Date	Instrument Calibration Due Date
Stack Sampler-1	ETH/AIR/INS/015	Ecotech	ESS-100	19-G-286	07-12-2023	06-12-2024

General Details

Date of Monitoring	15/11/2024
Fuel Used	Diesel
Ambient Temperature °C	30.0
Cross Section Area (m ²)	0.018
Quantity of flue gas discharged into the atmosphere (Nm ³ /Hr)	340.9
Flue Gas Temperature °C	468.0
Exit Velocity of gas (Mts/Sec)	14.24

STACK MONITORING RESULTS

Parameters	Unit	Result	Limits	Test Method
Particulate matter	mg/ Nm ³	36.9	150.0	IS 11255(Part 1)1985 RA 2019
Sulphur Dioxide (SO ₂)	mg/ Nm ³	18.1	N.S	IS 11255(Part 2) 1985 RA 2019
Oxides of Nitrogen (NO ₂)	mg/ Nm ³	26.6	N.S	IS 11255(Part 7) 2005 RA 2017

Note: 1. N.S: Not Specified,

*****End of the report*****

Page 1 of 1

Reviewed By
20/11/24



Authorized Signatory
20/11/24

NOTE : 1. The result listed above pertain only to the tested samples and applicable parameters. 2. Samples will be stored for a period of 15 Days unless otherwise specified. 3. This report is not to be reproduced either wholly or in part and can not be used as evidence in the court of law and should not be used in any advertising media without prior written permission. 4. Sampling not done by us unless specified. 5. Total liability of our lab is limited to the Invoice Amount & any disputes arising out of this report are subject to Bangalore Jurisdiction only. 6. Laboratory is not responsible for the authenticity of photocopied test reports. ETH/QR/F&F/069 Issue date 01/03/2024



A TO Z ENVIRO TEST HOUSE LLP

Recognised by MoEF & CC, Certified By : ISO 9001 : 2015, ISO 45001 : 2018 & ISO 14001 : 2015

C-56, KSSIDC Industrial Estate, Veerasandra, Hosur Road, Bangalore-560 100.

Ph.: 080-2960 0330 Mob.: 98456 65241 E-mail : enquiry2022.eth@gmail.com



TEST REPORT

Name & Address of the Customer

M/s. ASTER HOSPITAL WHITEFIELD.
(A Unit of Aster DM Health Care Limited) (A-Block)
Plot No 3 & 4 Sadaramangala Industrial Area, Off.
Whitefield Main Road, Opposite ITPL, Whitefield,
Bengaluru, Karnataka-560 066.

Sample Code	ETH/DEC-24/57-2	Report No	ETH/DEC-24/57-2
Date of Sample Collection	13/12/2024	Date of Sample Receipt	14/12/2024
Analysis Commenced Date	14/12/2024	Analysis Completed Date	17/12/2024
Sampling Location	DG Set-500 KVA No-1	Report Issue Date	19/12/2024
Sample Particulars	Stack Monitoring.		

Instrument Used:

Instrument Name	Instrument ID	Make	Model	SI No	Instrument Calibrated Date	Instrument Calibration Due Date
Stack Sampler-1	ETH/ AIR/INS/015	Ecotech	ESS-100	19-G-286	04-12-2024	03-12-2025

General Details

Date of Monitoring	13/12/2024
Fuel Used	Diesel
Ambient Temperature °C	30.0
Cross Section Area (m ²)	0.018
Quantity of flue gas discharged into the atmosphere (Nm ³ /Hr)	345.4
Flue Gas Temperature °C	475.0
Exit Velocity of gas (Mts/Sec)	15.03

STACK MONITORING RESULTS

Parameters	Unit	Result	Limits	Test Method
Particulate matter	mg/Nm ³	37.4	150.0	IS 11255(Part 1)1985 RA 2019
Sulphur Dioxide (SO ₂)	mg/Nm ³	19.2	N.S	IS 11255(Part 2) 1985 RA 2019
Oxides of Nitrogen (NO ₂)	mg/Nm ³	27.8	N.S	IS 11255(Part 7) 2005 RA 2017

Note: 1. N.S: Not Specified,

*****End of the report*****

Page 1 of 1



Reviewed & Authorized Signatory

NOTE : 1. The result listed above pertain only to the tested samples and applicable parameters. 2. Samples will be stored for a period of 15 Days unless otherwise specified. 3. This report is not to be reproduced either wholly or in part and can not be used as evidence in the court of law and should not be used in any advertising media without prior written permission. 4. Sampling not done by us unless specified. 5. Total liability of our lab is limited to the Invoice Amount & any disputes arising out of this report are subject to Bangalore Jurisdiction only. 6. Laboratory is not responsible for the authenticity of photocopied test reports. ETH/QR/F&F/069 Issue date 01/03/2024



A TO Z ENVIRO TEST HOUSE LLP

Recognised by MoEF & CC, Certified By : ISO 9001 : 2015, ISO 45001 : 2018 & ISO 14001 : 2015

C-56, KSSIDC Industrial Estate, Veerasandra, Hosur Road, Bangalore-560 100.

Ph.: 080-2960 0330 Mob.: 98456 65241 E-mail : enquiry2022.eth@gmail.com



TEST REPORT

Name & Address of the Customer

: M/s. ASTER HOSPITAL WHITEFIELD.

(A Unit of Aster DM Health Care Limited) (B-Block)

Plot No 3 & 4 Sadaramangala Industrial Area, Off.

Whitefield Main Road, Opposite ITPL, Whitefield,

Bengaluru, Karnataka-560 066.

Sample Code	ETH/DEC-24/58-2	Report No	ETH/DEC-24/58-2
Date of Sample Collection	13/12/2024	Date of Sample Receipt	14/12/2024
Analysis Commenced Date	14/12/2024	Analysis Completed Date	17/12/2024
Sampling Location	DG Set-1010 KVA No-1	Report Issue Date	19/12/2024
Sample Particulars	Stack Monitoring.		

Instrument Used:

Instrument Name	Instrument ID	Make	Model	SI No	Instrument Calibrated Date	Instrument Calibration Due Date
Stack Sampler-1	ETH/AIR/INS/015	Ecotech	ESS-100	19-C-286	04-12-2024	03-12-2025

General Details

Date of Monitoring	13/12/2024
Fuel Used	Diesel
Ambient Temperature °C	30.0
Cross Section Area (m ²)	0.071
Quantity of flue gas discharged into the atmosphere (Nm ³ /Hr)	1269.0
Flue Gas Temperature °C	555.0
Exit Velocity of gas (Mts/Sec)	15.28

STACK MONITORING RESULTS

Parameters	Unit	Result	Limits	Test Method
Particulate matter	mg/Nm ³	43.6	75.0	IS 11255(Part 1)1985 RA 2019
Sulphur Dioxide (SO ₂)	mg/Nm ³	21.4	N.S	IS 11255(Part 2) 1985 RA 2019
Oxides of Nitrogen (NO ₂)	mg/Nm ³	33.3	N.S	IS 11255(Part 7) 2005 RA 2017

Note: 1. N.S: Not Specified,

*****End of the report*****

Page 1 of 2



[Signature]
Reviewed & Authorized Signatory

NOTE : 1. The result listed above pertain only to the tested samples and applicable parameters. 2. Samples will be stored for a period of 15 Days unless otherwise specified. 3. This report is not to be reproduced either wholly or in part and can not be used as evidence in the court of law and should not be used in any advertising media without prior written permission. 4. Sampling not done by us unless specified. 5. Total liability of our lab is limited to the Invoice Amount & any disputes arising out of this report are subject to Bangalore Jurisdiction only. 6. Laboratory is not responsible for the authenticity of photocopied test reports. ETH/QR/F&F/069 Issue date 01/03/2024



A TO Z ENVIRO TEST HOUSE LLP

Recognised by MoEF & CC, Certified By : ISO 9001 : 2015, ISO 45001 : 2018 & ISO 14001 : 2015

C-56, KSSIDC Industrial Estate, Veerasandra, Hosur Road, Bangalore-560 100.

Ph.: 080-2960 0330 Mob.: 98456 65241 E-mail : enquiry2022.eth@gmail.com

TEST REPORT

Name & Address of the Customer : M/s. ASTER HOSPITAL WHITEFIELD.
(A Unit of Aster DM Health Care Limited) (B-Block)
Plot No 3 & 4 Sadaramangala Industrial Area, Off.
Whitefield Main Road, Opposite ITPL, Whitefield,
Bengaluru, Karnataka-560 066.

Sample Code	ETH/DEC-24/58-2	Report No	ETH/DEC-24/58-2
Date of Sample Collection	13/12/2024	Date of Sample Receipt	14/12/2024
Analysis Commenced Date	14/12/2024	Analysis Completed Date	17/12/2024
Sampling Location	DG Set-1010 KVA No-1	Report Issue Date	19/12/2024
Sample Particulars	Stack Monitoring.		

Instrument Used:

Instrument Name	Instrument ID	Make	Model	SI No	Instrument Calibrated Date	Instrument Calibration Due Date
Stack Sampler-1	ETH/AIR/INS/015	Ecotech	FSS-100	19-G-286	04-12-2024	03-12-2025

General Details

Date of Monitoring	13/12/2024
Fuel Used	Diesel
Ambient Temperature °C	30.0
Cross Section Area (m ²)	0.071
Quantity of flue gas discharged into the atmosphere (Nm ³ /Hr)	1269.0
Flue Gas Temperature °C	555.0
Exit Velocity of gas (Mts/Sec)	15.28

STACK MONITORING RESULTS

Parameters	Unit	Result	Limits	Test Method
Carbon Monoxide	%	0.05	N.S	IS 13270 1992(RA 2019)
Carbon Dioxide	%	3.39	N.S	Flue Gas Analyzer

Note: 1. N.S: Not Specified,

*****End of the report*****

Page 2 of 2



Reviewed & Authorized Signatory

NOTE : 1. The result listed above pertain only to the tested samples and applicable parameters. 2. Samples will be stored for a period of 15 Days unless otherwise specified. 3. This report is not to be reproduced either wholly or in part and can not be used as evidence in the court of law and should not be used in any advertising media without prior written permission. 4. Sampling not done by us unless specified. 5. Total liability of our lab is limited to the Invoice Amount & any disputes arising out of this report are subject to Bangalore Jurisdiction only. 6. Laboratory is not responsible for the authenticity of photocopied test reports. ETH/QR/F&F/069 Issue date 01/03/2024



A TO Z ENVIRO TEST HOUSE LLP

Recognised by MoEF & CC, Certified By : ISO 9001 : 2015, ISO 45001 : 2018 & ISO 14001 : 2015

C-56, KSSIDC Industrial Estate, Veerasandra, Hosur Road, Bangalore-560 100.

Ph.: 080-2960 0330 Mob.: 98456 65241 E-mail : enquiry2022.eth@gmail.com



TC-13068

TEST REPORT

Name & Address of the Customer

: M/s. ASTER HOSPITAL WHITEFIELD.

(A Unit of Aster DM Health Care Limited) (B-Block)

Plot No 3 & 4 Sadaramangala Industrial Area, Off. Whitefield

Main Road, Opposite ITPL, Whitefield, Bengaluru,

Karnataka-560 066.

Sample Code	ETH/JAN-25/16-1	ULR No	TC130682500000039F
Date of Sample Collection	14/01/2025	Date of Sample Receipt	14/01/2025
Analysis Commenced Date	15/01/2025	Analysis Completed Date	16/01/2025
Sampling Location	DG Set- 1010 KVA No-2	Report Issue Date	18/01/2025
Sample Particulars	Stack Monitoring.		

Instrument Used:

Instrument Name	Instrument ID	Make	Model	SI No	Instrument Calibrated Date	Instrument Calibration Due Date
Stack Sampler-1	ETH/ AIR/ INS/015	Ecotech	ESS-100	19-G-286	03-12-2024	02-12-2025

General Details

Date of Monitoring	14/01/2025
Fuel Used	Diesel
Ambient Temperature °C	30.0
Cross Section Area (m ²)	0.071
Quantity of flue gas discharged into the atmosphere (Nm ³ /Hr)	1340.14
Flue Gas Temperature °C	537.0
Exit Velocity of gas (Mts/Sec)	15.73

STACK MONITORING RESULTS

Parameters	Unit	Result	Limits	Test Method
Particulate matter	mg/Nm ³	47.3	75.0	IS 11255(Part 1)1985 RA 2019
Sulphur Dioxide (SO ₂)	mg/Nm ³	19.1	N.S	IS 11255(Part 2) 1985 RA 2019
Oxides of Nitrogen (NO ₂)	mg/Nm ³	36.1	N.S	IS 11255(Part 7) 2005 RA 2017

Note: 1. N.S: Not Specified,

*****End of the report*****

Page 1 of 1



Reviewed & Authorized Signatory

NOTE : 1. The result listed above pertain only to the tested samples and applicable parameters. 2. Samples will be stored for a period of 15 Days unless otherwise specified. 3. This report is not to be reproduced either wholly or in part and can not be used as evidence in the court of law and should not be used in any advertising media without prior written permission. 4. Sampling not done by us unless specified. 5. Total liability of our lab is limited to the Invoice Amount & any disputes arising out of this report are subject to Bangalore Jurisdiction only. 6. Laboratory is not responsible for the authenticity of photocopied test reports. ETH/QR/F&F/069 Issue date 01/03/2024



A TO Z ENVIRO TEST HOUSE LLP

Recognised by MoEF & CC, Certified By : ISO 9001 : 2015, ISO 45001 : 2018 & ISO 14001 : 2015

C-56, KSSIDC Industrial Estate, Veerasandra, Hosur Road, Bangalore-560 100.

Ph.: 080-2960 0330 Mob.: 98456 65241 E-mail : enquiry2022.eth@gmail.com



TEST REPORT

Name & Address of the Customer

M/s. ASTER HOSPITAL WHITEFIELD.

(A Unit of Aster DM Health Care Limited) (A-Block)

Plot No 3 & 4 Sadaramangala Industrial Area, Off. Whitefield

Main Road, Opposite ITPL, Whitefield, Bengaluru,

Karnataka-560 066.

Sample Code	ETH/JAN-25/15-1	ULR No	TC1306825000000037F
Date of Sample Collection	14/01/2025	Date of Sample Receipt	14/01/2025
Analysis Commenced Date	15/01/2025	Analysis Completed Date	16/01/2025
Sampling Location	DG Set-No-1 -500 KVA	Report Issue Date	18/01/2025
Sample Particulars	Stack Monitoring.		

Instrument Used:

Instrument Name	Instrument ID	Make	Model	SI No	Instrument Calibrated Date	Instrument Calibration Due Date
Stack Sampler-1	ETH/ AIR/INS/015	Ecotech	ESS-100	19-G-286	03-12-2024	02-12-2025

General Details

Date of Monitoring	14/01/2025
Fuel Used	Diesel
Ambient Temperature °C	30.0
Cross Section Area (m ²)	0.018
Quantity of flue gas discharged into the atmosphere (Nm ³ /Hr)	343.64
Flue Gas Temperature °C	459.0
Exit Velocity of gas (Mts/Sec)	14.4

STACK MONITORING RESULTS

Parameters	Unit	Result	Limits	Test Method
Particulate matter	mg/Nm ³	43.4	150.0	IS 11255(Part 1)1985 RA 2019
Sulphur Dioxide (SO ₂)	mg/Nm ³	17.9	N.S	IS 11255(Part 2) 1985 RA 2019
Oxides of Nitrogen (NO ₂)	mg/Nm ³	29.3	N.S	IS 11255(Part 7) 2005 RA 2017

Note: 1. N.S: Not Specified,

*****End of the report*****

Page 1 of 1

Kong
18/01/25

Reviewed By



Authorized Signatory

NOTE : 1. The result listed above pertain only to the tested samples and applicable parameters. 2. Samples will be stored for a period of 15 Days unless otherwise specified. 3. This report is not to be reproduced either wholly or in part and can not be used as evidence in the court of law and should not be used in any advertising media without prior written permission. 4. Sampling not done by us unless specified. 5. Total liability of our lab is limited to the Invoice Amount & any disputes arising out of this report are subject to Bangalore Jurisdiction only. 6. Laboratory is not responsible for the authenticity of photocopied test reports. ETH/QR/F&F/069 Issue date 01/03/2024



A TO Z ENVIRO TEST HOUSE LLP

Recognised by MoEF & CC, Certified By : ISO 9001 : 2015, ISO 45001 : 2018 & ISO 14001 : 2015

C-56, KSSIDC Industrial Estate, Veerasandra, Hosur Road, Bangalore-560 100.

Ph.: 080-2960 0330 Mob.: 98456 65241 E-mail : enquiry2022.eth@gmail.com



TC-13068

TEST REPORT

Name & Address of the Customer

: M/s. ASTER WOMEN AND CHILDREN HOSPITAL.

Plot No 2, Sadaramangala Industrial Area, Off.

Whitefield Road, Opposite ITPL, Whitefield,

Bengaluru, Karnataka-560 066.

Sample Code	ETH/JAN-25/17-1	ULR No	TC1306825000000042F
Date of Sample Collection	14/01/2025	Date of Sample Receipt	14/01/2025
Analysis Commenced Date	15/01/2025	Analysis Completed Date	16/01/2025
Sampling Location	DG Set-250 KVA	Report Issue Date	18/01/2025
Sample Particulars	Stack Monitoring.		

Instrument Used:

Instrument Name	Instrument ID	Make	Model	SI No	Instrument Calibrated Date	Instrument Calibration Due Date
Stack Sampler-1	ETH/ AIR/ INS/015	Ecotech	ESS-100	19-G-286	03-12-2024	02-12-2025

General Details

Date of Monitoring	14/01/2025
Fuel Used	Diesel
Ambient Temperature °C	30.0
Cross Section Area (m ²)	0.018
Quantity of flue gas discharged into the atmosphere (Nm ³ /Hr)	310.95
Flue Gas Temperature °C	279.0
Exit Velocity of gas (Mts/Sec)	9.80

STACK MONITORING RESULTS

Parameters	Unit	Result	Limits	Test Method
Particulate matter	mg/Nm ³	30.6	150.0	IS 11255(Part 1)1985 RA 2019
Sulphur Dioxide (SO ₂)	mg/Nm ³	16.3	N.S	IS 11255(Part 2) 1985 RA 2019
Oxides of Nitrogen (NO ₂)	mg/Nm ³	25.4	N.S	IS 11255(Part 7) 2005 RA 2017

Note: 1. N.S: Not Specified,

*****End of the report*****

Page 1 of 1



Reviewed & Authorized Signatory

NOTE : 1. The result listed above pertain only to the tested samples and applicable parameters. 2. Samples will be stored for a period of 15 Days unless otherwise specified. 3. This report is not to be reproduced either wholly or in part and can not be used as evidence in the court of law and should not be used in any advertising media without prior written permission. 4. Sampling not done by us unless specified. 5. Total liability of our lab is limited to the Invoice Amount & any disputes arising out of this report are subject to Bangalore Jurisdiction only. 6. Laboratory is not responsible for the authenticity of photocopied test reports. ETH/QR/F&F/069 Issue date 01/03/2024



A TO Z ENVIRO TEST HOUSE LLP

Recognised by MoEF & CC, Certified By : ISO 9001 : 2015, ISO 45001 : 2018 & ISO 14001 : 2015
C-56, KSSIDC Industrial Estate, Veerasandra, Hosur Road, Bangalore-560 100.
Ph.: 080-2960 0330 Mob.: 98456 65241 E-mail : enquiry2022.eth@gmail.com



TEST REPORT

Name & Address of the Customer

: M/s. ASTER HOSPITAL WHITEFIELD.
(A Unit of Aster DM Health Care Limited) (A-Block)
Plot No 3 & 4 Sadaramangala Industrial Area, Off. Whitefield
Main Road, Opposite ITPL, Whitefield, Bengaluru,
Karnataka-560 066.

Sample Code	ETH/FEB-25/18-1	ULR No	TC1306825000000139F
Date of Sample Collection	13/02/2025	Date of Sample Receipt	13/02/2025
Analysis Commenced Date	13/02/2025	Analysis Completed Date	15/02/2025
Sampling Location	DG Set-No-2 -500 KVA	Report Issue Date	17/02/2025
Sample Particulars	Stack Monitoring.		

Instrument Used:

Instrument Name	Instrument ID	Make	Model	SI No	Instrument Calibrated Date	Instrument Calibration Due Date
Stack Sampler-1	ETH/ AIR/ INS/015	Ecotech	ESS-100	19-G-286	03-12-2024	02-12-2025

General Details

Date of Monitoring	13/02/2025
Fuel Used	Diesel
Ambient Temperature °C	30.0
Cross Section Area (m ²)	0.018
Quantity of flue gas discharged into the atmosphere (Nm ³ /Hr)	336.63
Flue Gas Temperature °C	456.0
Exit Velocity of gas (Mts/Sec)	14.11

STACK MONITORING RESULTS

Parameters	Unit	Result	Limits	Test Method
Particulate matter	mg/Nm ³	38.5	150.0	IS 11255(Part 1)1985 RA 2019
Sulphur Dioxide (SO ₂)	mg/Nm ³	15.82	N.S	IS 11255(Part 2) 1985 RA 2019
Oxides of Nitrogen (NO ₂)	mg/Nm ³	30.48	N.S	IS 11255(Part 7) 2005 RA 2017

Note: 1. N.S: Not Specified,

*****End of the report*****

Page 1 of 1



Reviewed & Authorized Signatory

NOTE : 1. The result listed above pertain only to the tested samples and applicable parameters. 2. Samples will be stored for a period of 15 Days unless otherwise specified. 3. This report is not to be reproduced either wholly or in part and can not be used as evidence in the court of law and should not be used in any advertising media without prior written permission. 4. Sampling not done by us unless specified. 5. Total liability of our lab is limited to the Invoice Amount & any disputes arising out of this report are subject to Bangalore Jurisdiction only.



A TO Z ENVIRO TEST HOUSE LLP

Recognised by MoEF & CC, Certified By : ISO 9001 : 2015, ISO 45001 : 2018 & ISO 14001 : 2015
C-56, KSSIDC Industrial Estate, Veerasandra, Hosur Road, Bangalore-560 100.
Ph.: 080-2960 0330 Mob.: 98456 65241 E-mail : enquiry2022.eth@gmail.com



TEST REPORT

Name & Address of the Customer

M/s. ASTER HOSPITAL WHITEFIELD.
(A Unit of Aster DM Health Care Limited) (B-Block)
Plot No 3 & 4 Sadaramangala Industrial Area, Off. Whitefield
Main Road, Opposite ITPL, Whitefield, Bengaluru,
Karnataka-560 066.

Sample Code	ETH/FEB-25/19-1	ULR No	TC1306825000000141F
Date of Sample Collection	13/02/2025	Date of Sample Receipt	13/02/2025
Analysis Commenced Date	13/02/2025	Analysis Completed Date	15/02/2025
Sampling Location	DG Set No-2 -1010 KVA	Report Issue Date	17/02/2025
Sample Particulars	Stack Monitoring.		

Instrument Used:

Instrument Name	Instrument ID	Make	Model	SI No	Instrument Calibrated Date	Instrument Calibration Due Date
Stack Sampler-2	ETH/ AIR/ INS/016	Greentech	GTI-121	126-DTH-2021	03-12-2024	02-12-2025

General Details

Date of Monitoring	13/02/2025
Fuel Used	Diesel
Ambient Temperature °C	30.0
Cross Section Area (m ²)	0.071
Quantity of flue gas discharged into the atmosphere (Nm ³ /Hr)	1347.85
Flue Gas Temperature °C	544.0
Exit Velocity of gas (Mts/Sec)	16.05

STACK MONITORING RESULTS

Parameters	Unit	Result	Limits	Test Method
Particulate matter	mg/Nm ³	48.2	75.0	IS 11255(Part 1)1985 RA 2019
Sulphur Dioxide (SO ₂)	mg/Nm ³	18.52	N.S	IS 11255(Part 2) 1985 RA 2019
Oxides of Nitrogen (NO ₂)	mg/Nm ³	38.67	N.S	IS 11255(Part 7) 2005 RA 2017

Note: 1. N.S: Not Specified,

*****End of the report*****

Page 1 of 1



Reviewed & Authorized Signatory

NOTE : 1. The result listed above pertain only to the tested samples and applicable parameters. 2. Samples will be stored for a period of 15 Days unless otherwise specified. 3. This report is not to be reproduced either wholly or in part and can not be used as evidence in the court of law and should not be used in any advertising media without prior written permission. 4. Sampling not done by us unless specified. 5. Total liability of our lab is limited to the Invoice Amount & any disputes arising out of this report are subject to Bangalore Jurisdiction only.



A TO Z ENVIRO TEST HOUSE LLP

Recognised by MoEF & CC, Certified By : ISO 9001 : 2015, ISO 45001 : 2018 & ISO 14001 : 2015
C-56, KSSIDC Industrial Estate, Veerasandra, Hosur Road, Bangalore-560 100.
Ph.: 080-2960 0330 Mob.: 98456 65241 E-mail : enquiry2022.eth@gmail.com



TEST REPORT

Name & Address of the Customer

: M/s. ASTER HOSPITAL WHITEFIELD.
(A Unit of Aster DM Health Care Limited) (B-Block)
Plot No 3 & 4 Sadaramangala Industrial Area, Off.
Whitefield Main Road, Opposite ITPL, Whitefield,
Bengaluru, Karnataka-560 066.

Sample Code	ETH/SEP-24/64-9		
Date of Sample Collection	13/09/2024	Date of Sample Receipt	13/09/2024
Analysis Commenced Date	14/09/2024	Analysis Completed Date	18/09/2024
Sample Description	STP Treated Water (Basement STP)	Report Issue Date	18/09/2024
Qty. Received	2 Ltrs	Sample Received Condition	Good
Sample Appearance	Slightly Turbid Liquid		
Sampling Details	Sample Collected by A to Z Enviro Test House LLP Representative.		

Sl. No	Parameters	Unit	Result	Standards as per KSPCB	Test Method
1	pH Value @ 25°C	---	6.90	6.5-9.0	IS 3025(P-11) 2022
2	Chemical Oxygen Demand	mg/L	30.3	<50	IS 3025(P-58) 2023
3	Bio-Chemical Oxygen Demand (3days @ 27°C)	mg/L	7.0	<10	IS 3025(P-44)2023
4	Total Suspended Solids	mg/L	6.0	<10	IS 3025(P-17) 2022
5	Total Nitrogen as N	mg/L	5.6	<10	IS 3025(P-34) 1988 (RA-2019)
6	Ammonical Nitrogen as N	mg/L	1.3	<5	IS 3025(P-34) 1988 (RA-2019)

*****End of the report*****

Page 1 of 2



[Signature] 18/9/24
Reviewed & Authorized Signatory

NOTE : 1. The result listed above pertain only to the tested samples and applicable parameters. 2. Samples will be stored for a period of 15 Days unless otherwise specified. 3. This report is not to be reproduced either wholly or in part and can not be used as evidence in the court of law and should not be used in any advertising media without prior written permission. 4. Sampling not done by us unless specified. 5. Total liability of our lab is limited to the Invoice Amount & any disputes arising out of this report are subject to Bangalore Jurisdiction only. 6. Laboratory is not responsible for the authenticity of photocopied test reports. ETH/QR/F&F/069 Issue date 01/03/2024



A TO Z ENVIRO TEST HOUSE LLP

Recognised by MoEF & CC, Certified By : ISO 9001 : 2015, ISO 45001 : 2018 & ISO 14001 : 2015
C-56, KSSIDC Industrial Estate, Veerasandra, Hosur Road, Bangalore-560 100.
Ph.: 080-2960 0330 Mob.: 98456 65241 E-mail : enquiry2022.eth@gmail.com



TEST REPORT

Name & Address of the Customer

: M/s. ASTER HOSPITAL WHITEFIELD.

(A Unit of Aster DM Health Care Limited) (B-Block)
Plot No 3 & 4 Sadaramangala Industrial Area, Off.
Whitefield Main Road, Opposite ITPL, Whitefield,
Bengaluru, Karnataka-560 066.

Sample Code	ETH/SEP-24/64-9		
Date of Sample Collection	13/09/2024	Date of Sample Receipt	13/09/2024
Analysis Commenced Date	13/09/2024	Analysis Completed Date	17/09/2024
Sample Description	STP Treated Water (Basement STP)	Report Issue Date	18/09/2024
Qty. Received	500 ml	Sample Received Condition	Good
Sample Appearance	Slightly Turbid Liquid		
Sampling Details	Sample Collected by A to Z Enviro Test House LLP Representative.		

Sl. No	Parameters	Unit	Result	Standards as per KSPCB	Test Method
1	Faecal coliform	MPN/100ml	33	<100	IS 1622-1981(RA2019)

*****End of the Report*****

Page 2 of 2

Reviewed
2/10/24

18/09/24

Reviewed By



18/09/24

Authorized Signatory

NOTE : 1. The result listed above pertain only to the tested samples and applicable parameters. 2. Samples will be stored for a period of 15 Days unless otherwise specified. 3. This report is not to be reproduced either wholly or in part and can not be used as evidence in the court of law and should not be used in any advertising media without prior written permission. 4. Sampling not done by us unless specified. 5. Total liability of our lab is limited to the Invoice Amount & any disputes arising out of this report are subject to Bangalore Jurisdiction only. 6. Laboratory is not responsible for the authenticity of photocopied test reports. ETH/QR/F&F/069 Issue date 01/03/2024



A TO Z ENVIRO TEST HOUSE LLP

Recognised by MoEF & CC, Certified By : ISO 9001 : 2015, ISO 45001 : 2018 & ISO 14001 : 2015

C-56, KSSIDC Industrial Estate, Veerasandra, Hosur Road, Bangalore-560 100.

Ph.: 080-2960 0330 Mob.: 98456 65241 E-mail : enquiry2022.eth@gmail.com



TEST REPORT

Name & Address of the Customer

: M/s. ASTER HOSPITAL WHITEFIELD.

(A Unit of Aster DM Health Care Limited) (B-Block)

Plot No 3 & 4 Sadaramangala Industrial Area, Off.

Whitefield Main Road, Opposite ITPL, Whitefield,

Bengaluru, Karnataka-560 066.

Sample Code	ETH/OCT-24/67-11		
Date of Sample Collection	16/10/2024	Date of Sample Receipt	16/10/2024
Analysis Commenced Date	16/10/2024	Analysis Completed Date	19/10/2024
Sample Description	STP Treated Water (STP Area)	Report Issue Date	21/10/2024
Qty. Received	2 Ltrs	Sample Received Condition	Good
Sample Appearance	Slightly Turbid Liquid		
Sampling Details	Sample Collected by A to Z Enviro Test House LLP Representative.		

Sl. No	Parameters	Unit	Result	Standards as per KSPCB	Test Method
1	pH Value @ 25°C	---	7.10	6.5-9.0	IS 3025(P-11) 2022
2	Chemical Oxygen Demand	mg/L	29	<50	IS 3025(P-58) 2023
3	Bio-Chemical Oxygen Demand (3days @ 27°C)	mg/L	6.0	<10	IS 3025(P-44)2023
4	Total Suspended Solids	mg/L	5.0	<10	IS 3025(P-17) 2022
5	Total Nitrogen as N	mg/L	4.1	<10	IS 3025(P-34) 1988 (RA-2019)
6	Ammonical Nitrogen as N	mg/L	1.8	<5	IS 3025(P-34) 1988 (RA-2019)

*****End of the report*****

Page 1 of 2



Reviewed & Authorized Signatory

NOTE : 1. The result listed above pertain only to the tested samples and applicable parameters. 2. Samples will be stored for a period of 15 Days unless otherwise specified. 3. This report is not to be reproduced either wholly or in part and can not be used as evidence in the court of law and should not be used in any advertising media without prior written permission. 4. Sampling not done by us unless specified. 5. Total liability of our lab is limited to the Invoice Amount & any disputes arising out of this report are subject to Bangalore Jurisdiction only. 6. Laboratory is not responsible for the authenticity of photocopied test reports. ETH/QR/F&F/069 Issue date 01/03/2024



A TO Z ENVIRO TEST HOUSE LLP

Recognised by MoEF & CC, Certified By : ISO 9001 : 2015, ISO 45001 : 2018 & ISO 14001 : 2015

C-56, KSSIDC Industrial Estate, Veerasandra, Hosur Road, Bangalore-560 100.

Ph.: 080-2960 0330 Mob.: 98456 65241 E-mail : enquiry2022.eth@gmail.com



TEST REPORT

Name & Address of the Customer

: M/s. ASTER HOSPITAL WHITEFIELD.

(A Unit of Aster DM Health Care Limited) (B-Block)

Plot No 3 & 4 Sadaramangala Industrial Area, Off.

Whitefield Main Road, Opposite ITPL, Whitefield,

Bengaluru, Karnataka-560 066.

Sample Code	ETH/OCT-24/67-11		
Date of Sample Collection	16/10/2024	Date of Sample Receipt	16/10/2024
Analysis Commenced Date	16/10/2024	Analysis Completed Date	21/10/2024
Sample Description	STP Treated Water (STP Area)	Report Issue Date	21/10/2024
Qty. Received	500 ml	Sample Received Condition	Good
Sample Appearance	Slightly Turbid Liquid		
Sampling Details	Sample Collected by A to Z Enviro Test House LLP Representative.		

Sl. No	Parameters	Unit	Result	Standards as per KSPCB	Test Method
1	Faecal coliform	MPN/100ml	39	<100	IS 1622-1981(RA2019)

*****End of the Report*****

Page 2 of 2

Reviewed
K

Vani
21/10/24
Reviewed By



@ 21/10/24
Authorized Signatory

NOTE : 1. The result listed above pertain only to the tested samples and applicable parameters. 2. Samples will be stored for a period of 15 Days unless otherwise specified. 3. This report is not to be reproduced either wholly or in part and can not be used as evidence in the court of law and should not be used in any advertising media without prior written permission. 4. Sampling not done by us unless specified. 5. Total liability of our lab is limited to the Invoice Amount & any disputes arising out of this report are subject to Bangalore Jurisdiction only. 6. Laboratory is not responsible for the authenticity of photocopied test reports. ETH/QR/F&F/069 Issue date 01/03/2024



A TO Z ENVIRO TEST HOUSE LLP

Recognised by MoEF & CC, Certified By : ISO 9001 : 2015, ISO 45001 : 2018 & ISO 14001 : 2015
C-56, KSSIDC Industrial Estate, Veerasandra, Hosur Road, Bangalore-560 100.
Ph.: 080-2960 0330 Mob.: 98456 65241 E-mail : enquiry2022.eth@gmail.com



TEST REPORT

Name & Address of the Customer

: M/s. ASTER HOSPITAL WHITEFIELD.
(A Unit of Aster DM Health Care Limited) (B-Block)
Plot No 3 & 4 Sadaramangala Industrial Area, Off.
Whitefield Main Road, Opposite ITPL, Whitefield,
Bengaluru, Karnataka-560 066.

Sample Code	ETH/NOV-24/67-10	Report No	ETH/NOV-24/67-10
Date of Sample Collection	15/11/2024	Date of Sample Receipt	15/11/2024
Analysis Commenced Date	15/11/2024	Analysis Completed Date	18/11/2024
Sample Description	STP Treated Water (STP Area)	Report Issue Date	19/11/2024
Qty. Received	2 Ltrs	Sample Received Condition	Good
Sample Appearance	Slightly Turbid Liquid		
Sampling Details	Sample Collected by A to Z Enviro Test House LLP Representative.		

Sl. No	Parameters	Unit	Result	Standards as per KSPCB	Test Method
1	pH Value @ 25°C	---	7.40	6.5-9.0	IS 3025(P-11) 2022
2	Chemical Oxygen Demand	mg/L	27	<50	IS 3025(P-58) 2023
3	Bio-Chemical Oxygen Demand (3days @ 27°C)	mg/L	5.6	<10	IS 3025(P-44)2023
4	Total Suspended Solids	mg/L	5.0	<10	IS 3025(P-17) 2022
5	Total Nitrogen as N	mg/L	3.8	<10	IS 3025(P-34) 1988 (RA-2019)
6	Ammonical Nitrogen as N	mg/L	1.4	<5	IS 3025(P-34) 1988 (RA-2019)

*****End of the report*****

Page 1 of 2

Reviewed By
19/11/24



Authorized Signatory
19/11/24

NOTE : 1. The result listed above pertain only to the tested samples and applicable parameters. 2. Samples will be stored for a period of 15 Days unless otherwise specified. 3. This report is not to be reproduced either wholly or in part and can not be used as evidence in the court of law and should not be used in any advertising media without prior written permission. 4. Sampling not done by us unless specified. 5. Total liability of our lab is limited to the Invoice Amount & any disputes arising out of this report are subject to Bangalore Jurisdiction only. 6. Laboratory is not responsible for the authenticity of photocopied test reports. ETH/QR/F&F/069 Issue date 01/03/2024



A TO Z ENVIRO TEST HOUSE LLP

Recognised by MoEF & CC, Certified By : ISO 9001 : 2015, ISO 45001 : 2018 & ISO 14001 : 2015

C-56, KSSIDC Industrial Estate, Veerasandra, Hosur Road, Bangalore-560 100.

Ph.: 080-2960 0330 Mob.: 98456 65241 E-mail : enquiry2022.eth@gmail.com



TEST REPORT

Name & Address of the Customer

: M/s. ASTER HOSPITAL WHITEFIELD.

(A Unit of Aster DM Health Care Limited) (B-Block)

Plot No 3 & 4 Sadaramangala Industrial Area, Off.

Whitefield Main Road, Opposite ITPL, Whitefield,

Bengaluru, Karnataka-560 066.

Sample Code	ETH/NOV-24/67-10	Report No	ETH/NOV-24/67-10
Date of Sample Collection	15/11/2024	Date of Sample Receipt	15/11/2024
Analysis Commenced Date	15/11/2024	Analysis Completed Date	19/11/2024
Sample Description	STP Treated Water (STP Area)	Report Issue Date	19/11/2024
Qty. Received	500 ml	Sample Received Condition	Good
Sample Appearance	Slightly Turbid Liquid		
Sampling Details	Sample Collected by A to Z Enviro Test House LLP Representative.		

Sl. No	Parameters	Unit	Result	Standards as per KSPCB	Test Method
1	Faecal coliform	MPN/100ml	41	<100	IS 1622-1981(RA 2019)

*****End of the Report*****

Page 2 of 2



Reviewed
19/11/24

Reviewed & Authorized Signatory

NOTE : 1. The result listed above pertain only to the tested samples and applicable parameters. 2. Samples will be stored for a period of 15 Days unless otherwise specified. 3. This report is not to be reproduced either wholly or in part and can not be used as evidence in the court of law and should not be used in any advertising media without prior written permission. 4. Sampling not done by us unless specified. 5. Total liability of our lab is limited to the Invoice Amount & any disputes arising out of this report are subject to Bangalore Jurisdiction only. 6. Laboratory is not responsible for the authenticity of photocopied test reports. ETH/QR/F&F/069 Issue date 01/03/2024



A TO Z ENVIRO TEST HOUSE LLP

Recognised by MoEF & CC, Certified By : ISO 9001 : 2015, ISO 45001 : 2018 & ISO 14001 : 2015

C-56, KSSIDC Industrial Estate, Veerasandra, Hosur Road, Bangalore-560 100.

Ph.: 080-2960 0330 Mob.: 98456 65241 E-mail : enquiry2022.eth@gmail.com



TEST REPORT

Name & Address of the Customer

M/s. ASTER HOSPITAL WHITEFIELD.

(A Unit of Aster DM Health Care Limited) (B-Block)

Plot No 3 & 4 Sadaramangala Industrial Area, Off.

Whitefield Main Road, Opposite ITPL, Whitefield,

Bengaluru, Karnataka-560 066.

Sample Code	ETH/DEC-24/58-13	Report No	ETH/DEC-24/58-13
Date of Sample Collection	13/12/2024	Date of Sample Receipt	14/12/2024
Analysis Commenced Date	16/12/2024	Analysis Completed Date	19/12/2024
Sample Description	STP Treated Water (Basement)	Report Issue Date	19/12/2024
Qty. Received	2 Ltrs	Sample Received Condition	Good
Sample Appearance	Slightly Turbid Liquid		
Sampling Details	Sample Collected by A to Z Enviro Test House LLP Representative.		

Sl. No	Parameters	Unit	Result	Standards as per KSPCB	Test Method
1	pH Value @ 25°C	---	7.60	6.5-9.0	IS 3025(P-11) 2022
2	Chemical Oxygen Demand	mg/L	32.6	<50	IS 3025(P-58) 2023
3	Bio-Chemical Oxygen Demand (3days @ 27°C)	mg/L	6.8	<10	IS 3025(P-44)2023
4	Total Suspended Solids	mg/L	6.0	<10	IS 3025(P-17) 2022
5	Total Nitrogen as N	mg/L	3.9	<10	IS 3025(P-34) 1988 (RA-2019)
6	Ammonical Nitrogen as N	mg/L	1.6	<5	IS 3025(P-34) 1988 (RA-2019)

*****End of the report*****

Page 1 of 2




Reviewed & Authorized Signatory

NOTE : 1. The result listed above pertain only to the tested samples and applicable parameters. 2. Samples will be stored for a period of 15 Days unless otherwise specified. 3. This report is not to be reproduced either wholly or in part and can not be used as evidence in the court of law and should not be used in any advertising media without prior written permission. 4. Sampling not done by us unless specified. 5. Total liability of our lab is limited to the Invoice Amount & any disputes arising out of this report are subject to Bangalore Jurisdiction only. 6. Laboratory is not responsible for the authenticity of photocopied test reports. ETH/QR/F&F/069 Issue date 01/03/2024



A TO Z ENVIRO TEST HOUSE LLP

Recognised by MoEF & CC, Certified By : ISO 9001 : 2015, ISO 45001 : 2018 & ISO 14001 : 2015

C-56, KSSIDC Industrial Estate, Veerasandra, Hosur Road, Bangalore-560 100.

Ph.: 080-2960 0330 Mob.: 98456 65241 E-mail : enquiry2022.eth@gmail.com



TEST REPORT

Name & Address of the Customer

M/s. ASTER HOSPITAL WHITEFIELD.
(A Unit of Aster DM Health Care Limited) (B-Block)
Plot No 3 & 4 Sadaramangala Industrial Area, Off.
Whitefield Main Road, Opposite ITPL, Whitefield,
Bengaluru, Karnataka-560 066.

Sample Code	ETH/DEC-24/58-13	Report No	ETH/DEC-24/58-13
Date of Sample Collection	13/12/2024	Date of Sample Receipt	14/12/2024
Analysis Commenced Date	14/12/2024	Analysis Completed Date	18/12/2024
Sample Description	STP Treated Water (Basement)	Report Issue Date	19/12/2024
Qty. Received	500 ml	Sample Received Condition	Good
Sample Appearance	Slightly Turbid Liquid		
Sampling Details	Sample Collected by A to Z Enviro Test House LLP Representative.		

Sl. No	Parameters	Unit	Result	Standards as per KSPCB	Test Method
1	Faecal coliform	MPN/100ml	34	<100	IS 1622-1981(RA2019)

*****End of the Report*****

Page 2 of 2



Reviewed & Authorized Signatory

@ 11/12/24

Reviewed & Authorized Signatory

NOTE : 1. The result listed above pertain only to the tested samples and applicable parameters. 2. Samples will be stored for a period of 15 Days unless otherwise specified. 3. This report is not to be reproduced either wholly or in part and can not be used as evidence in the court of law and should not be used in any advertising media without prior written permission. 4. Sampling not done by us unless specified. 5. Total liability of our lab is limited to the Invoice Amount & any disputes arising out of this report are subject to Bangalore Jurisdiction only. 6. Laboratory is not responsible for the authenticity of photocopied test reports. ETH/QR/F&F/069 Issue date 01/03/2024



A TO Z ENVIRO TEST HOUSE LLP

Recognised by MoEF & CC, Certified By : ISO 9001 : 2015, ISO 45001 : 2018 & ISO 14001 : 2015

C-56, KSSIDC Industrial Estate, Veerasandra, Hosur Road, Bangalore-560 100.

Ph.: 080-2960 0330 Mob.: 98456 65241 E-mail : enquiry2022.eth@gmail.com



TEST REPORT

Name & Address of the Customer

M/s. ASTER HOSPITAL WHITEFIELD.
(A Unit of Aster DM Health Care Limited) (B-Block)
Plot No 3 & 4 Sadaramangala Industrial Area, Off.
Whitefield Main Road, Opposite ITPL, Whitefield,
Bengaluru, Karnataka-560 066.

Sample Code	ETH/JAN-25/16-11	ULR No	TC1306825000000041F
Date of Sample Collection	14/01/2025	Date of Sample Receipt	14/01/2025
Analysis Commenced Date	15/01/2025	Analysis Completed Date	18/01/2025
Sample Description	STP Treated Water	Report Issue Date	18/01/2025
Qty. Received	2 Ltrs	Sample Received Condition	Good
Sample Appearance	Slightly Turbid Liquid		
Sampling Details	ETH/QR/F&F/001.		

Sl. No	Parameters	Unit	Result	Standards as per KSPCB	Test Method
1	pH Value @ 25°C	--	7.70	6.5-9.0	IS 3025(P-11) 2022
2	Chemical Oxygen Demand	mg/L	37.9	<50	IS 3025(P-58) 2023
3	Bio-Chemical Oxygen Demand (3days @ 27°C)	mg/L	6.0	<10	IS 3025(P-44) 2023
4	Total Suspended Solids	mg/L	4.0	<10	IS 3025(P-17) 2022
5	Nitrate Nitrogen	mg/L	0.1	N.S	IS 3025(P-34) 1988 (RA-2019) Chromotrophic Acid Method
6	Nitrite Nitrogen	mg/L	2.3	N.S	IS 3025(P-34) 1988 (RA-2019)
7	Ammonical Nitrogen as N	mg/L	1.9	<5	IS 3025(P-34) 1988 (RA-2019)

Note: N.S- Not Specified

*****End of the report*****

Page 1 of 2



[Signature]
Reviewed & Authorized Signatory

NOTE : 1. The result listed above pertain only to the tested samples and applicable parameters. 2. Samples will be stored for a period of 15 Days unless otherwise specified. 3. This report is not to be reproduced either wholly or in part and can not be used an evidence in the court of law and should not be used in any advertising media without prior written permission. 4. Sampling not done by us unless specified. 5. Total liability of our lab is limited to the Invoice Amount & any disputes arising out of this report are subject to Bangalore Jurisdiction only. 6. Laboratory is not responsible for the authenticity of photocopied test reports. ETH/QR/F&F/069 Issue date 01/03/2024



A TO Z ENVIRO TEST HOUSE LLP

Recognised by MoEF & CC, Certified By : ISO 9001 : 2015, ISO 45001 : 2018 & ISO 14001 : 2015
C-56, KSSIDC Industrial Estate, Veerasandra, Hosur Road, Bangalore-560 100.
Ph.: 080-2960 0330 Mob.: 98456 65241 E-mail : enquiry2022.eth@gmail.com

TEST REPORT

Name & Address of the Customer

: M/s. ASTER HOSPITAL WHITEFIELD.
(A Unit of Aster DM Health Care Limited) (B-Block)
Plot No 3 & 4 Sadaramangala Industrial Area, Off.
Whitefield Main Road, Opposite ITPL, Whitefield,
Bengaluru, Karnataka-560 066.

Sample Code	ETH/JAN-25/16-11		
Date of Sample Collection	14/01/2025	Date of Sample Receipt	14/01/2025
Analysis Commenced Date	15/01/2025	Analysis Completed Date	18/01/2025
Sample Description	STP Treated Water	Report Issue Date	18/01/2025
Qty. Received	2 Ltrs	Sample Received Condition	Good
Sample Appearance	Slightly Turbid Liquid		
Sampling Details	ETH/QR/F&F/001.		

Sl. No	Parameters	Unit	Result	Standards as per KSPCB	Test Method
8	Total Nitrogen as N	mg/L	4.8	<10	IS 3025(P-34) 1988 (RA-2019)

*****End of the report*****

Page 2 of 2



 18/1/25
Reviewed & Authorized Signatory

NOTE : 1. The result listed above pertain only to the tested samples and applicable parameters. 2. Samples will be stored for a period of 15 Days unless otherwise specified. 3. This report is not to be reproduced either wholly or in part and can not be used as evidence in the court of law and should not be used in any advertising media without prior written permission. 4. Sampling not done by us unless specified. 5. Total liability of our lab is limited to the Invoice Amount & any disputes arising out of this report are subject to Bangalore Jurisdiction only. 6. Laboratory is not responsible for the authenticity of photocopied test reports. ETH/QR/F&F/069 Issue date 01/03/2024



A TO Z ENVIRO TEST HOUSE LLP

Recognised by MoEF & CC, Certified By : ISO 9001 : 2015, ISO 45001 : 2018 & ISO 14001 : 2015
C-56, KSSIDC Industrial Estate, Veerasandra, Hosur Road, Bangalore-560 100.
Ph.: 080-2960 0330 Mob.: 98456 65241 E-mail : enquiry2022.eth@gmail.com



TEST REPORT

Name & Address of the Customer

: M/s. ASTER HOSPITAL WHITEFIELD.
(A Unit of Aster DM Health Care Limited) (B-Block)
Plot No 3 & 4 Sadaramangala Industrial Area, Off.
Whitefield Main Road, Opposite ITPL, Whitefield,
Bengaluru, Karnataka-560 066.

Sample Code	ETH/JAN-25/16-11	ULR No	TC1306825000000041F
Date of Sample Collection	14/01/2025	Date of Sample Receipt	14/01/2025
Analysis Commenced Date	14/01/2025	Analysis Completed Date	18/01/2025
Sample Description	STP Treated Water	Report Issue Date	18/01/2025
Qty. Received	500 ml	Sample Received Condition	Good
Sample Appearance	Slightly Turbid Liquid		
Sampling Details	ETH/QR/F&F/001.		

Sl. No	Parameters	Unit	Result	Standards as per KSPCB	Test Method
1	Faecal coliform	MPN/100ml	33	<100	IS 1622-1981(RA 2019)

*****End of the Report*****

Page 1 of 1



Reviewed & Authorized Signatory

NOTE : 1. The result listed above pertain only to the tested samples and applicable parameters. 2. Samples will be stored for a period of 15 Days unless otherwise specified. 3. This report is not to be reproduced either wholly or in part and can not be used as evidence in the court of law and should not be used in any advertising media without prior written permission. 4. Sampling not done by us unless specified. 5. Total liability of our lab is limited to the Invoice Amount & any disputes arising out of this report are subject to Bangalore Jurisdiction only. 6. Laboratory is not responsible for the authenticity of photocopied test reports. ETH/QR/F&F/069 Issue date 01/03/2024



A TO Z ENVIRO TEST HOUSE LLP

Recognised by MoEF & CC, Certified By : ISO 9001 : 2015, ISO 45001 : 2018 & ISO 14001 : 2015
C-56, KSSIDC Industrial Estate, Veerasandra, Hosur Road, Bangalore-560 100.
Ph.: 080-2960 0330 Mob.: 98456 65241 E-mail : enquiry2022.eth@gmail.com



TEST REPORT

Name & Address of the Customer

M/s. ASTER HOSPITAL WHITEFIELD.
(A Unit of Aster DM Health Care Limited) (B-Block)
Plot No 3 & 4 Sadaramangala Industrial Area, Off.
Whitefield Main Road, Opposite ITPL, Whitefield,
Bengaluru, Karnataka-560 066.

Sample Code	ETH/FEB-25/19-10	ULR No	TC1306825000000143F
Date of Sample Collection	13/02/2025	Date of Sample Receipt	13/02/2025
Analysis Commenced Date	13/02/2025	Analysis Completed Date	17/02/2025
Sample Description	STP Treated Water (STP Area)	Report Issue Date	17/02/2025
Qty. Received	2 Ltrs	Sample Received Condition	Good
Sample Appearance	Slightly Turbid Liquid		
Sampling Details	ETH/QR/F&F/001		

Sl. No	Parameters	Unit	Result	Standards as per KSPCB	Test Method
1	pH Value @ 25°C	---	7.50	6.5-9.0	IS 3025(P-11) 2022
2	Chemical Oxygen Demand	mg/L	34	<50	IS 3025(P-58) 2023
3	Bio-Chemical Oxygen Demand (3days @ 27°C)	mg/L	5.8	<10	IS 3025(P-44) 2023
4	Total Suspended Solids	mg/L	5.0	<10	IS 3025(P-17) 2022
5	Nitrate Nitrogen	mg/L	2.5	N.S	IS 3025(P-34) 1988 (RA-2019) Chromotrophic Acid Method
6	Nitrite Nitrogen	mg/L	0.1	N.S	IS 3025(P-34) 1988 (RA-2019)
7	Ammonical Nitrogen as N	mg/L	2.2	<5	IS 3025(P-34) 1988 (RA-2019)

Note: N.S- Not Specified

*****End of the report*****

Page 1 of 2



[Signature]
Reviewed & Authorized Signatory

NOTE : 1. The result listed above pertain only to the tested samples and applicable parameters. 2. Samples will be stored for a period of 15 Days unless otherwise specified. 3. This report is not to be reproduced either wholly or in part and can not be used as evidence in the court of law and should not be used in any advertising media without prior written permission. 4. Sampling not done by us unless specified. 5. Total liability of our lab is limited to the Invoice Amount & any disputes arising out of this report are subject to Bangalore Jurisdiction only.



A TO Z ENVIRO TEST HOUSE LLP

Recognised by MoEF & CC, Certified By : ISO 9001 : 2015, ISO 45001 : 2018 & ISO 14001 : 2015
C-56, KSSIDC Industrial Estate, Veerasandra, Hosur Road, Bangalore-560 100.
Ph.: 080-2960 0330 Mob.: 98456 65241 E-mail : enquiry2022.eth@gmail.com

TEST REPORT

Name & Address of the Customer

: M/s. ASTER HOSPITAL WHITEFIELD.
(A Unit of Aster DM Health Care Limited) (B-Block)
Plot No 3 & 4 Sadaramangala Industrial Area, Off.
Whitefield Main Road, Opposite ITPL, Whitefield,
Bengaluru, Karnataka-560 066.

Sample Code	ETH/FEB-25/19-10		
Date of Sample Collection	13/02/2025	Date of Sample Receipt	13/02/2025
Analysis Commenced Date	13/02/2025	Analysis Completed Date	17/02/2025
Sample Description	STP Treated Water (STP Area)	Report Issue Date	17/02/2025
Qty. Received	2 Ltrs	Sample Received Condition	Good
Sample Appearance	Slightly Turbid Liquid		
Sampling Details	ETH/QR/F&F/001.		

Sl. No	Parameters	Unit	Result	Standards as per KSPCB	Test Method
8	Total Nitrogen as N	mg/L	5.3	<10	IS 3025(P-34) 1988 (RA-2019)

*****End of the report*****

Page 2 of 2



[Signature]
Reviewed & Authorized Signatory

NOTE : 1. The result listed above pertain only to the tested samples and applicable parameters. 2. Samples will be stored for a period of 15 Days unless otherwise specified. 3. This report is not to be reproduced either wholly or in part and can not be used as evidence in the court of law and should not be used in any advertising media without prior written permission. 4. Sampling not done by us unless specified. 5. Total liability of our lab is limited to the Invoice Amount & any disputes arising out of this report are subject to Bangalore Jurisdiction only.



A TO Z ENVIRO TEST HOUSE LLP

Recognised by MoEF & CC, Certified By : ISO 9001 : 2015, ISO 45001 : 2018 & ISO 14001 : 2015
C-56, KSSIDC Industrial Estate, Veerasandra, Hosur Road, Bangalore-560 100.
Ph.: 080-2960 0330 Mob.: 98456 65241 E-mail : enquiry2022.eth@gmail.com



TEST REPORT

Name & Address of the Customer

: M/s. ASTER HOSPITAL WHITEFIELD.
(A Unit of Aster DM Health Care Limited) (B-Block)
Plot No 3 & 4 Sadaramangala Industrial Area, Off.
Whitefield Main Road, Opposite ITPL, Whitefield,
Bengaluru, Karnataka-560 066.

Sample Code	ETH/FEB-25/19-10	ULR No	TC1306825000000143F
Date of Sample Collection	13/02/2025	Date of Sample Receipt	13/02/2025
Analysis Commenced Date	13/02/2025	Analysis Completed Date	17/02/2025
Sample Description	STP Treated Water (STP Area)	Report Issue Date	17/02/2025
Qty. Received	500 ml	Sample Received Condition	Good
Sample Appearance	Slightly Turbid Liquid		
Sampling Details	ETH/QR/F&F/001.		

Sl. No	Parameters	Unit	Result	Standards as per KSPCB	Test Method
1	Faecal coliform	MPN/100ml	41	<100	IS 1622-1981(RA 2019)

*****End of the Report*****

Page 1 of 1

Reviewed



Q1 17/2/25
Reviewed & Authorized Signatory

NOTE : 1. The result listed above pertain only to the tested samples and applicable parameters. 2. Samples will be stored for a period of 15 Days unless otherwise specified. 3. This report is not to be reproduced either wholly or in part and can not be used as evidence in the court of law and should not be used in any advertising media without prior written permission. 4. Sampling not done by us unless specified. 5. Total liability of our lab is limited to the Invoice Amount & any disputes arising out of this report are subject to Bangalore Jurisdiction only.

STP Flush Water meter readings September- 2024 Block A

Toilet Flushing

Date	Time	Opening Reading	Closing Reading	Difference in KL	Total in KL
01-09-24	7.00 am	1545.08	1556.17	11.1	11.1
02-09-24	7.00 am	1556.17	1590.71	34.5	45.6
03-09-24	7.00 am	1590.71	1612.14	21.4	67.1
04-09-24	7.00 am	1612.14	1625.99	13.8	80.9
05-09-24	7.00 am	1625.99	1660.57	34.6	115.5
06-09-24	7.00 am	1660.57	1678.99	18.4	133.9
07-09-24	7.00 am	1678.99	1687.91	8.9	142.8
08-09-24	7.00 am	1687.91	1708.38	20.5	163.3
09-09-24	7.00 am	1708.38	1717.5	9.1	172.4
10-09-24	7.00 am	1717.5	1732.45	15.0	187.4
11-09-24	7.00 am	1732.45	1768.8	36.3	223.7
12-09-24	7.00 am	1768.8	1790.6	21.8	245.5
13-09-24	7.00 am	1790.6	1807.77	17.2	262.7
14-09-24	7.00 am	1807.77	1824.68	16.9	279.6
15-09-24	7.00 am	1824.68	1848.98	24.3	303.9
16-09-24	7.00 am	1848.98	1878	29.0	332.9
17-09-24	7.00 am	1878	1898.26	20.3	353.2
18-09-24	7.00 am	1898.26	1911.58	13.3	366.5
19-09-24	7.00 am	1911.58	1936.36	24.8	391.3
20-09-24	7.00 am	1936.36	1948.46	12.1	403.4
21-09-24	7.00 am	1948.46	1963.26	14.8	418.2
22-09-24	7.00 am	1963.26	1974.78	11.5	429.7
23-09-24	7.00 am	1974.78	1984.89	10.1	439.8
24-09-24	7.00 am	1984.89	1993.24	8.3	448.2
25-09-24	7.00 am	1993.24	2009.81	16.6	464.7
26-09-24	7.00 am	2009.81	2021.37	11.6	476.3
27-09-24	7.00 am	2021.37	2028.65	7.3	483.6
28-09-24	7.00 am	2028.65	2045.67	17.0	500.6
29-09-24	7.00 am	2045.67	2060.01	14.3	514.9
30-09-24	7.00 am	2060.01	2090.78	30.8	545.7
		Total Water Consumption in KL			545.7

STP Flush Water meter readings September- 2024 Block B

Toilet Flushing/Cooling Tower

Date	Time	Opening Reading	Closing Reading	Difference in KL	Total in KL
01-09-24	7.00 am	1100.34	1198.24	97.9	97.9
02-09-24	7.00 am	1198.24	1333.6	135.4	233.3
03-09-24	7.00 am	1333.6	1416.6	83.0	316.3
04-09-24	7.00 am	1416.6	1524.02	107.4	423.7
05-09-24	7.00 am	1524.02	1645.98	122.0	545.6

B. cas.

06-09-24	7.00 am	1645.98	1762.7	116.7	662.4
07-09-24	7.00 am	1762.7	1879.22	116.5	778.9
08-09-24	7.00 am	1879.22	1960.27	81.1	859.9
09-09-24	7.00 am	1960.27	2078.94	118.7	978.6
10-09-24	7.00 am	2078.94	2191.56	112.6	1091.2
11-09-24	7.00 am	2191.56	2329.15	137.6	1228.8
12-09-24	7.00 am	2329.15	2467.09	137.9	1366.8
13-09-24	7.00 am	2467.09	2542.74	75.6	1442.4
14-09-24	7.00 am	2542.74	2628.16	85.4	1527.8
15-09-24	7.00 am	2628.16	2667.63	39.5	1567.3
16-09-24	7.00 am	2667.63	2792.29	124.7	1692.0
17-09-24	7.00 am	2792.29	2888.37	96.1	1788.0
18-09-24	7.00 am	2888.37	2940.09	51.7	1839.8
19-09-24	7.00 am	2940.09	2989.85	49.8	1889.5
20-09-24	7.00 am	2989.85	3026.06	36.2	1925.7
21-09-24	7.00 am	3026.06	3054.41	28.3	1954.1
22-09-24	7.00 am	3054.41	3085.31	30.9	1985.0
23-09-24	7.00 am	3085.31	3125.44	40.1	2025.1
24-09-24	7.00 am	3125.44	3144.04	18.6	2043.7
25-09-24	7.00 am	3144.04	3173.41	29.4	2073.1
26-09-24	7.00 am	3173.41	3205.53	32.1	2105.2
27-09-24	7.00 am	3205.53	3247.53	42.0	2147.2
28-09-24	7.00 am	3247.53	3276.84	29.3	2176.5
29-09-24	7.00 am	3276.84	3297.04	20.2	2196.7
30-09-24	7.00 am	3297.04	3319.44	22.4	2219.1
		Total Water Consumption in KL			2219.1

STP Flush Water meter readings October- 2024 Block A

		WTP Outline			
Date	Time	Opening Reading	Closing Reading	Difference in KL	Total in KL
01-10-24	7.00 am	2090.78	2130.22	39.4	39.4
02-10-24	7.00 am	2130.22	2141.14	10.9	50.4
03-10-24	7.00 am	2141.14	2156.59	15.5	65.8
04-10-24	7.00 am	2156.59	2178.56	22.0	87.8
05-10-24	7.00 am	2178.56	2203.7	25.1	112.9
06-10-24	7.00 am	2203.7	2216.33	12.6	125.6
07-10-24	7.00 am	2216.33	2244.43	28.1	153.7
08-10-24	7.00 am	2244.43	2256.33	11.9	165.6
09-10-24	7.00 am	2256.33	2274.44	18.1	183.7
10-10-24	7.00 am	2274.44	2290.97	16.5	200.2
11-10-24	7.00 am	2290.97	2316.53	25.6	225.8
12-10-24	7.00 am	2316.53	2340.43	23.9	249.7
13-10-24	7.00 am	2340.43	2374.39	34.0	283.6
14-10-24	7.00 am	2374.39	2399.3	24.9	308.5
15-10-24	7.00 am	2399.3	2408.47	9.2	317.7
16-10-24	7.00 am	2408.47	2436.57	28.1	345.8

17-10-24	7.00 am	2436.57	2453.67	17.1	362.9
18-10-24	7.00 am	2453.67	2475.73	22.1	385.0
19-10-24	7.00 am	2475.73	2493.22	17.5	402.4
20-10-24	7.00 am	2493.22	2498.01	4.8	407.2
21-10-24	7.00 am	2498.01	2505.57	7.6	414.8
22-10-24	7.00 am	2505.57	2526.96	21.4	436.2
23-10-24	7.00 am	2526.96	2538.4	11.4	447.6
24-10-24	7.00 am	2538.4	2567.83	29.4	477.1
25-10-24	7.00 am	2567.83	2596.3	28.5	505.5
26-10-24	7.00 am	2596.3	2641.59	45.3	550.8
27-10-24	7.00 am	2641.59	2664.62	23.0	573.8
28-10-24	7.00 am	2664.62	2683.39	18.8	592.6
29-10-24	7.00 am	2683.39	2702.72	19.3	611.9
30-10-24	7.00 am	2702.72	2711.66	8.9	620.9
31-10-24	7.00 am	2711.66	2735.39	23.7	644.6
Total Water Consumption in KL					644.6

Free

STP Flush Water meter readings September- 2024 Block B

WTP Outline					
Date	Time	Opening Reading	Closing Reading	Difference in KL	Total in KL
01-10-24	7.00 am	3319.44	3376.45	57.0	57.0
02-10-24	7.00 am	3376.45	3393.82	17.4	74.4
03-10-24	7.00 am	3393.82	3452.57	58.8	133.1
04-10-24	7.00 am	3452.57	3499.17	46.6	179.7
05-10-24	7.00 am	3499.17	3538.81	39.6	219.4
06-10-24	7.00 am	3538.81	3551.16	12.3	231.7
07-10-24	7.00 am	3551.16	3603.46	52.3	284.0
08-10-24	7.00 am	3603.46	3633.71	30.3	314.3
09-10-24	7.00 am	3633.71	3668.39	34.7	349.0
10-10-24	7.00 am	3668.39	3705.68	37.3	386.2
11-10-24	7.00 am	3705.68	3728.59	22.9	409.2
12-10-24	7.00 am	3728.59	3738.46	9.9	419.0
13-10-24	7.00 am	3738.46	3744.94	6.5	425.5
14-10-24	7.00 am	3744.94	3762.98	18.0	443.5
15-10-24	7.00 am	3762.98	3823.36	60.4	503.9
16-10-24	7.00 am	3823.36	3845.1	21.7	525.7
17-10-24	7.00 am	3845.1	3878.02	32.9	558.6
18-10-24	7.00 am	3878.02	3921.38	43.4	601.9
19-10-24	7.00 am	3921.38	3937.84	16.5	618.4
20-10-24	7.00 am	3937.84	3992.7	54.9	673.3
21-10-24	7.00 am	3992.7	4030.48	37.8	711.0
22-10-24	7.00 am	4030.48	4065.4	34.9	746.0
23-10-24	7.00 am	4065.4	4121.94	56.5	802.5
24-10-24	7.00 am	4121.94	4155.92	34.0	836.5
25-10-24	7.00 am	4155.92	4179.08	23.2	859.6
26-10-24	7.00 am	4179.08	4240.3	61.2	920.9

27-10-24	7.00 am	4240.3	4253.19	12.9	933.8
28-10-24	7.00 am	4253.19	4306.29	53.1	986.9
29-10-24	7.00 am	4306.29	4346.39	40.1	1027.0
30-10-24	7.00 am	4346.39	4373.07	26.7	1053.6
31-10-24	7.00 am	4373.07	4396.02	23.0	1076.6
Total Water Consumption in KL					1076.6

STP Flush Water meter readings November- 2024 Block A

WTP Outline					
Date	Time	Opening Reading	Closing Reading	Difference in KL	Total in KL
01-11-24	7.00 am	2735.39	2750.43	15.0	15.0
02-11-24	7.00 am	2750.43	2757.24	6.8	21.8
03-11-24	7.00 am	2757.24	2763.91	6.7	28.5
04-11-24	7.00 am	2763.91	2785.6	21.7	50.2
05-11-24	7.00 am	2785.6	2795.51	9.9	60.1
06-11-24	7.00 am	2795.51	2805.84	10.3	70.5
07-11-24	7.00 am	2805.84	2817.08	11.2	81.7
08-11-24	7.00 am	2817.08	2831.89	14.8	96.5
09-11-24	7.00 am	2831.89	2846.01	14.1	110.6
10-11-24	7.00 am	2846.01	2875	29.0	139.6
11-11-24	7.00 am	2875	2885.02	10.0	149.6
12-11-24	7.00 am	2885.02	2907.42	22.4	172.0
13-11-24	7.00 am	2907.42	2914.93	7.5	179.5
14-11-24	7.00 am	2914.93	2937.26	22.3	201.9
15-11-24	7.00 am	2937.26	2953.58	16.3	218.2
16-11-24	7.00 am	2953.58	2968.71	15.1	233.3
17-11-24	7.00 am	2968.71	2977.02	8.3	241.6
18-11-24	7.00 am	2977.02	2986.58	9.6	251.2
19-11-24	7.00 am	2986.58	3001.75	15.2	266.4
20-11-24	7.00 am	3001.75	3013.37	11.6	278.0
21-11-24	7.00 am	3013.37	3025.29	11.9	289.9
22-11-24	7.00 am	3025.29	3040.83	15.5	305.4
23-11-24	7.00 am	3040.83	3054.68	13.8	319.3
24-11-24	7.00 am	3054.68	3067.36	12.7	332.0
25-11-24	7.00 am	3067.36	3090.2	22.8	354.8
26-11-24	7.00 am	3090.2	3100.92	10.7	365.5
27-11-24	7.00 am	3100.92	3112.22	11.3	376.8
28-11-24	7.00 am	3112.22	3129.93	17.7	394.5
29-11-24	7.00 am	3129.93	3143.19	13.3	407.8
30-11-24	7.00 am	3143.19	3154.23	11.0	418.8
					418.0
Total Water Consumption in KL					418.0

STP Flush Water meter readings November- 2024 Block B

WTP Outline					
-------------	--	--	--	--	--

Date	Time	Opening Reading	Closing Reading	Difference in KL	Total in KL
01-11-24	7.00 am	4396.02	4411.23	15.2	15.2
02-11-24	7.00 am	4411.23	4421.91	10.7	25.9
03-11-24	7.00 am	4421.91	4429.99	8.1	34.0
04-11-24	7.00 am	4429.99	4459.99	30.0	64.0
05-11-24	7.00 am	4459.99	4514.37	54.4	118.3
06-11-24	7.00 am	4514.37	4541	26.6	145.0
07-11-24	7.00 am	4541	4569.51	28.5	173.5
08-11-24	7.00 am	4569.51	4600.04	30.5	204.0
09-11-24	7.00 am	4600.04	4626.31	26.3	230.3
10-11-24	7.00 am	4626.31	4637.5	11.2	241.5
11-11-24	7.00 am	4637.5	4654.01	16.5	258.0
12-11-24	7.00 am	4654.01	4705.48	51.5	309.5
13-11-24	7.00 am	4705.48	4738.86	33.4	342.8
14-11-24	7.00 am	4738.86	4767.39	28.5	371.4
15-11-24	7.00 am	4767.39	4792.59	25.2	396.6
16-11-24	7.00 am	4792.59	4824.84	32.3	428.8
17-11-24	7.00 am	4824.84	4847.38	22.5	451.4
18-11-24	7.00 am	4847.38	4871.63	24.3	475.6
19-11-24	7.00 am	4871.63	4893.17	21.5	497.2
20-11-24	7.00 am	4893.17	4931.58	38.4	535.6
21-11-24	7.00 am	4931.58	4960.79	29.2	564.8
22-11-24	7.00 am	4960.79	4994.96	34.2	598.9
23-11-24	7.00 am	4994.96	5016.12	21.2	620.1
24-11-24	7.00 am	5016.12	5029.9	13.8	633.9
25-11-24	7.00 am	5029.9	5058.56	28.7	662.5
26-11-24	7.00 am	5058.56	5089.1	30.5	693.1
27-11-24	7.00 am	5089.1	5124.59	35.5	728.6
28-11-24	7.00 am	5124.59	5146.95	22.4	750.9
29-11-24	7.00 am	5146.95	5184.89	37.9	788.9
30-11-24	7.00 am	5184.89	5207.62	22.7	811.6
Total Water Consumption in KL					811.6

STP Flush Water meter readings December- 2024 Block A

WTP Outline					
Date	Time	Opening Reading	Closing Reading	Difference in KL	Total in KL
01-12-24	7.00 am	3154.23	3161.9	7.7	7.7
02-12-24	7.00 am	3161.9	3170.24	8.3	16.0
03-12-24	7.00 am	3170.24	3179.71	9.5	25.5
04-12-24	7.00 am	3179.71	3196.52	16.8	42.3
05-12-24	7.00 am	3196.52	3204.55	8.0	50.3
06-12-24	7.00 am	3204.55	3214.96	10.4	60.7
07-12-24	7.00 am	3214.96	3236.64	21.7	82.4
08-12-24	7.00 am	3236.64	3241.37	4.7	87.1
09-12-24	7.00 am	3241.37	3253.52	12.2	99.3

10-12-24	7.00 am	3253.52	3262.2	8.7	108.0
11-12-24	7.00 am	3262.2	3272.83	10.6	118.6
12-12-24	7.00 am	3272.83	3283.81	11.0	129.6
13-12-24	7.00 am	3283.81	3291.05	7.2	136.8
14-12-24	7.00 am	3291.05	3303.9	12.8	149.7
15-12-24	7.00 am	3303.9	3312.51	8.6	158.3
16-12-24	7.00 am	3312.51	3323.2	10.7	169.0
17-12-24	7.00 am	3323.2	3331.87	8.7	177.6
18-12-24	7.00 am	3331.87	3343.14	11.3	188.9
19-12-24	7.00 am	3343.14	3351.29	8.2	197.1
20-12-24	7.00 am	3351.29	3363.57	12.3	209.3
21-12-24	7.00 am	3363.57	3372.98	9.4	218.8
22-12-24	7.00 am	3372.98	3380.38	7.4	226.2
23-12-24	7.00 am	3380.38	3388.15	7.8	233.9
24-12-24	7.00 am	3388.15	3397.8	9.7	243.6
25-12-24	7.00 am	3397.8	3404.83	7.0	250.6
26-12-24	7.00 am	3404.83	3417.81	13.0	263.6
27-12-24	7.00 am	3417.81	3439.35	21.5	285.1
28-12-24	7.00 am	3439.35	3470.17	30.8	315.9
29-12-24	7.00 am	3470.17	3474.36	4.2	320.1
30-12-24	7.00 am	3474.36	3481.22	6.9	327.0
31-12-24	7.00 am	3481.22	3492.11	10.9	337.9
Total Water Consumption in KL					337.9

[Signature]

STP Flush Water meter readings December- 2024 Block B

WTP Outline					
Date	Time	Opening Reading	Closing Reading	Difference in KL	Total in KL
01-12-24	7.00 am	5207.62	5230.8	23.2	23.2
02-12-24	7.00 am	5230.8	5249.94	19.1	42.3
03-12-24	7.00 am	5249.94	5293.7	43.8	86.1
04-12-24	7.00 am	5293.7	5337.38	43.7	129.8
05-12-24	7.00 am	5337.38	5365.66	28.3	158.0
06-12-24	7.00 am	5365.66	5406.82	41.2	199.2
07-12-24	7.00 am	5406.82	5435.74	28.9	228.1
08-12-24	7.00 am	5435.74	5443.02	7.3	235.4
09-12-24	7.00 am	5443.02	5492.15	49.1	284.5
10-12-24	7.00 am	5492.15	5533.8	41.7	326.2
11-12-24	7.00 am	5533.8	5558.76	25.0	351.1
12-12-24	7.00 am	5558.76	5580.36	21.6	372.7
13-12-24	7.00 am	5580.36	5604.86	24.5	397.2
14-12-24	7.00 am	5604.86	5642.78	37.9	435.2
15-12-24	7.00 am	5642.78	5658.53	15.8	450.9
16-12-24	7.00 am	5658.53	5683.05	24.5	475.4
17-12-24	7.00 am	5683.05	5719.01	36.0	511.4
18-12-24	7.00 am	5719.01	5755.37	36.4	547.8
19-12-24	7.00 am	5755.37	5805.35	50.0	597.7

20-12-24	7.00 am	5805.35	5839.69	34.3	632.1
21-12-24	7.00 am	5839.69	5878.52	38.8	670.9
22-12-24	7.00 am	5878.52	5908.62	30.1	701.0
23-12-24	7.00 am	5908.62	5939.42	30.8	731.8
24-12-24	7.00 am	5939.42	5969.92	30.5	762.3
25-12-24	7.00 am	5969.92	5977.34	7.4	769.7
26-12-24	7.00 am	5977.34	6009.86	32.5	802.2
27-12-24	7.00 am	6009.86	6059.5	49.6	851.9
28-12-24	7.00 am	6059.5	6088.41	28.9	880.8
29-12-24	7.00 am	6088.41	6095.38	7.0	887.8
30-12-24	7.00 am	6095.38	6119.77	24.4	912.2
31-12-24	7.00 am	6119.77	6146	26.2	938.4
Total Water Consumption in KL					938.4

STP Flush Water meter readings January- 2025 Block A

Date	Time	WTP Outline			
		Opening Reading	Closing Reading	Difference in KL	Total in KL
01-01-25	7.00 am	3492.11	3503.57	11.5	11.5
02-01-25	7.00 am	3503.57	3517.3	13.7	25.2
03-01-25	7.00 am	3517.3	3536.72	19.4	44.6
04-01-25	7.00 am	3536.72	3546.07	9.4	54.0
05-01-25	7.00 am	3546.07	3554.03	8.0	61.9
06-01-25	7.00 am	3554.03	3576.41	22.4	84.3
07-01-25	7.00 am	3576.41	3583.96	7.6	91.8
08-01-25	7.00 am	3583.96	3591.44	7.5	99.3
09-01-25	7.00 am	3591.44	3600.76	9.3	108.7
10-01-25	7.00 am	3600.76	3612.01	11.3	119.9
11-01-25	7.00 am	3612.01	3620.85	8.8	128.7
12-01-25	7.00 am	3620.85	3632.79	11.9	140.7
13-01-25	7.00 am	3632.79	3640.32	7.5	148.2
14-01-25	7.00 am	3640.32	3646.73	6.4	154.6
15-01-25	7.00 am	3646.73	3664.51	17.8	172.4
16-01-25	7.00 am	3664.51	3675.11	10.6	183.0
17-01-25	7.00 am	3675.11	3681.66	6.5	189.6
18-01-25	7.00 am	3681.66	3697.42	15.8	205.3
19-01-25	7.00 am	3697.42	3735.29	37.9	243.2
20-01-25	7.00 am	3735.29	3758.59	23.3	266.5
21-01-25	7.00 am	3758.59	3795.08	36.5	303.0
22-01-25	7.00 am	3795.08	3807.84	12.8	315.7
23-01-25	7.00 am	3807.84	3818.27	10.4	326.2
24-01-25	7.00 am	3818.27	3828.27	10.0	336.2
25-01-25	7.00 am	3828.27	3858.96	30.7	366.9
26-01-25	7.00 am	3858.96	3877.22	18.3	385.1
27-01-25	7.00 am	3877.22	3886.67	9.5	394.6
28-01-25	7.00 am	3886.67	3893.31	6.6	401.2
29-01-25	7.00 am	3893.31	3901.01	7.7	408.9
30-01-25	7.00 am	3901.01	3915.15	14.1	423.0

31-01-25	7.00 am	3915.15	3927.31	12.2	435.2
Total Water Consumption in KL					435.2

Boes

STP Flush Water meter readings January- 2025 Block B

WTP Outline

Date	Time	Opening Reading	Closing Reading	Difference in KL	Total in KL
01-01-25	7.00 am	6146	6179.43	33.4	33.4
02-01-25	7.00 am	6179.43	6235.73	56.3	89.7
03-01-25	7.00 am	6235.73	6278.66	42.9	132.7
04-01-25	7.00 am	6278.66	6316.58	37.9	170.6
05-01-25	7.00 am	6316.58	6351.58	35.0	205.6
06-01-25	7.00 am	6351.58	6367.17	15.6	221.2
07-01-25	7.00 am	6367.17	6392.16	25.0	246.2
08-01-25	7.00 am	6392.16	6423.93	31.8	277.9
09-01-25	7.00 am	6423.93	6460.71	36.8	314.7
10-01-25	7.00 am	6460.71	6508.11	47.4	362.1
11-01-25	7.00 am	6508.11	6546.6	38.5	400.6
12-01-25	7.00 am	6546.6	6559.19	12.6	413.2
13-01-25	7.00 am	6559.19	6582.81	23.6	436.8
14-01-25	7.00 am	6582.81	6633.77	51.0	487.8
15-01-25	7.00 am	6633.77	6676.31	42.5	530.3
16-01-25	7.00 am	6676.31	6736.87	60.6	590.9
17-01-25	7.00 am	6736.87	6776.06	39.2	630.1
18-01-25	7.00 am	6776.06	6817.68	41.6	671.7
19-01-25	7.00 am	6817.68	6854.76	37.1	708.8
20-01-25	7.00 am	6854.76	6895.03	40.3	749.0
21-01-25	7.00 am	6895.03	6940.74	45.7	794.7
22-01-25	7.00 am	6940.74	6987.56	46.8	841.6
23-01-25	7.00 am	6987.56	7025.27	37.7	879.3
24-01-25	7.00 am	7025.27	7072.46	47.2	926.5
25-01-25	7.00 am	7072.46	7109.3	36.8	963.3
26-01-25	7.00 am	7109.3	7122.41	13.1	976.4
27-01-25	7.00 am	7122.41	7170.53	48.1	1024.5
28-01-25	7.00 am	7170.53	7239.01	68.5	1093.0
29-01-25	7.00 am	7239.01	7266.66	27.6	1120.7
30-01-25	7.00 am	7266.66	7313.05	46.4	1167.1
31-01-25	7.00 am	7313.05	7360.67	47.6	1214.7
Total Water Consumption in KL					1214.7


Boes

STP Flush Water meter readings February- 2025 Block A

WTP Outline

Date	Time	Opening Reading	Closing Reading	Difference in KL	Total in KL
01-02-25	7.00 am	3927.31	3932.76	5.5	5.5
02-02-25	7.00 am	3932.76	3940.37	7.6	13.1
03-02-25	7.00 am	3940.37	3946.49	6.1	19.2

14-02-25	7.00 am	7774.16	7815.47	41.3	454.8
15-02-25	7.00 am	7815.47	7857.18	41.7	496.5
16-02-25	7.00 am	7857.18	7879.13	21.9	518.5
17-02-25	7.00 am	7879.13	7912.82	33.7	552.2
18-02-25	7.00 am	7912.82	7959.15	46.3	598.5
19-02-25	7.00 am	7959.15	7999.13	40.0	638.5
20-02-25	7.00 am	7999.13	8054.64	55.5	694.0
21-02-25	7.00 am	8054.64	8090.72	36.1	730.1
22-02-25	7.00 am	8090.72	8141	50.3	780.3
23-02-25	7.00 am	8141	8181.13	40.1	820.5
24-02-25	7.00 am	8181.13	8215.69	34.6	855.0
25-02-25	7.00 am	8215.69	8255.78	40.1	895.1
26-02-25	7.00 am	8255.78	8280.92	25.1	920.3
27-02-25	7.00 am	8280.92	8317.91	37.0	957.2
28-02-25	7.00 am	8317.91	8375.42	57.5	1014.8
		Total Water Consumption in KL			1014.8





A TO Z ENVIRO TEST HOUSE LLP

Recognised by MoEF & CC, Certified By : ISO 9001 : 2015, ISO 45001 : 2018 & ISO 14001 : 2015
C-56, KSSIDC Industrial Estate, Veerasandra, Hosur Road, Bangalore-560 100.
Ph.: 080-2960 0330 Mob.: 98456 65241 E-mail : enquiry2022.eth@gmail.com



TEST REPORT

Name & Address of the Customer

M/s. ASTER HOSPITAL WHITEFIELD.
(A Unit of Aster DM Health Care Limited) (B-Block)
Plot No 3 & 4 Sadaramangala Industrial Area, Off.
Whitefield Main Road, Opposite ITPL, Whitefield,
Bengaluru, Karnataka-560 066.

Sample Code	ETH/DEC-24/58-4	Report No	ETH/DEC-24/58-4
Date of Sample Collection	13/12/2024	Date of Sample Receipt	14/12/2024
Analysis Commenced Date	14/12/2024	Analysis Completed Date	19/12/2024
Sample Particulars	Noise Monitoring.	Report Issue Date	19/12/2024

Instrument Name	Instrument ID	Make	Model	SI No	Instrument Calibrated Date	Instrument Calibrated Due Date
Sound Level Meter-1	ETH/AIR/INS/022	Equinox	EQ-805	190706383	04-12-2024	03-12-2025

NOISE MONITORING RESULTS

SL. NO	Sample Locations	L Min dB(A)	L Max dB(A)	Result Leq dB(A)	KSPCB Standards	Test method
1	B Block 3 rd Floor MICU	41.1	46.9	43.9	75 dB (A) Leq Max	IS 9989:1981
2	B Block Ground Floor Entrance Area	42.8	48.7	45.7		

*****End of the Report*****

Page 1 of 1



[Signature]
Reviewed & Authorized Signatory

NOTE : 1. The result listed above pertain only to the tested samples and applicable parameters. 2. Samples will be stored for a period of 15 Days unless otherwise specified. 3. This report is not to be reproduced either wholly or in part and can not be used as evidence in the court of law and should not be used in any advertising media without prior written permission. 4. Sampling not done by us unless specified. 5. Total liability of our lab is limited to the Invoice Amount & any disputes arising out of this report are subject to Bangalore Jurisdiction only. 6. Laboratory is not responsible for the authenticity of photocopied test reports. ETH/QR/F&F/069 Issue date 01/03/2024



A TO Z ENVIRO TEST HOUSE LLP

Recognised by MoEF & CC, Certified By : ISO 9001 : 2015, ISO 45001 : 2018 & ISO 14001 : 2015

C-56, KSSIDC Industrial Estate, Veerasandra, Hosur Road, Bangalore-560 100.

Ph.: 080-2960 0330 Mob.: 98456 65241 E-mail : enquiry2022.eth@gmail.com



TEST REPORT

Name & Address of the Customer

: M/s. ASTER HOSPITAL WHITEFIELD.
(A Unit of Aster DM Health Care Limited) (A-Block)
Plot No 3 & 4 Sadaramangala Industrial Area, Off.
Whitefield Main Road, Opposite ITPL, Whitefield,
Bengaluru, Karnataka-560 066.

Sample Code	ETH/DEC-24/57-4	Report No	ETH/DEC-24/57-4
Date of Sample Collection	13/12/2024	Date of Sample Receipt	14/12/2024
Analysis Commenced Date	14/12/2024	Analysis Completed Date	19/12/2024
Sample Particulars	Noise Monitoring.	Report Issue Date	19/12/2024

Instrument Name	Instrument ID	Make	Model	SI No	Instrument Calibrated Date	Instrument Calibrated Due Date
Sound Level Meter-1	ETH/AIR/INS/022	Equinox	EQ-805	190706383	04-12-2024	03-12-2025

NOISE MONITORING RESULTS

SL. NO	Sample Locations	L Min dB(A)	L Max dB(A)	Result Leq dB(A)	KSPCB Standards	Test method
1	A Block Ground Floor Entrance Area	43.9	49.5	46.6	75 dB (A) Leq Max	IS 9989:1981

*****End of the Report*****

Page 1 of 1



[Signature] 19/12/24
Reviewed & Authorized Signatory

NOTE : 1. The result listed above pertain only to the tested samples and applicable parameters. 2. Samples will be stored for a period of 15 Days unless otherwise specified. 3. This report is not to be reproduced either wholly or in part and can not be used as evidence in the court of law and should not be used in any advertising media without prior written permission. 4. Sampling not done by us unless specified. 5. Total liability of our lab is limited to the Invoice Amount & any disputes arising out of this report are subject to Bangalore Jurisdiction only. 6. Laboratory is not responsible for the authenticity of photocopied test reports. ETH/QR/F&F/069 Issue date 01/03/2024



A TO Z ENVIRO TEST HOUSE LLP

Recognised by MoEF & CC, Certified By : ISO 9001 : 2015, ISO 45001 : 2018 & ISO 14001 : 2015
C-56, KSSIDC Industrial Estate, Veerasandra, Hosur Road, Bangalore-560 100.
Ph.: 080-2960 0330 Mob.: 98456 65241 E-mail : enquiry2022.eth@gmail.com



TEST REPORT

Name & Address of the Customer

: M/s. ASTER WOMEN AND CHILDREN
HOSPITAL.

Plot No 2, Sadaramangala Industrial Area, Off.
Whitefield Road, Opposite ITPL, Whitefield,
Bengaluru, Karnataka-560 066.

Sample Code	ETH/DEC-24/59-4	Report No	ETH/DEC-24/59-4
Date of Sample Collection	13/12/2024	Date of Sample Receipt	14/12/2024
Analysis Commenced Date	14/12/2024	Analysis Completed Date	17/12/2024
Sample Particulars	Noise Monitoring.	Report Issue Date	19/12/2024

Instrument Name	Instrument ID	Make	Model	SI No	Instrument Calibrated Date	Instrument Calibrated Due Date
Sound Level Meter-1	ETH/AIR/INS/022	Equinox	EQ-805	190706383	04-12-2024	03-12-2025

NOISE MONITORING RESULTS

SL. NO	Sample Locations	L Min dB(A)	L Max dB(A)	Result Leq dB(A)	KSPCB Standards	Test method
1	C-Block 1 st Floor NICU	43.5	48.3	45.8	75 dB (A) Leq Max	IS 9989:1981
2	C- Block Ground Floor Entrance Area	42.8	47.7	45.2		

*****End of the Report*****

Page 1 of 1



Reviewed & Authorized Signatory

NOTE : 1. The result listed above pertain only to the tested samples and applicable parameters. 2. Samples will be stored for a period of 15 Days unless otherwise specified. 3. This report is not to be reproduced either wholly or in part and can not be used as evidence in the court of law and should not be used in any advertising media without prior written permission. 4. Sampling not done by us unless specified. 5. Total liability of our lab is limited to the Invoice Amount & any disputes arising out of this report are subject to Bangalore Jurisdiction only. 6. Laboratory is not responsible for the authenticity of photocopied test reports. ETH/QR/F&F/069 Issue date 01/03/2024

PURCHASE ORDER

Supplier:

M/s. Vennar organic Fertilizer Pvt Ltd

57/A, 31st cross, 7th block, jayanagar.

Bangalore - 560082

Sub: - Purchase Order for Supply and Installation of **Organic Waste converter - 60 MS (400Kg)** for Aster Hospital Whitefield Bangalore.

Dear Sir,

This with reference to our inquiry and your quotations and the various discussion we had with you. We are pleased to issue you this confirmed Purchase Order for Supply & Installation of **Organic Waste converter - 60 MS (400Kg)** for Aster Hospital Whitefield Bangalore as set out below.

In this Purchase Order the following terms shall have the meanings as specified hereunder.

Purchaser: M/s. Aster Hospital White Field (A unit of Aster DM Healthcare Limited) Plot No.2,3&4, Sadaramangala Industrial Area, ITPL Main Road Opp to ITPL main gate, Whitefield, Bangalore - 560066.

Supplier: M/s. Vennar organic Fertilizer Pvt Ltd # 57/A, 31st cross, 7th block, jayanagar Bangalore - 560082.

Site: M/s. Aster Hospital White Field (A unit of Aster DM Healthcare Limited) Plot No.2,3&4, Sadaramangala Industrial Area, ITPL Main Road Opp to ITPL main gate, Whitefield, Bangalore - 560066.

Detailed specifications and quantities of the individual sub-components more specifically as set out in the annexure below and subject to other terms and conditions stated.



Aster WHITEFIELD HOSPITAL

We'll Treat You Well



PO NO: ASTERDM/PO/23-24/44059

Date: 08-09-2023

Sl. No	Particulars	Qty	Rate	Amount
1	Composting machine OWC - 60 (SS)	1	4,82,000	4,82,000
2	Composting Curing system - 200kgs/day (Composting Machine)	2	1,91,000	3,82,000
3	Garden shredder - 3HP	1	1,29,500	1,29,500
	Sub Total			9,93,500
	Less: Discount			78,500
	Subtotal after discount			9,15,000
	Add: GST @ 12%			1,09,800
	Grand Total			10,24,800

Amount in words: INR – Ten Lakh Twenty-Four Thousand Eight Hundred Rupees only.


Terms and Conditions:


1. **Price:** The Total Value is Inclusive of all the taxes as applicable, Transport, Labor Etc.
2. **Payment:** 50% along with the Purchase Order, 50 % against delivery.
3. **Delivery:** 2 weeks from the date of advance payment.
4. **Warranty:** 1 Year from the date of installation.

Kindly sign the duplicate copy and return the same to us to signify acceptance of all terms and conditions mentioned above.

Yours cordially,

**For Aster Hospital White Field
(A Unit of Aster DM Healthcare Limited)**


**Anil Kumar M
Manager - Finance**


**Arun Kumar
Unit Head - COO**






सत्यमेव जयते

INDIA NON JUDICIAL

Government of Karnataka

e-Stamp

Certificate No. : IN-KA81541563273655V
Certificate Issued Date : 05-Jun-2023 02:47 PM
Account Reference : NONACC (FI)/ kacrsfl08/ CHANNASANDRA2/ KA-SV
Unique Doc. Reference : SUBIN-KAKACRSFL0842854820407765V
Purchased by : ASTER HOSPITAL
Description of Document : Article 4 Affidavit
Description : AFFIDAVIT
Consideration Price (Rs.) : 0
 (Zero)
First Party : ASTER HOSPITAL
Second Party : MS GOMTI INCINCO
Stamp Duty Paid By : ASTER HOSPITAL
Stamp Duty Amount(Rs.) : 100
 (One Hundred only)



Please write or type below this line

AGREEMENT

This agreement is entered into at Bengaluru on this the 1st day in the month of June Two Thousand Twenty Three between M/s. Aster DM Healthcare GSTIN(29AACCD7912K1ZD) No.1785 Sarjapura Road, Sector 1, HSR Layout, ward no 174, Agra Extension, Bengaluru Karnataka 560102, A company incorporated having its



Hospital in the name of **Aster Hospital (A unit of Aster DM Healthcare)** at plot no 2,3 & 4, Sadarmangala Industrial Area, Off Whitefield main road, Opp ITPL, Whitefield, Bengaluru, Karnataka, 560066, India. Represented by its Authorized Signatory (COO) **Mr. Arun Kumar** (which expression shall include, successors –in-interest and assigns) of the **“FIRST PART” COMPANY.**

AND

M/s. GOMTI INCINCO, and having is registered office and Factory at # 3 B 2, Kumbalgodu Industrial Area, Ist Phase, Mysore Road, Bangalore-560074 represented by its Managing Partner **Mr. RAMESH SHARMA**, Hereinafter referred as **“CONTRACTOR.”** (which expression shall include, successors –in-interest and assigns) of the **“SECOND PART” CONTRACTOR.**

WHEREAS M/s. Aster Hospital is a company applying certain process whereby certain quantity of hazardous waste is generated. The said company interested in incinerating the above hazardous waste as per the norms prescribed by Karnataka State Pollution Control Board (KSPCB).

WHEREAS M/s. Gomti Incinco is an authorized company for treating hazardous waste, possessing consent letter bearing No. 319220 dated 23rd July 2020 issued by the Karnataka State Pollution Control Board. for such Incineration of Hazardous Wastes. The contractor is desirous of carry the Hazardous waste for the company.

AND WHEREAS the parties are desirous of entering into agreement for arranging for carrying and Incineration of Hazardous Waste generated by the company subject to the terms of agreement.

I. DUTIES & RESPONSIBILITIES OF THE PARTY OF THE FIRST PART

1. Agree to inform KSPCB about the hazardous waste generated in the industry being incinerated at the facility of M/s Gomti Incinco.
2. Agree to store the hazardous waste generated in a safe and secured manner as prescribed by KSPCB offload the said hazardous waste to M/s. Gomti Incinco on quarterly basis.
3. Agree to offload estimated quantity 250-350 kg of the hazardous waste every three months, even if needed before as well .
4. Agree to pay at the revised rate, arrived only at after mutual discussion.



5. Agree to pay the bill within Fifteen days from the receipt of the bill from the 2nd party.
6. Agree to accept the commercial terms mentioned in Annexure to this Agreement.
7. Agree to make an interest free deposit of **Rs. 15000/- (Rupees Fifteen Thousand Only)**, which will be refunded on termination of the contract.

II. DUTIES & RESPONSIBILITIES OF PARTY OF THE SECOND PART **(M/S. GOMTI INCINCO)**

1. Agree to possess an up-to-date Consent letter for the Incineration of Hazardous Wastes.
2. Agree to give a copy of the consent Letter to **M/s. Aster Hospital**
3. Agree to possess an up-to-date Public Liability Insurance Policy.
4. Whenever the Transport Vehicle of M/s Gomti Incinco is utilized for transportation of the Hazardous Wastes. M/s Gomti Incinco agree to keep such vehicle road worthy, fit to carry such hazardous wastes as prescribed by statutory bodies such as, Department of Ecology / Environment, KSPCB and such other statutory bodies as prescribed from time to time.
5. Vehicles are used exclusively for the transportation of hazardous wastes, maintained in good condition and an alternative arrangement made in case of breakdown.
6. Agree to store and incinerate the hazardous waste received from **M/s. Aster Hospital** and dispose the incinerated ash generated thereafter as per the norms of KSPCB.
7. Agree to accept, and incinerate the hazardous waste as per the norms prescribed by KSPCB.
8. Agree to provide access to the representatives of **M/s. Aster Hospital** to visit the facility with prior appointment.
9. Agree to cover the employees of M/s Gomti Incinco, who visit the premises of **M/s. Aster Hospital** by ESI and other statutory rules and regulations and also to provide such safety gadgets as required.
10. Agrees to indemnify **M/s. Aster Hospital** against any liabilities arising out of the incineration of hazardous waste until the final disposal.



11. Agree to submit monthly returns to KSPCB of the quantity and nature of hazardous waste received and incinerated from **M/s. Aster Hospital**.

III. In Pursuant of the aforesaid terms the parties to this agreement jointly

That they will individually and jointly are responsible to the Karnataka State Pollution Control Board in carrying out their respective duties.

1. That the system functioning at M/s Gomti Incinco is according to the approval granted by KSPCB, if the environmental audit carried out by **M/s. Aster Hospital** finds need for change / modification in the systems of M/s Gomti Incinco will be to the account of **M/s. Aster Hospital**.
2. If **M/s. Aster Hospital** transport the hazardous waste to the facility of M/s Gomti Incinco, **M/s. Aster Hospital**, will take all measures for the safe transportation of the hazardous wastes to M/s Gomti Incinco as per the norms prescribed by KSPCB. Similarly M/s Gomti incinco will take such safety measures in case their vehicle is utilized for the transportation
3. Disputes, if any, arising out of the terms of this agreement, shall, as far as possible mutually settled involving KSPCB. If this fails, the matter shall be settled as laid down in the Arbitration Act 1940, and the award passed thereon shall be final and binding on both the parties.
4. This agreement comes into effect from the day, month, and year first above written.
5. This agreement is valid for a period of **Three year** and renewal / revision will be by mutual consent.
6. Termination of the contract will be by mutual consent by giving written notice of six months by either party.
7. The commercial part of this agreement and mode of transportation are mentioned in annexure to this agreement.



IN WITNESS WHEREOF the parties hereto have executed this presence at Bangalore on the day, month and year herein above mentioned.

FOR Aster Hospital

Mr Arun Kumar



1.

COO

FOR GOMTI INCINCO,

2.

Ramesh Sharma
Managing Partner

WITNESSES:

1.

A handwritten signature in blue ink, likely belonging to one of the witnesses.

2.

ANNEXURE:

The rates payable by M/s. Aster Hospital is Rs. 25/- per kg & Transportation Charges Rs.3800/- Per Trip of Hazardous Solid/Liquid Waste up to 01.03.2026. It will be reviewed and revised at mutually acceptable rates thereafter.

Chemical/ Hazardous waste

Xylene
Isopropyl Alcohol
Formalin
Paraffin
IHC Waste
Specimen WAX