



08.04.2025

To

The Environmental Engineer,
District Office,
Kerala State Pollution Control Board,
Malappuram.

Subject: Submission of Form-IV (Annual Report) for the Year 2024

Sir,

I am hereby submitting the Form-IV (Annual Report) of Malabar Institute of Medical Sciences Ltd., Kottakkal P.O., Malappuram District, for the period from 01.01.2024 to 31.12.2024.

Thanking you.

For Malabar Institute of Medical Sciences Ltd, Kottakkal.

Dr. Hari PS.

Chief of Medical Services.

Encl: Form IV





Form - IV (See rule 13) ANNUAL REPORT

[To be submitted to the prescribed authority on or before 30th June every year for the period from January to December of the preceding year, by the occupier of health care facility (HCF) or common bio-medical waste treatment facility (CBWTF)]

SI. No.	Particulars	Details				
1	Particulars of the Occupier					
	(i) Name of the authorised person (occupier or operator of facility)	The Medical Director				
	(ii) Name of HCF	Malabar Institute of Medical Sciences Ltd IMAGE CBWTF Aff.No.MPM.0142 14/36 D to M, Kottakkal, Tirur, Malappuram, Kerala, India, Pin - 676503				
	(iii) Address for Correspondence					
	(iv) Address of Facility	14/36 D to M, Kottakkal, Tirur, Malappuram, Kerala, India, Pin - 676503				
Transmission of the property	(v) Tel. No,Fax. No	4832747401, 9562999009				
aariik kuru untok keeraaa il koma	(vi) E-mail ID	mimskottakkal@asterhospital.com				
	(vii) URL of Website					
	(viii) GPS coordinates of HCF or CBMWTF	Latitude - Longitude -	10.9928817 76.0052799			
	(ix) Ownership of HCF or CBMWTF					
	(x). Status of Authorisation under the Bio-Medical Waste (Management and Handling) Rules					
And American Antonio Antonio (American) (American)	(xi) Status of Consents under Water Act and Air Act					
2	Type of Health Care Facility					
	(i) Bedded Hospital	Private Hospital (PH)				
	(ii) Non-bedded hospital					
	(Clinic or Blood Bank or Clinical Laboratory or Research Institute or Veterinary Hospital or any other)					
entrantentia unu jujentrita espekun	(iii) License number and its date of expiry					

Ails of CBMWIF		IMAGE / IMA,KSB,Behind Gramalakshmi Mudralayam, Manthuruthi, Kanjikkode west,Palakkad - 678 623, Tel. No.:0491 2570470, Email: imageimaksbtvm@gmail.com Admin: Office: IMAGE, IMA State Headquarters,Anayara PO, Thiruvananthapuram Ph. 0471-274 2211, 274 1188					
and the second s	(i) Number healthcare facilities covered by CBMWTF	2046			Newsprograms and the section in the section of the sec		
	(ii) No of beds covered by CBMWTF	1071				essecretorios estados como mente acres núcleos contrabilidades ser	
Management of the State of the	(iii) Installed treatment and disposal capacity of CBMWTF:		8 tonnes per day				
Activities of the Control of the Con	(iv) Quantity of biomedical waste treated or disposed by CBMWTF		72 tonnes per day				
4	Quantity of waste generated or disposed in Kg per annum (on monthly average	902	263.58				
-	basis)(kg/year)	Category Regular(kg)		Regular(kg)		Covid(kg	1)
				48404.71		0.00	
		Y	/ellow Waste kg/year)	24203.74		0.00	
		11.	Blue Waste (kg/year)	15901.88		0.00	
		1 1	White Waste (kg/year)	1753.25		0.00	
	(i) Details of the on-site storage facility :						
	Size :						and the section of the filters and contributions the section of th
	Capacity:		And the second s		A CONTRACTOR OF THE PROPERTY O		
-	Provision of on-site storage : (cold storage or any other provision)			No	Capacity		Quantity Treated or
	(ii) Details of the treatment or disposal faciliti		Type of treatment equipment	of units	Kg/ da		disposed in kg per annu (kg/year)
And the second s			Incinerators	Nil	Nil		
equation appropriate and the			Plasma Pyrolysis	Nil	Nil		
Acquire and a second			Autoclaves	Nil	Nil	A contraction of an additional variation and an account of the contraction of the contrac	A contract of the contract of
Minimal			Microwave	Nil	Nil	According to the State Control of the State Control	
1			Hydroclave	Nil	Nil		
- Andread			Shredder	Nil	Nil	And the second s	
The second secon			Needle tip cutter o		Nil		
			Sharps (bottles)	Nil	T. A. Warner		1

		Deep burial pits (Needle)	Nil	Nil	
		Chemical disinfection	Nil	Nil	
*- hand control religions of popularities and district the control of the control		Any other treatment equipment:	Nil	Nil	
	(iii) Quantity of recyclable wastes sold to authorized recyclers after treatment in kg per annum. Red Category (like plastic, glass etc.)	The Biomedical Waste collected,transported to IMAGE - CBWTF.	o the CBV	VTF,treated & disp	posed of by the
CONTROL CONTRO	(iv) No of vehicles used for collection and transportation of biomedical waste	The Biomedical Waste collected, transported (IMAGE - CBWTF.	e generate to the CBV	ed from this HCE is NTF,treated & disp	s posed of by the
agential region of the second	(v) Details of incineration ash and ETP sludge generated and disposed during the treatment of wastes in Kg per annum	The Biomedical Waste collected, transported IMAGE - CBWTF.	to the CB	WIF, treated & dis	posed of by the
	(vi) Name of the Common Bio- Medical Waste Treatment Facility Operator through which wastes are disposed of	IMAGE CBWTF (India Manthuruthi, Kanjikoo	an Medica le West, F	l Association Goe Palakkad – 678623	s Eco-friendly)
	(vii) List of member HCF not handed over bio- medical waste.	NA			
6	Do you have bio-medical waste management committee? If yes, attach minutes of the meetings held during the reporting period				
7	Details trainings conducted on BMW		and the second s		
	(i) Number of trainings conducted on BMW Management	0			
	(ii) number of personnel trained				
	(iii) number of personnel trained at the time of induction				
	(iv) number of personnel not undergone any training so far				
	(v) whether standard manual for training is available?	Biomedical Waste N CBWTF	/lanageme	ent Training Modul	le from the IMAGE-
	(vi) any other information				
8	Details of the accident occurred during the year				
	(i) Number of Accidents			and did to provide flower and colorism parts grow makely a gloring number of the control of a local particle scale from the	tan kan kata kata kan paka kan paka kan kan kan kan pana kan kan kan kan kan kan kan kan kan
Anna Anna Anna Anna Anna Anna Anna Anna	(ii) Number of the persons affected occurred				
	(iii) Remedial Action taken (Please attach detai if any)	ls			
	(iv) Any Fatality occurred, details.				reception of the second and accompany to the second contraction of the second contract of t
9	Are you meeting the standards of air Pollution from the incinerator?				
Total Control of the Analysis and Control of the State of	How many times in last year could not met the standards?				

	alls of Continuous online emission monitoring stems installed		
	Liquid waste generated and treatment methods in place.	-	
	How many times you have not met the standards in a year?	-	
1	Is the disinfection method or sterilization meeting the log 4 standards?	-	
	How many times you have not met the standards in a year?	•	
2	Any other relevant information		
edicensistational establish	(Air Pollution Control Devices attached with the Incinerator)	The Biomedical Waste generated from this HCE is collected,transported to the CBWTF,treated & disposed of by the IMAGE - CBWTF.	
Cert	ified that the above report is for the period from (01-01-2024 to 31-12-2024	
lam	e and Signature of the Head of the Institution		
	e and Signature of the Head of the Institution AsterM We do not be a second to the Institution 1: 31-12-2024 DR. INNR.	IMS COL	